



USA / deltalight.us / +1(954) 677 9800
 Canada / deltalight.ca / +1(905) 813 6130

Date _____

Name _____

Client _____

Project name _____

Quote# _____

Type/Quantity _____

Listings





19/04/2022 14:17:04

Specification Sheet

LASS-OH! 60160 92734
6 24813 9220

[Weblink](#)



Available colors: BLACK (6 24813 9220 B)
 GOLD COLORED (6 24813 9220 GC)

INCL.6 x DOT.COM S6 modules
 PER MODULE: 6 x LED 1W / CRI>90 / 2700K / 98lm
 PER MODULE: 6 x REFLECTOR FL-34°
 EXCL.LED POWER SUPPLY 1050mA-DC
 INCL.4 x CABLE SUSPENSION SINGLE AUTO. 5'
 INCL.1 x CABLE 2 x 18 AWG
 For other CRI or KELVIN, contact factory

LED Technics: Light source: 3528 lm // 36 W // 98 lm/W
 Luminaire: 2788 lm // 42 W // 67 lm/W

Class 2: Yes
 Ada: N.a.

Weight: 4 LBS
 Protection level: IP20 - suitable for damp locations
 Minimum distance: n.a.

Options: COVERPLATE S 103
 COVERPLATE R 104

Accessories: JIHA S / R


Requirements :
 LASS-OH! POWERBOX
 LED POWER SUPPLY 1050mA-DC DIM (Remote)

For detailed installation instructions, please consult the manual. [6_24813_XXXX_HAND.pdf](#)

LASS-OH! 60160 92734
6 24813 9220

Related references LED POWER SUPPLIES


[Weblink / Specsheet](#)



LASS-OH! POWERBOX 1050mA-DC /
38W DIM 14
6 24814 00614
120-277V / 60Hz
Number of luminaires: 1

Related references LED POWER SUPPLIES - REMOTE


[Weblink / Specsheet](#)



LED POWER SUPPLY 1050mA-DC /
50W DIM 1
6 300 11 ED1
120-277V / 60Hz
Number of luminaires: 1


Related references COVER PLATES

[Weblink / Specsheet](#)



COVERPLATE R 104
6 204 00 104


[Weblink / Specsheet](#)



COVERPLATE S 103
6 204 99 103


Related references LIGHT ALTERING DEVICES

[Weblink / Specsheet](#)



JIHA! R
24814 0030

[Weblink / Specsheet](#)



JIHA! S
24814 0020

Related project picture of product family:

