



USA / deltalight.us / +1(954) 677 9800
 Canada / deltalight.ca / +1(905) 813 6130

Date _____

Name _____

Client _____

Project name _____

Quote# _____

Type/Quantity _____

Listings





22/04/2022 05:45:21

Specification Sheet

PUNK 622 C 92733 DIM8
6 471 322 811 922 ED8

[Weblink](#)



Available colors: BLACK (6 471 322 811 922 ED8 B)
 GOLD COLORED (6 471 322 811 922 ED8 GC)

LED 7,1W / CRI>90 / 2700K / 779lm
 REFLECTOR FL-33°
 INCL.DIMMABLE LED POWER SUPPLY 350mA-DC
 MAINS DIMMING - TRAILING EDGE
 INCL.1 x CABLE SUSPENSION SINGLE AUTO. 5'
 INCL.1 x CABLE 2 x 18 AWG
 For other CRI or KELVIN, contact factory
 For other voltages or dimming options, contact factory.

LED Technics: Light source: 779 lm // 7 W // 110 lm/W
 Luminaire: 400 lm // 8 W // 49 lm/W

120V / 60Hz

Class 2 N.a.
 Ada N.a.
 Installation methods 4" J-BOX

Weight: 2.5 LBS
 Protection level: IP20 - suitable for damp locations
 Minimum distance: n.a.

Accessories: HONEYCOMB 50
 LINEAR SPREAD LENS 50
 SPREAD LENS 50
 SOFTENING LENS 50
 GLASS SBL 50

Requirements :
 SPY TUBE

For detailed installation instructions, please consult the manual. [6_471_322_811_XXX_ED8_HAND.pdf](#)

PUNK 622 C 92733 DIM8
6 471 322 811 922 ED8

Related references

LIGHT ALTERING DEVICES


[Weblink / Specsheet](#)



Ø50mm
Ø2"

GLASS SBL 50
413 03 05

[Weblink / Specsheet](#)



Ø50mm
Ø2"

HONEYCOMB 50
413 03 01

[Weblink / Specsheet](#)



Ø50mm
Ø2"

LINEAR SPREAD LENS 50
413 03 02

[Weblink / Specsheet](#)



Ø50mm
Ø2"

SOFTENING LENS 50
413 03 04

[Weblink / Specsheet](#)



Ø50mm
Ø2"

SPREAD LENS 50
413 03 03

Related references

FINISH YOUR PRODUCT

[Weblink / Specsheet](#)



53mm
2-1/8"

Ø50mm
Ø2-3/8"

SPY TUBE
414 01 00

PUNK 622 C 92733 DIM8
6 471 322 811 922 ED8

Related project picture of product family:

