



USA / deltalight.us / +1(954) 677 9800
 Canada / deltalight.ca / +1(905) 813 6130

Date _____

Name _____

Client _____

Project name _____

Quote# _____

Type/Quantity _____

Listings





22/04/2022 05:47:06

Specification Sheet

PUNK 452 C 92740 DIM8
6 471 222 922 ED8

[Weblink](#)



Available colors: BLACK (6 471 222 922 ED8 B)
 GOLD COLORED (6 471 222 922 ED8 GC)

LED 6,4W / CRI>90 / 2700K / 587lm
 REFLECTOR WFL-40°
 INCL.DIMMABLE LED POWER SUPPLY 350mA-DC
 MAINS DIMMING - TRAILING EDGE
 INCL.1 x CABLE SUSPENSION SINGLE AUTO. 5'
 INCL.1 x CABLE 3 x 18 AWG
 For other CRI or KELVIN, contact factory
 For other voltages or dimming options, contact factory.

LED Technics: Light source: 587 lm // 6 W // 92 lm/W
 Luminaire: 488 lm // 7 W // 66 lm/W

120V / 60Hz

Class 2 N.a.
 Ada N.a.
 Installation methods 4" J-BOX

Weight: 2.5 LBS
 Protection level: IP20 - suitable for damp locations
 Minimum distance: n.a.

Requirements :
 MIDISPY TUBE

For detailed installation instructions, please consult the manual. [6_471_222_XXX_ED8_HAND.pdf](#)




USA / deltalight.us / +1(954) 677 9800
Canada / deltalight.ca / +1(905) 813 6130

Specification Sheet

PUNK 452 C 92740 DIM8
6 471 222 922 ED8

Related references

FINISH YOUR PRODUCT



PUNK 452 C 92740 DIM8
6 471 222 922 ED8

Related project picture of product family:

