

PD-62418IC

Project:

Location:

Fixture Type:

Catalog Number:

**AVAILABLE FINISHES:**



# Entice

PD-62418IC

**PRODUCT DESCRIPTION**

Timelessly tasteful. Cylinders of natural Spanish Alabaster and gleaming metallic collars ornament a silica strand, creating a gemlike presence.

**FEATURES**

- Driver concealed within the canopy
- Illuminated silica strand decorated with First class quality Spanish alabaster and metal collar accents
- Remote or surface mounted driver options available
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Option to pre-select color temperature or adjust in the field

**SPECIFICATIONS**

<b>Rated Life</b>	50000 Hours
<b>Standards</b>	ETL, cETL,Damp Location Listed
<b>Input</b>	120-277V,50/60Hz
<b>Dimming</b>	ELV, 0-10V, TRIAC
<b>Color Temp</b>	4000K,3500K,3000K,2700K
<b>CRI</b>	90
<b>Construction</b>	Silica diffuser with alabaster shades and steel bands


**REPLACEMENT PARTS**

- 4PEND-RE624-AB - Remote Mount Canopy
- 4PEND-IC624-AB - Surface Mount Canopy

Model & Size	Color Temp & CRI	Finish	Watt	Voltage	LED Lumens	Delivered Lumens
PD-62418IC 93"	2700K 90	AB Aged Brass	20W	120-277V	2000	792
	3000K 90	AB Aged Brass	20W	120-277V	2000	792
	3500K 90	AB Aged Brass	20W	120-277V	2000	792
	4000K 90	AB Aged Brass	20W	120-277V	2000	792

Example: **PD-62418IC-40-AB**

For custom requests please contact [customs@modernforms.com](mailto:customs@modernforms.com)



PD-62418IC

Project: \_\_\_\_\_

Location: \_\_\_\_\_

Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

**AVAILABLE FINISHES:**



# Entice

PD-62418RE

**PRODUCT DESCRIPTION**

Timelessly tasteful. Cylinders of natural Spanish Alabaster and gleaming metallic collars ornament a silica strand, creating a gemlike presence.

**FEATURES**

- Driver concealed within the canopy
- Illuminated silica strand decorated with First class quality Spanish alabaster and metal collar accents
- Remote or surface mounted driver options available
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Option to pre-select color temperature or adjust in the field

**SPECIFICATIONS**

<b>Rated Life</b>	50000 Hours
<b>Standards</b>	ETL, cETL,Damp Location Listed
<b>Input</b>	120-277V,50/60Hz
<b>Dimming</b>	ELV, 0-10V, TRIAC
<b>Color Temp</b>	4000K,3500K,3000K,2700K
<b>CRI</b>	90
<b>Construction</b>	Silica diffuser with alabaster shades and steel bands


**REPLACEMENT PARTS**

- 4PEND-RE624-AB - Remote Mount Canopy
- 4PEND-IC624-AB - Surface Mount Canopy

Model & Size	Color Temp & CRI	Finish	Watt	Voltage	LED Lumens	Delivered Lumens
PD-62418RE 93"	2700K 90	AB Aged Brass	20W	120-277V	2000	792
	3000K 90	AB Aged Brass	20W	120-277V	2000	792
	3500K 90	AB Aged Brass	20W	120-277V	2000	792
	4000K 90	AB Aged Brass	20W	120-277V	2000	792

Example: **PD-62418RE-40-AB**

For custom requests please contact [customs@modernforms.com](mailto:customs@modernforms.com)



Project:

Location:

Fixture Type:

Catalog Number:

**AVAILABLE FINISHES:**



# Entice

PD-62424IC

**PRODUCT DESCRIPTION**

Timelessly tasteful. Cylinders of natural Spanish Alabaster and gleaming metallic collars ornament a silica strand, creating a gemlike presence.

**FEATURES**

- Driver concealed within the canopy
- Illuminated silica strand decorated with First class quality Spanish alabaster and metal collar accents
- Remote or surface mounted driver options available
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Option to pre-select color temperature or adjust in the field

**SPECIFICATIONS**

<b>Rated Life</b>	50000 Hours
<b>Standards</b>	ETL, cETL,Damp Location Listed
<b>Input</b>	120-277V,50/60Hz
<b>Dimming</b>	ELV, 0-10V, TRIAC
<b>Color Temp</b>	4000K,3500K,3000K,2700K
<b>CRI</b>	90
<b>Construction</b>	Silica diffuser with alabaster shades and steel bands


**REPLACEMENT PARTS**

- 4PEND-RE624-AB - Remote Mount Canopy
- 4PEND-IC624-AB - Surface Mount Canopy

Model & Size	Color Temp & CRI	Finish	Watt	Voltage	LED Lumens	Delivered Lumens
PD-62424IC 122"	2700K 90	AB Aged Brass	27.5W	120-277V	2600	920
	3000K 90	AB Aged Brass	27.5W	120-277V	2600	920
	3500K 90	AB Aged Brass	27.5W	120-277V	2600	920
	4000K 90	AB Aged Brass	27.5W	120-277V	2600	920

Example: **PD-62424IC-40-AB**

For custom requests please contact [customs@modernforms.com](mailto:customs@modernforms.com)



Project:

Location:

Fixture Type:

Catalog Number:

**AVAILABLE FINISHES:**



# Entice

PD-62424RE

**PRODUCT DESCRIPTION**

Timelessly tasteful. Cylinders of natural Spanish Alabaster and gleaming metallic collars ornament a silica strand, creating a gemlike presence.

**FEATURES**

- Driver concealed within the canopy
- Illuminated silica strand decorated with First class quality Spanish alabaster and metal collar accents
- Remote or surface mounted driver options available
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Option to pre-select color temperature or adjust in the field

**SPECIFICATIONS**

<b>Rated Life</b>	50000 Hours
<b>Standards</b>	ETL, cETL,Damp Location Listed
<b>Input</b>	120-277V,50/60Hz
<b>Dimming</b>	ELV, 0-10V, TRIAC
<b>Color Temp</b>	4000K,3500K,3000K,2700K
<b>CRI</b>	90
<b>Construction</b>	Silica diffuser with alabaster shades and steel bands


**REPLACEMENT PARTS**

- 4PEND-RE624-AB - Remote Mount Canopy
- 4PEND-IC624-AB - Surface Mount Canopy

Model & Size	Color Temp & CRI	Finish	Watt	Voltage	LED Lumens	Delivered Lumens
PD-62424RE 122"	2700K 90	AB Aged Brass	27.5W	120-277V	2600	920
	3000K 90	AB Aged Brass	27.5W	120-277V	2600	920
	3500K 90	AB Aged Brass	27.5W	120-277V	2600	920
	4000K 90	AB Aged Brass	27.5W	120-277V	2600	920

Example: **PD-62424RE-40-AB**

For custom requests please contact [customs@modernforms.com](mailto:customs@modernforms.com)



PD-624361C

Project:

Location:

Fixture Type:

Catalog Number:

**AVAILABLE FINISHES:**



# Entice

PD-624361C

**PRODUCT DESCRIPTION**

Timelessly tasteful. Cylinders of natural Spanish Alabaster and gleaming metallic collars ornament a silica strand, creating a gemlike presence.

**FEATURES**

- Driver concealed within the canopy
- Illuminated silica strand decorated with First class quality Spanish alabaster and metal collar accents
- Remote or surface mounted driver options available
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Option to pre-select color temperature or adjust in the field

**SPECIFICATIONS**

<b>Rated Life</b>	50000 Hours
<b>Standards</b>	ETL, cETL,Damp Location Listed
<b>Input</b>	120-277V,50/60Hz
<b>Dimming</b>	ELV, 0-10V, TRIAC
<b>Color Temp</b>	4000K,3500K,3000K,2700K
<b>CRI</b>	90
<b>Construction</b>	Silica diffuser with alabaster shades and steel bands


**REPLACEMENT PARTS**

- 4PEND-RE624-AB - Remote Mount Canopy
- 4PEND-IC624-AB - Surface Mount Canopy

Model & Size	Color Temp & CRI	Finish	Watt	Voltage	LED Lumens	Delivered Lumens
PD-624361C 181"	2700K 90	AB Aged Brass	40.2W	120-277V	4000	1640
	3000K 90	AB Aged Brass	40.2W	120-277V	4000	1640
	3500K 90	AB Aged Brass	40.2W	120-277V	4000	1640
	4000K 90	AB Aged Brass	40.2W	120-277V	4000	1640

Example: **PD-624361C-40-AB**

For custom requests please contact [customs@modernforms.com](mailto:customs@modernforms.com)



Surface Mount  
(IC - In Canopy Driver)



Remote Mount  
(RE - Remote Driver)



PD-62436IC

Project:

Location:

Fixture Type:

Catalog Number:

**AVAILABLE FINISHES:**



# Entice

PD-62436RE

**PRODUCT DESCRIPTION**

Timelessly tasteful. Cylinders of natural Spanish Alabaster and gleaming metallic collars ornament a silica strand, creating a gemlike presence.

**FEATURES**

- Driver concealed within the canopy
- Illuminated silica strand decorated with First class quality Spanish alabaster and metal collar accents
- Remote or surface mounted driver options available
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Option to pre-select color temperature or adjust in the field

**SPECIFICATIONS**

Rated Life	50000 Hours
Standards	ETL, cETL,Damp Location Listed
Input	120-277V,50/60Hz
Dimming	ELV, 0-10V, TRIAC
Color Temp	4000K,3500K,3000K,2700K
CRI	90
Construction	Silica diffuser with alabaster shades and steel bands


**REPLACEMENT PARTS**

- 4PEND-RE624-AB - Remote Mount Canopy
- 4PEND-IC624-AB - Surface Mount Canopy

Model & Size	Color Temp & CRI	Finish	Watt	Voltage	LED Lumens	Delivered Lumens
PD-62436RE 181"	2700K 90	AB Aged Brass	40.2W	120-277V	4000	1640
	3000K 90	AB Aged Brass	40.2W	120-277V	4000	1640
	3500K 90	AB Aged Brass	40.2W	120-277V	4000	1640
	4000K 90	AB Aged Brass	40.2W	120-277V	4000	1640

Example: **PD-62436RE-40-AB**

For custom requests please contact [customs@modernforms.com](mailto:customs@modernforms.com)



PD-62448IC

Project:

Location:

Fixture Type:

Catalog Number:

**AVAILABLE FINISHES:**



## Entice

PD-62448IC

**PRODUCT DESCRIPTION**

Timelessly tasteful. Cylinders of natural Spanish Alabaster and gleaming metallic collars ornament a silica strand, creating a gemlike presence.

**FEATURES**

- Driver concealed within the canopy
- Illuminated silica strand decorated with First class quality Spanish alabaster and metal collar accents
- Remote or surface mounted driver options available
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Option to pre-select color temperature or adjust in the field
- NEC CODE (314.24) requires ceiling outlet boxes in the U.S. support up to 50 lbs.
- This fixture in the 240" length exceeds 50 lbs. and must be installed using a U.L. listed outlet box approved for up to 75 lbs. or supported independently of the outlet box

**SPECIFICATIONS**

Rated Life	50000 Hours
Standards	ETL, cETL,Damp Location Listed
Input	120-277V,50/60Hz
Dimming	ELV, 0-10V, TRIAC
Color Temp	4000K,3500K,3000K,2700K
CRI	90
Construction	Silica diffuser with alabaster shades and steel bands


**REPLACEMENT PARTS**

- 4PEND-RE624-AB - Remote Mount Canopy
- 4PEND-IC624-AB - Surface Mount Canopy

Model & Size	Color Temp & CRI	Finish	Watt	Voltage	LED Lumens	Delivered Lumens
PD-62448IC 240"	2700K 90	AB Aged Brass	54.1W	120-277V	5000	2041
	3000K 90	AB Aged Brass	54.1W	120-277V	5000	2041
	3500K 90	AB Aged Brass	54.1W	120-277V	5000	2041
	4000K 90	AB Aged Brass	54.1W	120-277V	5000	2041

Example: **PD-62448IC-40-AB**

For custom requests please contact [customs@modernforms.com](mailto:customs@modernforms.com)



Project:

Location:

Fixture Type:

Catalog Number:

**AVAILABLE FINISHES:**



# Entice

PD-62448RE

**PRODUCT DESCRIPTION**

Timelessly tasteful. Cylinders of natural Spanish Alabaster and gleaming metallic collars ornament a silica strand, creating a gemlike presence.

**FEATURES**

- Driver concealed within the canopy
- Illuminated silica strand decorated with First class quality Spanish alabaster and metal collar accents
- Remote or surface mounted driver options available
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K
- Option to pre-select color temperature or adjust in the field
- NEC CODE (314.24) requires ceiling outlet boxes in the U.S. support up to 50 lbs.
- This fixture in the 240" length exceeds 50 lbs. and must be installed using a U.L. listed outlet box approved for up to 75 lbs. or supported independently of the outlet box

**SPECIFICATIONS**

<b>Rated Life</b>	50000 Hours
<b>Standards</b>	ETL, cETL,Damp Location Listed
<b>Input</b>	120-277V,50/60Hz
<b>Dimming</b>	ELV, 0-10V, TRIAC
<b>Color Temp</b>	4000K,3500K,3000K,2700K
<b>CRI</b>	90
<b>Construction</b>	Silica diffuser with alabaster shades and steel bands

**REPLACEMENT PARTS**

- 4PEND-RE624-AB - Remote Mount Canopy
- 4PEND-IC624-AB - Surface Mount Canopy

Model & Size	Color Temp & CRI	Finish	Watt	Voltage	LED Lumens	Delivered Lumens
PD-62448RE 240"	2700K 90	AB Aged Brass	54.1W	120-277V	5000	2041
	3000K 90	AB Aged Brass	54.1W	120-277V	5000	2041
	3500K 90	AB Aged Brass	54.1W	120-277V	5000	2041
	4000K 90	AB Aged Brass	54.1W	120-277V	5000	2041

Example: **PD-62448RE-40-AB**

For custom requests please contact [customs@modernforms.com](mailto:customs@modernforms.com)