



USA / deltalight.us / +1(954) 677 9800  
 Canada / deltalight.ca / +1(905) 813 6130

Date \_\_\_\_\_

\_\_\_\_\_

Name \_\_\_\_\_

\_\_\_\_\_

Client \_\_\_\_\_

\_\_\_\_\_

Project name \_\_\_\_\_

\_\_\_\_\_

Quote# \_\_\_\_\_

\_\_\_\_\_

Type/Quantity \_\_\_\_\_

\_\_\_\_\_

**Listings**





22/04/2022 10:28:20

Specification Sheet

**CARREE ST LED 92733**  
**6 11044 9220**

[Weblink](#)



Cutout shape/size: 3" x 3"

Recessed depth: 3" 1/8

Thickness of mounting surface: max.1" 3/8

Available colors: ALU GREY (6 11044 9220 A)  
 WHITE (6 11044 9220 W)

NON ADJUSTABLE  
 LED 10,4-15W / CRI>90 / 2700K / 1083-1456lm  
 REFLECTOR FL-33°  
 EXCL.LED POWER SUPPLY 500-700mA-DC  
 500mA for standard applications / 700mA only for remodel NON-IC applications  
 For other CRI or KELVIN, contact factory

LED Technics: Light source: 1032 lm // 10 W // 105 lm/W  
 Luminaire: 821 lm // 12 W // 69 lm/W

Class 2: N.a.  
 Ada: N.a.  
 Installation methods: INSULATED CEILING INSTALLATION  
 NON-INSULATED CEILING INSTALLATION




Weight: 0.5 LBS  
 Protection level: IP23/20 - suitable for damp locations  
 Minimum distance: n.a.

**Requirements :**  
 ROUGH-IN  
 REMODEL NON-IC











For detailed installation instructions, please consult the manual. [6\\_11044\\_XXXX\\_HAND.pdf](#)

**CARREE ST LED 92733**  
**6 11044 9220**

**Related references**  
**IC HOUSINGS**


<p><a href="#">Weblink / Specsheet</a></p>  <p>● indicative opening</p> <p>IC/NIC AT S 500mA-DC 10,5W 0-10V dim 120-277V          6 202 7108 05 31</p>	<p><a href="#">Weblink / Specsheet</a></p>  <p>● indicative opening</p> <p>IC/NIC AT S 500mA-DC 10,5W Mains dim 120V          6 202 7102 05 11</p>	<p><a href="#">Weblink / Specsheet</a></p>  <p>● indicative opening</p> <p>IC/NIC AT S 500mA-DC 15W Hi-Lume EcoSystem 120-277V          6 202 7122 05 31</p>
---	---	---

**Related references**  
**NON IC PLASTERFRAMES**

<p><a href="#">Weblink / Specsheet</a></p>  <p>● Indicative opening</p> <p>NIC S 500mA-DC 10,5W 0-10V dim 120V          6 202 01108 05 11</p>	<p><a href="#">Weblink / Specsheet</a></p>  <p>● Indicative opening</p> <p>NIC S 500mA-DC 10,5W 0-10V dim 277V          6 202 01108 05 21</p>	<p><a href="#">Weblink / Specsheet</a></p>  <p>● Indicative opening</p> <p>NIC S 500mA-DC 10,5W Mains dim 120V          6 202 01102 05 11</p>	<p><a href="#">Weblink / Specsheet</a></p>  <p>● Indicative opening</p> <p>NIC S 500mA-DC 15W Hi-Lume EcoSystem 120V          6 202 01122 05 11</p>
<p><a href="#">Weblink / Specsheet</a></p>  <p>● Indicative opening</p> <p>NIC S 500mA-DC 15W Hi-Lume EcoSystem 277V          6 202 01122 05 21</p>	<p><a href="#">Weblink / Specsheet</a></p>  <p>● Indicative opening</p> <p>NIC S 700mA-DC 14,7W 0-10V dim 120V          6 202 01109 05 11</p>	<p><a href="#">Weblink / Specsheet</a></p>  <p>● Indicative opening</p> <p>NIC S 700mA-DC 14,7W 0-10V dim 277V          6 202 01109 05 21</p>	<p><a href="#">Weblink / Specsheet</a></p>  <p>● Indicative opening</p> <p>NIC S 700mA-DC 14,7W Mains dim 120V          6 202 01103 05 11</p>
<p><a href="#">Weblink / Specsheet</a></p>  <p>● Indicative opening</p> <p>NIC S 700mA-DC 16W Hi-Lume EcoSystem 120V          6 202 01123 05 11</p>	<p><a href="#">Weblink / Specsheet</a></p>  <p>● Indicative opening</p> <p>NIC S 700mA-DC 16W Hi-Lume EcoSystem 277V          6 202 01123 05 21</p>		


**Related references**  
**REMODEL NIC**

[Weblink / Specs sheet](#)




NIC 500mA-DC 12W Mains dim 120V  
6 202 919 99 11

[Weblink / Specs sheet](#)




NIC 500mA-DC 15W Hi-Jume 1%  
EcoSystem 120V  
6 202 9122 99 11

[Weblink / Specs sheet](#)




NIC 500mA-DC 15W Hi-Jume 1%  
EcoSystem 277V  
6 202 9122 99 21

[Weblink / Specs sheet](#)




NIC 500mA-DC 25W 0-10V dim 120V  
6 202 920 99 11

[Weblink / Specs sheet](#)




NIC 500mA-DC 25W 0-10V dim 277V  
6 202 920 99 21

[Weblink / Specs sheet](#)




NIC 700mA-DC 16W Hi-Jume  
EcoSystem 120V  
6 202 9123 99 11

[Weblink / Specs sheet](#)




NIC 700mA-DC 16W Hi-Jume  
EcoSystem 277V  
6 202 9123 99 21

[Weblink / Specs sheet](#)




NIC 700mA-DC 25W 0-10V dim 120V  
6 202 969 99 11

[Weblink / Specs sheet](#)



NIC 700mA-DC 25W 0-10V dim 277V  
6 202 969 99 21

[Weblink / Specs sheet](#)



NIC 700mA-DC 25W Mains dim 120V  
6 202 921 99 11