



USA / deltalight.us / +1(954) 677 9800  
 Canada / deltalight.ca / +1(905) 813 6130

Date \_\_\_\_\_

Name \_\_\_\_\_

Client \_\_\_\_\_

Project name \_\_\_\_\_

Quote# \_\_\_\_\_

Type/Quantity \_\_\_\_\_

**Listings**





23/04/2022 10:51:30

# Specification Sheet

## DEEP RINGO LED 92733 6 202 272 811 922

[Weblink](#)



Cutout shape/size: 3"

Recessed depth: 3" 9/16"

Thickness of mounting surface: min. 3/16"

Available colors: BLACK (6 202 272 811 922 B)  
 WHITE (6 202 272 811 922 W)  
 GOLD MATT (6 202 272 811 922 MMAT)

NONADJUSTABLE  
 LED 10,4-15W / CRI>90 / 2700K / 1083-1456lm  
 REFLECTOR FL-33°  
 EXCL. LED POWER SUPPLY 500-700mA-DC  
 500mA for standard applications / 700mA only for remodel NON-IC applications  
 For other CRI or KELVIN, contact factory

LED Technics: Light source: 1083 lm // 10 W // 105 lm/W  
 Luminaire: 799 lm // 12 W // 67 lm/W

Class 2 N.a.  
 Ada N.a.  
 Installation methods INSULATED CEILING INSTALLATION  
 NON-INSULATED CEILING INSTALLATION

Weight: 0.4 LBS  
 Protection level: IP43/20 - suitable for damp locations  
 Minimum distance: n.a.




**Requirements :**  
 ROUGH-IN  
 REMODEL NON-IC

For detailed installation instructions, please consult the manual. [6\\_202\\_272\\_811\\_XXX\\_HAND.pdf](#)

**DEEP RINGO LED 92733**  
**6 202 272 811 922**











**Related references**

**IC HOUSINGS**

<p style="text-align: center;"><a href="#">Weblink / Specsheet</a></p>  <p>● indicative opening</p> <p>IC/NIC AT S 500mA-DC 10,5W 0-10V dim 120-277V          6 202 3108 47 31</p>	<p style="text-align: center;"><a href="#">Weblink / Specsheet</a></p>  <p>● indicative opening</p> <p>IC/NIC AT S 500mA-DC 10,5W Mains dim 120V          6 202 3102 47 11</p>	<p style="text-align: center;"><a href="#">Weblink / Specsheet</a></p>  <p>● indicative opening</p> <p>IC/NIC AT S 500mA-DC 15W Hi-Lume EcoSystem 120-277V          6 202 3122 47 31</p>
---	---	---

**Related references**


**NON IC PLASTERFRAMES**

<p style="text-align: center;"><a href="#">Weblink / Specsheet</a></p>  <p>● Indicative opening</p> <p>NIC S 500mA-DC 10,5W 0-10V dim 120V          6 202 01108 47 11</p>	<p style="text-align: center;"><a href="#">Weblink / Specsheet</a></p>  <p>● Indicative opening</p> <p>NIC S 500mA-DC 10,5W 0-10V dim 277V          6 202 01108 47 21</p>	<p style="text-align: center;"><a href="#">Weblink / Specsheet</a></p>  <p>● Indicative opening</p> <p>NIC S 500mA-DC 10,5W Mains dim 120V          6 202 01102 47 11</p>	<p style="text-align: center;"><a href="#">Weblink / Specsheet</a></p>  <p>● Indicative opening</p> <p>NIC S 500mA-DC 15W Hi-Lume EcoSystem 120V          6 202 01122 47 11</p>
<p style="text-align: center;"><a href="#">Weblink / Specsheet</a></p>  <p>● Indicative opening</p> <p>NIC S 500mA-DC 15W Hi-Lume EcoSystem 277V          6 202 01122 47 21</p>	<p style="text-align: center;"><a href="#">Weblink / Specsheet</a></p>  <p>● Indicative opening</p> <p>NIC S 700mA-DC 14,7W 0-10V dim 120V          6 202 01109 47 11</p>	<p style="text-align: center;"><a href="#">Weblink / Specsheet</a></p>  <p>● Indicative opening</p> <p>NIC S 700mA-DC 14,7W 0-10V dim 277V          6 202 01109 47 21</p>	<p style="text-align: center;"><a href="#">Weblink / Specsheet</a></p>  <p>● Indicative opening</p> <p>NIC S 700mA-DC 14,7W Mains dim 120V          6 202 01103 47 11</p>
<p style="text-align: center;"><a href="#">Weblink / Specsheet</a></p>  <p>● Indicative opening</p> <p>NIC S 700mA-DC 16W Hi-Lume EcoSystem 120V          6 202 01123 47 11</p>	<p style="text-align: center;"><a href="#">Weblink / Specsheet</a></p>  <p>● Indicative opening</p> <p>NIC S 700mA-DC 16W Hi-Lume EcoSystem 277V          6 202 01123 47 21</p>		

**Related references**


**REMODEL NIC**

[Weblink / Specs sheet](#)




NIC 500mA-DC 12W Mains dim 120V  
6 202 919 99 11

[Weblink / Specs sheet](#)




NIC 500mA-DC 15W Hi-Jume 1%  
EcoSystem 120V  
6 202 9122 99 11

[Weblink / Specs sheet](#)




NIC 500mA-DC 15W Hi-Jume 1%  
EcoSystem 277V  
6 202 9122 99 21

[Weblink / Specs sheet](#)




NIC 500mA-DC 25W 0-10V dim 120V  
6 202 920 99 11

[Weblink / Specs sheet](#)




NIC 500mA-DC 25W 0-10V dim 277V  
6 202 920 99 21

[Weblink / Specs sheet](#)




NIC 700mA-DC 16W Hi-Jume  
EcoSystem 120V  
6 202 9123 99 11

[Weblink / Specs sheet](#)




NIC 700mA-DC 16W Hi-Jume  
EcoSystem 277V  
6 202 9123 99 21

[Weblink / Specs sheet](#)




NIC 700mA-DC 25W 0-10V dim 120V  
6 202 969 99 11

[Weblink / Specs sheet](#)



NIC 700mA-DC 25W 0-10V dim 277V  
6 202 969 99 21

[Weblink / Specs sheet](#)



NIC 700mA-DC 25W Mains dim 120V  
6 202 921 99 11

DEEP RINGO LED 92733  
6 202 272 811 922

Related project picture of product family:

