



USA / deltalight.us / +1(954) 677 9800  
 Canada / deltalight.ca / +1(905) 813 6130

Date \_\_\_\_\_

\_\_\_\_\_

Name \_\_\_\_\_

\_\_\_\_\_

Client \_\_\_\_\_

\_\_\_\_\_

Project name \_\_\_\_\_

\_\_\_\_\_

Quote# \_\_\_\_\_

\_\_\_\_\_

Type/Quantity \_\_\_\_\_

\_\_\_\_\_

**Listings**





23/04/2022 12:22:52

Specification Sheet

**DIRO TRIMLESS LED 9-SOFT**  
**6 202 144 1902**

[Weblink](#)



Cutout shape/size: Ø KIT

Recessed depth: 3"-3/4

Available colors: BLACK (6 202 144 1902 B)  
 WHITE (6 202 144 1902 W)  
 GOLD MATT (6 202 144 1902 MMAT)

NONADJUSTABLE  
 LED 9,5W / CRI>90 / 2700K-1800K / 760lm  
 REFLECTOR FL-40°  
 EXCL.DIMMABLE LED POWER SUPPLY 650mA-DC

LED Technics: Light source: 760 lm // 9 W // 82 lm/W  
 Luminaire: 493 lm // 12 W // 45 lm/W

Class 2 N.a.  
 Ada N.a.  
 Installation methods NON-INSULATED CEILING INSTALLATION

Weight: 0.3 LBS  
 Protection level: IP23/20 - suitable for damp locations  
 Minimum distance: n.a.

Remarks: MOUNTING KIT R127 TRIMLESS required for Remodel NON-IC applications.

**Requirements :**  
 ROUGH-IN  
 REMODEL NON-IC  
 MOUNTING KIT R127 TRIMLESS


For detailed installation instructions, please consult the manual. [6\\_202\\_144\\_1902\\_HAND.pdf](#)

**DIRO TRIMLESS LED 9-SOFT**  
**6 202 144 1902**

**Related references**

**IC HOUSINGS**

[Weblink / Specsheet](#)




● indicative opening

IC/NIC AT S 650mA-DC 13W Mains dim  
120V TRIMLESS  
6 202 722 77 11

**Related references**

**NON IC PLASTERFRAMES**

[Weblink / Specsheet](#)




● indicative opening

NIC S 650mA-DC 13W Mains dim 120V  
TRIMLESS  
6 202 0122 77 11

**Related references**

**REMODEL NIC**

[Weblink / Specsheet](#)




NIC 650mA-DC 13W Mains dim 120V  
6 202 922 99 11

**Related references**

**MOUNTING KITS NEW CONSTRUCTION**

[Weblink / Specsheet](#)



MOUNTING KIT R127 TRIMLESS  
6 202 05 00

DIRO TRIMLESS LED 9-SOFT  
6 202 144 1902

Related project picture of product family:

