



USA / deltalight.us / +1(954) 677 9800
 Canada / deltalight.ca / +1(905) 813 6130

Date _____

Name _____

Client _____

Project name _____

Quote# _____

Type/Quantity _____

Listings





23/04/2022 12:23:08

Specification Sheet

DIRO TRIMLESS LED 93533
6 202 144 811 952

[Weblink](#)



Cutout shape/size:	Ⓜ Ø KIT
Recessed depth:	3"-3/4
Available colors:	BLACK (6 202 144 811 952 B) WHITE (6 202 144 811 952 W) GOLD MATT (6 202 144 811 952 MMAT)
NONADJUSTABLE LED 10,4-15W / CRI>90 / 3500K / 1163-1565lm REFLECTOR FL-33° EXCL.LED POWER SUPPLY 500-700mA-DC 500mA for standard applications / 700mA only for remodel NON-IC applications For other CRI or KELVIN, contact factory	
LED Technics:	Light source: 1163 lm // 10 W // 112 lm/W Luminaire: 885 lm // 12 W // 74 lm/W
Class 2	N.a.
Ada	N.a.
Installation methods	INSULATED CEILING INSTALLATION NON-INSULATED CEILING INSTALLATION
Weight:	0.3 LBS
Protection level:	IP23/20 - suitable for damp locations
Minimum distance:	n.a.
Remarks:	MOUNTING KIT R127 TRIMLESS required for Remodel NON-IC applications.

- Requirements :**
 ROUGH-IN
 REMODEL NON-IC
 MOUNTING KIT R127 TRIMLESS




For detailed installation instructions, please consult the manual. [6_202_144_811_XXX_HAND.pdf](#)

DIRO TRIMLESS LED 93533

6 202 144 811 952











Related references

IC HOUSINGS

<p style="text-align: center;">Weblink / Specsheet</p>  <p>● indicative opening</p> <p>IC/NIC AT S 500mA-DC 10,5W 0-10V dim 120-277V TRIMLESS 6 202 7108 77 31</p>	<p style="text-align: center;">Weblink / Specsheet</p>  <p>● indicative opening</p> <p>IC/NIC AT S 500mA-DC 10,5W Mains dim 120V TRIMLESS 6 202 7102 77 11</p>	<p style="text-align: center;">Weblink / Specsheet</p>  <p>● indicative opening</p> <p>IC/NIC AT S 500mA-DC 15W Hi-Lume EcoSystem 120-277V TRIMLESS 6 202 7122 77 31</p>
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Related references


NON IC PLASTERFRAMES

<p style="text-align: center;">Weblink / Specsheet</p>  <p>● Indicative opening</p> <p>NIC S 500mA-DC 10,5W 0-10V dim 120V TRIMLESS 6 202 01108 77 11</p>	<p style="text-align: center;">Weblink / Specsheet</p>  <p>● Indicative opening</p> <p>NIC S 500mA-DC 10,5W 0-10V dim 277V TRIMLESS 6 202 01108 77 21</p>	<p style="text-align: center;">Weblink / Specsheet</p>  <p>● Indicative opening</p> <p>NIC S 500mA-DC 10,5W Mains dim 120V TRIMLESS 6 202 01102 77 11</p>	<p style="text-align: center;">Weblink / Specsheet</p>  <p>● Indicative opening</p> <p>NIC S 500mA-DC 15W Hi-Lume EcoSystem 120V TRIMLESS 6 202 01122 77 11</p>
<p style="text-align: center;">Weblink / Specsheet</p>  <p>● Indicative opening</p> <p>NIC S 500mA-DC 15W Hi-Lume EcoSystem 277V TRIMLESS 6 202 01122 77 21</p>	<p style="text-align: center;">Weblink / Specsheet</p>  <p>● Indicative opening</p> <p>NIC S 700mA-DC 14,7W 0-10V dim 120V TRIMLESS 6 202 01109 77 11</p>	<p style="text-align: center;">Weblink / Specsheet</p>  <p>● Indicative opening</p> <p>NIC S 700mA-DC 14,7W 0-10V dim 277V TRIMLESS 6 202 01109 77 21</p>	<p style="text-align: center;">Weblink / Specsheet</p>  <p>● Indicative opening</p> <p>NIC S 700mA-DC 14,7W Mains dim 120V TRIMLESS 6 202 01103 77 11</p>
<p style="text-align: center;">Weblink / Specsheet</p>  <p>● Indicative opening</p> <p>NIC S 700mA-DC 16W Hi-Lume EcoSystem 120V TRIMLESS 6 202 01123 77 11</p>	<p style="text-align: center;">Weblink / Specsheet</p>  <p>● Indicative opening</p> <p>NIC S 700mA-DC 16W Hi-Lume EcoSystem 277V TRIMLESS 6 202 01123 77 21</p>		

Related references


REMODEL NIC

[Weblink / Specs sheet](#)




NIC 500mA-DC 12W Mains dim 120V
6 202 919 99 11
Number of luminaires: + 6 202 05 00

[Weblink / Specs sheet](#)




NIC 500mA-DC 15W Hi-Jume 1%
EcoSystem 120V
6 202 9122 99 11

[Weblink / Specs sheet](#)




NIC 500mA-DC 15W Hi-Jume 1%
EcoSystem 277V
6 202 9122 99 21

[Weblink / Specs sheet](#)




NIC 500mA-DC 25W 0-10V dim 120V
6 202 920 99 11
Number of luminaires: + 6 202 05 00

[Weblink / Specs sheet](#)




NIC 500mA-DC 25W 0-10V dim 277V
6 202 920 99 21
Number of luminaires: + 6 202 05 00

[Weblink / Specs sheet](#)




NIC 700mA-DC 16W Hi-Jume
EcoSystem 120V
6 202 9123 99 11

[Weblink / Specs sheet](#)




NIC 700mA-DC 16W Hi-Jume
EcoSystem 277V
6 202 9123 99 21

[Weblink / Specs sheet](#)




NIC 700mA-DC 25W 0-10V dim 120V
6 202 969 99 11

[Weblink / Specs sheet](#)



NIC 700mA-DC 25W 0-10V dim 277V
6 202 969 99 21

[Weblink / Specs sheet](#)




NIC 700mA-DC 25W Mains dim 120V
6 202 921 99 11

Related references

MOUNTING KITS NEW CONSTRUCTION

[Weblink / Specs sheet](#)



MOUNTING KIT R127 TRIMLESS
6 202 05 00

DIRO TRIMLESS LED 93533
6 202 144 811 952

Related project picture of product family:

