## Oh! Mars E27




Floor Lamp | 220-240 V | 1xE27 16133



Technical data		
Туре	Floor Lamp	
Installation position	Floor	
Installation environment	Outdoor	
Lamp cap	1 x E27 Max 57W	
Frequency	50-60 Hz	
Optics	General Lighting	
Light emission direction	upward	
Safety class	2	
IP	IP65	
IK	IK06	
Glow wire test	850°	
Direct mounting on normally flammable surfaces	Yes	
CE	Yes	
Dimmable article	No	
Directional	No	
Tilting	No	
Walk-over	No	
Drive-over	No	
Cable included	No	
Resin potting	No	
Net weight	7.200 Kg	
-		





Finishing diffuser				
Material	PE			
Colour	Wood			
Finishing mounting frame				
Material	PC			
Colour	white			

## Oh! Mars E27



Floor Lamp | 220-240 V | 1xE27 16133

Double emission floor lamp for outdoor application. Compatibility: LED lamp, halogen 57 W, compact fluo 30 W; lamp cap 1xE27.

The diffuser is made of pe; the mounting frame is made of PC, with a white finish. The ingress protection degree is IP65; the total weight is of 7.200 kg.

The device features protection class II and can be floor-mounted with an outer casing, code 14930(for concrete or masonry).

Compliant with the EN 60598-1 standard and its specific provisions.

Illuminotechnical Features	
Source lumens	915 lm
Colour temperature	2800 K
Colour rendering index	100 Ra
Junction temperature (lighting fixture)	80
Standard Operating Ambient Temperature	25

## Oh! Mars E27



## Oh! Mars E27 | Floor Lamp | Accessories 16133

The state of the s	22 Ø 11	Outer casing - outer casing for installation on ground or on concrete	<b>Code</b> 14930
	50 V	Pegs - peg for ground mounting	<b>Code</b> 14937
1111800	0 36	anti-theft - anti-theft ground fixing bracket	Code 14082
0 2 3 0	270	Tie rods	<b>Code</b> 53890
		Connector	<b>Code</b> 14992