
Mille_W1 Halo



Wall Lights | 220-240 V | 1xG9 **6846**







Technical data	
Туре	Surface
Installation position	Wall lights
Installation environment	Indoor
Power	1 x 33 W
Lamp cap	1 x G9
Frequency	50-60 Hz
Optics	General Lighting
Light emission direction	frontal
Safety class	1
IP .	IP20
Glow wire test	850°
Direct mounting on normally flammable surfaces	Yes
CE	Yes
Dimmable article	No
Directional	No
Tilting	No
Walk-over	No
Drive-over	No
Cable included	No
Resin potting	No
Net weight	0.500 Kg

Finishing casing		
Material	Wood - Iron	
Colour	cherry wood - nickel	
Processing	Electroplating	
Finishing diffuse		
Material	Glass	
Colour	white	
Processing	Sandblasting	
Finishing mounti	ng frame	
Material	Iron	
Colour	White RAL 9016	
Processing	Coating	

Mille_W1 Halo



Wall Lights | 220-240 V | 1xG9 | Base **6846**

Double emission wall lights for indoor application. Halogen lamp included 33W, lamp cap 1xG9.

The device body is made of iron and features a nickel finish, processed by means of electroplating The device body is made of wood and features a cherry wood finish; the diffuser is made of glass with a sandblasting treatment; the mounting frame is made of iron, with a white ral 9016 finish, processed by means of coating. The ingress protection degree is IP20; the total weight is of 0.500 kg.

The device features protection class I and can be wall lights-mounted.

Compliant with the EN 60598-1 standard and its specific provisions.

Illuminotechnical Features	
Light Output Ratio (LOR)	67 %
Source lumens	460 lm
Delivered lumens	310 lm
Consumption	33 W
Luminaire efficacy	13 lm/W
Colour temperature	2700 K
Colour rendering index	100 Ra

OPTICAL	
Light distribution simmetry	Symmetrical 2
C90/C270 optics	114°

