

Struttura in metallo  
con diffusore in onice  
naturale.  
Illuminazione a LED.


Metal frame with natural  
onyx diffuser.  
LED lighting.

Gestell aus Metall mit  
Diffusor aus natürlichem  
Onyx. LED-Beleuchtung.

Structure en métal avec  
diffuseur en onyx naturel.  
Éclairage à LED.

**МЕТАЛЛИЧЕСКИЙ КАРКАС  
С РАССЕЙВАТЕЛЕМ ИЗ  
ПРИРОДНОГО ОНИКСА.  
СВЕТОДИОДНОЕ  
ОСВЕЩЕНИЕ.**

## Finishings



**V99** Oro opaco verniciato  
Painted matt gold

## Family


### Suspension




### Applique



## Standard cables for all suspensions




**HONICÉ S200**




<b>L</b>	200 cm / 78.74"
<b>SP</b>	8 cm / 3.14"
<b>H</b>	33 cm / 12.99"
<b>UP</b>	LED x 21.1W CRI>95 3000K - 1944 Nominal lm
<b>DOWN</b>	LED x 44.46 W CRI>95 3000K - 4104 Nominal lm
<b>Dimmable:</b> 0-10V	

**HONICÉ S150**




<b>L</b>	150 cm / 59.05"
<b>SP</b>	8 cm / 3.14"
<b>H</b>	33 cm / 12.99"
<b>UP</b>	LED x 17W CRI>95 3000K - 1296 Nominal lm
<b>DOWN</b>	LED x 33.5W CRI>95 3000K - 3024 Nominal lm
<b>Dimmable:</b> 0-10V	

**HONICÉ S100**




<b>L</b>	100 cm / 39.37"
<b>SP</b>	8 cm / 3.14"
<b>H</b>	33 cm / 12.99"
<b>UP</b>	LED x 9.36W CRI>95 3000K - 864 Nominal lm
<b>DOWN</b>	LED x 21.1 W CRI>95 3000K - 1944 Nominal lm
<b>Dimmable:</b> 0-10V	

**HONICÉ S80**





<b>L</b>	80 cm / 31.49"
<b>SP</b>	80 cm / 31.49"
<b>H</b>	33 cm / 12.99"
<b>UP</b>	LED x 28.1W CRI>95 3000K - 3024 Nominal lm
<b>DOWN</b>	LED x 60.85 W CRI>95 3000K - 5184 Nominal lm
<b>Dimmable:</b> 0-10V	

**HONICÉ S50**



<b>L</b>	50 cm / 19.68"
<b>SP</b>	50 cm / 19.68"
<b>H</b>	33 cm / 12.99"
<b>UP</b>	LED x 15.21W CRI>95 3000K - 1404 Nominal lm
<b>DOWN</b>	LED x 32.76 W CRI>95 3000K - 3024 Nominal lm
<b>Dimmable:</b> 0-10V	

: for the US market, refer to the relevant price list.

**HONICÉ A65****HONICÉ A37**

**L** 65 cm / 25.59"  
**SP** 10 cm / 3.93"  
**H** 33 cm / 12.99"

**L** 37 cm / 14.56"  
**SP** 10 cm / 3.93"  
**H** 33 cm / 12.99"

**UP** LED x 5.8W CRI>95  
 3000K - 594 Nominal lm  
**DOWN** LED x 5.8 W CRI>95  
 3000K - 594 Nominal lm  
**Dimmable:** 1-10V+PUSH

**UP** LED x 3.51W CRI>95  
 3000K - 324 Nominal lm  
**DOWN** LED x 3.51 W CRI>95  
 3000K - 324 Nominal lm  
**Dimmable:** 1-10V+PUSH

Struttura in metallo  
con diffusore in onice  
naturale.  
Illuminazione a LED.


Metal frame with natural  
onyx diffuser.  
LED lighting.

Gestell aus Metall mit  
Diffusor aus natürlichem  
Onyx. LED-Beleuchtung.

Structure en métal avec  
diffuseur en onyx naturel.  
Éclairage à LED.

**МЕТАЛЛИЧЕСКИЙ КАРКАС  
С РАССЕЙВАТЕЛЕМ ИЗ  
ПРИРОДНОГО ОНИКСА.  
СВЕТОДИОДНОЕ  
ОСВЕЩЕНИЕ.**

### Finishings



**V99** Oro opaco verniciato  
Painted matt gold

### Family


#### Suspension



#### Applique




### Standard cables for all suspensions



**HONICÉ S200**

**Suspension** 




TECHNICAL INFORMATION

**L** 200 cm / 78.74"  
**SP** 8 cm / 3.14"  
**H** 33 cm / 12.99"  
**UP** LED x 21.1W CRI>95  
 3000K - 1944 Nominal lm  
**DOWN** LED x 44.46 W CRI>95  
 3000K - 4104 Nominal lm  
**Dimmable:** 0-10V

**HONICÉ S150**


**Suspension** 




TECHNICAL INFORMATION

**L** 150 cm / 59.05"  
**SP** 8 cm / 3.14"  
**H** 33 cm / 12.99"  
**UP** LED x 17W CRI>95  
 3000K - 1296 Nominal lm  
**DOWN** LED x 33.5W CRI>95  
 3000K - 3024 Nominal lm  
**Dimmable:** 0-10V

**HONICÉ S100**

**Suspension** 




TECHNICAL INFORMATION

**L** 100 cm / 39.37"  
**SP** 8 cm / 3.14"  
**H** 33 cm / 12.99"  
**UP** LED x 9.36W CRI>95  
 3000K - 864 Nominal lm  
**DOWN** LED x 21.1 W CRI>95  
 3000K - 1944 Nominal lm  
**Dimmable:** 0-10V

**HONICÉ S80**

**Suspension** 




TECHNICAL INFORMATION

**L** 80 cm / 31.49"  
**SP** 80 cm / 31.49"  
**H** 33 cm / 12.99"  
**UP** LED x 28.1W CRI>95  
 3000K - 3024 Nominal lm  
**DOWN** LED x 60.85 W CRI>95  
 3000K - 5184 Nominal lm  
**Dimmable:** 0-10V

**HONICÉ S50**


**Suspension** 



TECHNICAL INFORMATION

**L** 50 cm / 19.68"  
**SP** 50 cm / 19.68"  
**H** 33 cm / 12.99"  
**UP** LED x 15.21W CRI>95  
 3000K - 1404 Nominal lm  
**DOWN** LED x 32.76 W CRI>95  
 3000K - 3024 Nominal lm  
**Dimmable:** 0-10V

## HONICÉ A65




## Applique



## TECHNICAL INFORMATION

<b>L</b>	65 cm / 25.59"
<b>SP</b>	13 cm / 5.12"
<b>H</b>	33 cm / 12.99"
<b>UP</b>	LED x 5.8W CRI>95 3000K - 594 Nominal lm
<b>DOWN</b>	LED x 5.8 W CRI>95 3000K - 594 Nominal lm
<b>Dimmable:</b> 0-10V	

## HONICÉ A37



## Applique



## TECHNICAL INFORMATION

<b>L</b>	37 cm / 14.56"
<b>SP</b>	13 cm / 5.12"
<b>H</b>	33 cm / 12.99"
<b>UP</b>	LED x 3.51W CRI>95 3000K - 324 Nominal lm
<b>DOWN</b>	LED x 3.51 W CRI>95 3000K - 324 Nominal lm
<b>Dimmable:</b> 0-10V	