

Struttura in metallo verniciato e pendagli in cristallo.  
Illuminazione a LED.

Painted metal frame and crystal pendants. LED lighting.

Gestell aus lackiertem Metall und Kristallanhänger.  
LED-Beleuchtung.

Structure en métal peint et pendentifs en cristal.  
LED éclairage.

**СТРУКТУРА ИЗ ОКРАШЕННОГО МЕТАЛЛА И ХРУСТАЛЬНЫЕ ПОДВЕСЫ.**

### Standard Materials

#### Cut crystal

Pendagli trasparenti in cristallo / Transparent crystal drops

#### Crystals from Swarovski®

Pendagli Blue AB in cristallo Crystals from Swarovski® / Blue AB Crystals from Swarovski® crystal drops

### Standard finishings



**V95** Bianco opaco  
Matt white



**F01** Foglia oro  
Gold leaf

### Family

#### Ceiling




#### Suspension




#### Applique



### Standard cables for all suspensions




## BLINK S 1



Ø 24 cm / 9.44"  
H 18 cm / 7.08"


**DOWN** LED x 4 W CRI>90  
3000 K - 590 Nominal lm  
**Dimmable:** 1-10V + PUSH

## BLINK S 6



**DOWN** LED x 24 W CRI>90  
3000 K - 3540 Nominal lm  
**Dimmable:** 1-10V + PUSH


## BLINK S 42



Ø 42 cm / 23.62"  
H 26 cm / 10.23"


**DOWN** LED x 23,2 W CRI>90  
3000 K - 3190 Nominal lm  
**Dimmable:** 1-10V + DALI + PUSH

## BLINK S 60




Ø 60 cm / 23.62"  
H 30 cm / 11.81"

**DOWN** LED x 38 W CRI>90  
3000 K - 5220 Nominal lm  
**Dimmable:** 1-10V + DALI + PUSH

**BLINK C3 LN 125**  


L 125 cm / 49.21"  
 SP 20 cm / 7.87"  
 H max 170 cm / 66.92"

**DOWN:** LED x 12 W CRI>90  
 3000 K - 1770 Nominal lm  
**Dimmable:** 1-10V + PUSH

**BLINK C6 LN 175**  


L 175 cm / 68.89"  
 SP 20 cm / 7.87"  
 H max 170 cm / 66.92"

**DOWN:** LED x 24 W CRI>90  
 3000 K - 3540 Nominal lm  
**Dimmable:** 1-10V + DALI + PUSH

**BLINK C3 RD 60**  

Ø 60 cm / 23.62"  
 H max 170 cm / 66.92"

**DOWN:** LED x 12 W CRI>90  
 3000 K - 1770 Nominal lm  
**Dimmable:** 1-10V + PUSH

**BLINK C6 RD 80**  





Ø 80 cm / 31.49"  
 H max 170 cm / 66.92"

**DOWN:** LED x 24 W CRI>90  
 3000 K - 3540 Nominal lm  
**Dimmable:** 1-10V + DALI + PUSH

**BLINK LED PL 90**  

**BLINK LED PL 60**  

**BLINK LED PL 42**  



.....  
**Ø** 90 cm / 35.43"  
**H** 15 cm / 5.90"  
 .....



.....  
**Ø** 60 cm / 23.62"  
**H** 14 cm / 5.51"  
 .....

.....  
**Ø** 42 cm / 16.53"  
**H** 12 cm / 4.72"  
 .....

**DOWN** LED x 50 W CRI>90  
 3000 K - 6960 Nominal lm  
**Dimmable:** DALI + PUSH

**DOWN** LED x 38 W CRI>90  
 3000 K - 5220 Nominal lm  
**Dimmable:** 1-10V + DALI + PUSH

.....  
**DOWN** LED x 23,2 W CRI>90  
 3000 K - 3190 Nominal lm  
**Dimmable:** 1-10V + DALI + PUSH

**BLINK LED A1 P****BLINK LED A1 G**

**L** 18 cm / 7.08"  
**SP** 19 cm / 7.48"  
**H** 7 cm / 2.75"

**L** 24 cm / 9.44"  
**SP** 26 cm / 10.23"  
**H** 8 cm / 3.14"

**UP** LED x 3 W CRI>90  
 3000 K - 425 Nominal lm  
**DOWN** LED x 3 W CRI>90  
 3000 K - 425 Nominal lm  
**Dimmable:** 1-10V + PUSH

**UP** LED x 4 W CRI>90  
 3000 K - 590 Nominal lm  
**DOWN** LED x 4 W CRI>90  
 3000 K - 590 Nominal lm  
**Dimmable:** 1-10V + PUSH

Struttura in metallo verniciato e pendagli in cristallo.  
Illuminazione a LED.

Painted metal frame and crystal pendants. LED lighting.

Gestell aus lackiertem Metall und Kristallanhänger.  
LED-Beleuchtung.

Structure en métal peint et pendentifs en cristal.  
LED éclairage.

**СТРУКТУРА ИЗ ОКРАШЕННОГО МЕТАЛЛА И ХРУСТАЛЬНЫЕ ПОДВЕСЫ.**

### Standard Materials

#### Cut crystal

Pendagli trasparenti in cristallo / Transparent crystal drops

#### Crystals from Swarovski®

Pendagli Blue AB in cristallo Crystals from Swarovski® / Blue AB Crystals from Swarovski® crystal drops

### Standard finishings



**V95** Bianco opaco  
Matt white



**F01** Foglia oro  
Gold leaf

### Family

#### Ceiling




#### Suspension




#### Applique



### Standard cables for all suspensions



**BLINK S1**




**Suspension**  

**TECHNICAL INFORMATION**

**Ø** 24 cm / 9.44"  
**H** 18 cm / 7.08"

**DOWN:** LED x 4 W CRI>90  
 3000 K - 590 Nominal lm  
**Dimmable:** 0 - 10 V

**BLINK S6**






**Suspension**  

**TECHNICAL INFORMATION**

**DOWN:** LED x 24 W CRI>90  
 3000 K - 3540 Nominal lm  
**Dimmable:** 0 - 10 V

**BLINK S42**




**Suspension**  

**TECHNICAL INFORMATION**

**Ø** 42 cm / 16.53"  
**H** 26 cm / 10.23"

**DOWN:** LED x 21 W CRI>90  
 3000 K - 2980 Nominal lm  
**Dimmable:** 0 - 10 V

**BLINK S60**




**Suspension**  

**TECHNICAL INFORMATION**

**Ø** 60 cm / 23.62"  
**H** 30 cm / 11.81"

**DOWN:** LED x 41 W CRI>90  
 3000 K - 5960 Nominal lm  
**Dimmable:** 0 - 10 V

## BLINK C3 LN 125




## TECHNICAL INFORMATION

**L** 125 cm / 49.21"  
**SP** 20 cm / 7.87"  
**H max** 170 cm / 66.92"

**DOWN:** LED x 12 W CRI>90  
 3000 K - 1770 Nominal lm  
**Dimmable:** 0 - 10 V

## BLINK C6 LN 175




## TECHNICAL INFORMATION

**L** 175 cm / 68.89"  
**SP** 20 cm / 7.87"  
**H max** 170 cm / 66.92"

**DOWN:** LED x 24 W CRI>90  
 3000 K - 3540 Nominal lm  
**Dimmable:** 0 - 10 V

## BLINK C3 RD 60




## TECHNICAL INFORMATION

**Ø** 60 cm / 23.62"  
**H max** 170 cm / 66.92"

**DOWN:** LED x 12 W CRI>90  
 3000 K - 1770 Nominal lm  
**Dimmable:** 0 - 10 V

## BLINK C6 RD 80



## TECHNICAL INFORMATION

**Ø** 80 cm / 31.49"  
**H max** 170 cm / 66.92"

**DOWN:** LED x 24 W CRI>90  
 3000 K - 3540 Nominal lm  
**Dimmable:** 0 - 10 V



**BLINK LED PL90**


Ceiling



TECHNICAL INFORMATION

**Ø** 90 cm / 35.43"  
**H** 15 cm / 5.90"

**DOWN:** LED x 47 W CRI>90  
 3000 K - 6700 Nominal lm  
**Dimmable:** 0 - 10 V



**BLINK LED PL60**


Ceiling



TECHNICAL INFORMATION

**Ø** 60 cm / 23.62"  
**H** 14 cm / 5.51"

**DOWN:** LED x 41 W CRI>90  
 3000 K - 5960 Nominal lm  
**Dimmable:** 0 - 10 V



**BLINK LED PL42**


Ceiling





TECHNICAL INFORMATION

**Ø** 42 cm / 16.53"  
**H** 12 cm / 4.72"

**DOWN:** LED x 21 W CRI>90  
 3000 K - 2980 Nominal lm  
**Dimmable:** 0 - 10 V



**BLINK LED A1 G****Applique****TECHNICAL INFORMATION****L** 24 cm / 9.44"**SP** 28.5 cm / 11.22"**H** 14 cm / 5.51"**UP:** LED x 4 W CRI>90 3000 K  
590 Nominal lm**DOWN:** LED x 4 W CRI>90 3000 K  
590 Nominal lm**Dimmable:** 0 - 10 V**BLINK LED A1 P****Applique****TECHNICAL INFORMATION****L** 18 cm / 7.09"**SP** 23 cm / 9.06"**H** 14 cm / 5.51"**UP:** LED x 3 W CRI>90 3000 K  
425 Nominal lm**DOWN:** LED x 3 W CRI>90 3000 K  
425 Nominal lm**Dimmable:** 0 - 10 V