



VITAL NEUTRACEUTICALS PVT LTD
Ambernath

CERTIFICATE OF ANALYSIS

PRODUCT:	SCITRON GLUTAMINE POWDER		FLAVOUR: UNFLAVOURED
BATCH NO:	SLG-21051	BATCH SIZE:	408 kg
MFG. DATE:	06/05/2021	BEST BEFORE:	18 months from the date of manufacture.
SAMPLE QTY:	100 g	SAMPLED BY/ON:	AGB/CSN/07/05/2021
DATE OF ANALYSIS:	08/05/2021	REPORT NO:SLG-21051	

Sr. No	TEST APPLIED	RESULTS	SPECIFICATIONS	TEST METHODS
PHYSICAL TESTS				
1.	Description	COMPLIES	White coloured powder	
2.	Taste	COMPLIES	Characteristic note of Glutamine	
3.	Odour	COMPLIES	Characteristic Odour of Glutamine	
CHEMICAL TESTS				
4.	Moisture (LOD)	0.23 %	NMT 0.3 % w/w	As per IS 4684-Appendix -B
5.	pH on reconstitution (10% w/v dispersion on water)	4.0	3.0 to 5.0	PH Meter.
6.	Bulk Density			IN HOUSE METHOD
	i) Untapped Density	0.65 g/ml	0.60 g/ml to 0.80 g/ml	
	ii) Tapped Density	0.78 g/ml	0.60 g/ml to 0.80 g/ml	
7.	Ash	0.06	NMT 0.1 %	As per IS 4684-Appendix-D
8.	L- Glutamine	Complies as per the actual input	5.0 g per serving	








VITAL NEUTRACEUTICALS PVT LTD
Ambernath

CERTIFICATE OF ANALYSIS

PRODUCT:	SCITRON GLUTAMINE POWDER		FLAVOUR:	UNFLAVOURED
BATCH NO:	SLG-21051	BATCH SIZE:	408 kg	
MFG. DATE:	06/05/2021	BEST BEFORE:	18 months from the date of manufacture.	
SAMPLE QTY:	100 g	SAMPLED BY/ON:	AGB/CSN/07/05/2021	
DATE OF ANALYSIS:	08/05/2021	REPORT NO:SLG-21051		

MICROBIOLOGICAL TESTS				
9	Total Plate count	1.75×10^1 cfu/g	NMT 40,000 cfu/g	FSSAI MANUAL
10.	Yeast Mould Count	<10 cfu/g	NMT 100 cfu/g	FSSAI MANUAL
11.	E.coli	Absent/ 1 g	Absent/ 1 g	FSSAI MANUAL
12.	Salmonella	Absent/ 1 g	Absent/ 1 g	FSSAI MANUAL
13.	S.aureus	Absent/ 1 g	Absent/ 1 g	FSSAI MANUAL

RESULT: The sample complies / ~~does not~~ comply with the standards quality prescribed in.

DATE OF RELEASE /REJECTION 13/05/2021	 A.BHISE/ C. NEVE	 R.MUNGEKAR	 B.ACHARYA
	ANALYST	Q.C. INCHARGE	Q.A. MANAGER

