



VITAL NEUTRACEUTICALS PVT LTD

Ambernath

CERTIFICATE OF ANALYSIS

PRODUCT:	SCITRON TRIBULUS TERRESTRIS MEN'S HEALTH		
BATCH NO:	STC-21061	BATCH SIZE:	47.7 kg
MFG. DATE:	08/06/2021	BEST BEFORE:	24 months from the date of manufacture.
SAMPLE QTY:	100 g	SAMPLED BY/ON:	AGB/CSN/09/06/2021
DATE OF ANALYSIS:	21/06/2021	REPORT NO:	STC-21061

Sr. No	TEST APPLIED	RESULTS	SPECIFICATIONS	TEST METHODS
PHYSICAL TESTS				
1.	Description	COMPLIES	Red and white coloured capsule	
CHEMICAL TESTS				
3.	Moisture (LOD)	5.5 %	NMT 6.0 % w/w	As per IS 4684-Appendix -B
4.	pH on reconstitution (10% w/v dispersion on water)	5.5	4.5 to 6.5	PH Meter.
5.	Bulk Density			IN HOUSE METHOD
	i) Untapped Density	0.54 g/ml	0.40 g/ml to 0.60 g/ml	
	ii) Tapped Density	0.69 g/ml	0.50 g/ml to 0.70 g/ml	
6.	Ash	5.8 %	NMT 7.0 % w/w	As per IS 4684-Appendix-D
7.	Tribulus Terrestris	Complies as per the actual input	500 mg per capsule	KJELDAHL METHOD
MICROBIOLOGICAL TESTS				
8.	Total Plate count	< 10 cfu/g	NMT 40,000 cfu/g	FSSAI MANUAL
9.	Yeast Mould Count	< 10 cfu/g	NMT 100 cfu/g	FSSAI MANUAL
10.	<i>E.coli</i>	Absent/ 1 g	Absent/ 1 g	FSSAI MANUAL
11.	<i>Salmonella</i>	Absent/ 1 g	Absent/ 1 g	FSSAI MANUAL
12.	<i>S.aureus</i>	Absent/ 1 g	Absent/ 1 g	FSSAI MANUAL





VITAL NEUTRACEUTICALS PVT LTD
Ambernath

CERTIFICATE OF ANALYSIS

PRODUCT:	SCITRON TRIBULUS TERRESTRIS MEN'S HEALTH		
BATCH NO:	STC-21061	BATCH SIZE:	47.7 kg
MFG. DATE:	08/06/2021	BEST BEFORE:	24 months from the date of manufacture.
SAMPLE QTY:	100 g	SAMPLED BY/ON:	AGB/CSN/09/06/2021
DATE OF ANALYSIS:	21/06/2021	REPORT NO:STC-21061	

RESULT: The sample complies / ~~does not~~ comply with the standards quality prescribed in.

DATE OF RELEASE /REJECTION 26/06/2021	<i>Chaitali</i> A.BHISE/ C. NEVE	<i>for, Jyoti</i> R.MUNGEKAR	<i>Pan</i> B.ACHARYA
	ANALYST	Q.C. INCHARGE	Q.A. MANAGER

