

estelan


RJ Plugs & Boots

STL RJ plugs and boots are designed and developed to ensure perfect compatibility with the estelan range of copper cables to ensure proper fitment on conductor as well on the cable. Selection of the raw material is done in a way that the high performance is delivered when used along with the estelan range of copper cables. Strain relief boots are designed to ensure proper fitment on to the cable as well as smooth functioning of the latch. Snagless hood ensures smooth and proper movement of the latch on the RJ45 plug without putting any stress on to the latch or on the figures during the engaging or disengaging of the RJ45 plug.

CAT6/CAT6A RJ45 UTP Plugs

Features & Benefits

- Made of high-quality Polycarbonate UL94V-0 or V-2
- Transparent
- Contacts with Gold plating of 50um
- Available in both Unshielded and Shielded version
- RoHS Compliant



Ordering information

Part code	Description
NXMPC06UXS2	RJ45 CAT6 Mod Plug Unshielded Solid 23-24

Configuration

	Type	Category	Shielding	Conductor type	Gauge
NX	MP	C06	UX	S	2
	MP – Modular Plug (RJ45)	C06 – CAT6	UX- Unshielded	S - Solid	1 - 22 to 23
		C6A – CAT6A	SX- Shielded	B - Stranded	2 - 23 to 24
					3 - 24 to 26

Telephone Plug RJ11

Features & Benefits

- Made of high-quality Polycarbonate UL94V-0 or V-2
- Transparent
- Conductor Stranded & Solid wire 24AWG, 26AWG
- Contacts with Gold plating of 50um
- RoHS Compliant



Ordering information

Part code	Description
NXTPC03UXS3	RJ11 Telephone plug unshielded Solid 24-26AWG

Configuration

	Type	Category	Shielding	Conductor type	Gauge
NX	TP	C03	UX	S	3
	TP – Telephone Plug (RJ11)	C03 – CAT3	UX	S - Solid	3- 24 to 26
				B - Stranded	

Strain Relief Boot

Features & Benefits

- Made of high-quality PVC or PC compound
- Available in different colors for PVC
- Poly Carbonate Boot in Clear (Transparent)
- Snaggles soft Hood for easy operation of latch
- Supports cable dia from 7.0 mm to 8.0mm
- RoHS Compliant



Ordering information

Part code	Description
NXSRR070GY	Strain Relief Boot PVC 7.0 GY

Configuration

	Type	Material	Size	Color
NX	SR	RO	70	GY
	SR – Strain Relief Boot	RO – PVC	70 – 7.0mm	BL – Blue
		PC – Poly Carbonate	75 – 7.5mm	OR – Orange
			80- 8.0mm	GR – Green
				GY – Grey
				WH – White
				RD – Red
				BK – Black
				YL – Yellow
				PR – Purple
				CL – Clear

02/082023

The information given herein, including drawings, illustrations and schematics are intended for illustration purposes only and is believed to be reliable. However, Sterlite Technologies makes no warranties to its accuracy or completeness and disclaims any liability in connection with its use. Sterlite Technologies obligations shall be only set forth in Sterlite Technologies standard terms and conditions of the sale and in no case, Sterlite Technologies be liable for any incidental, indirect or consequential damages arising out of sale, resale, use or misuse of the product.

Users of Sterlite Technologies products should make their own evaluation to determine the suitability of such each product for the specific application.