

LED WRAPROUND LIGHT

Wattage & CCT Field Adjustable

30W
35W
40W

PRODUCT FEATURES:

- ❖ Optical design, greatly improved the light utilization and evenness.
- ❖ High efficiency LED Driver.
- ❖ Sheet iron design, better cooling, light quality, LED Tj < 85°C.
- ❖ The 0-10V Dimming type is continuous.
- ❖ 42V PCB output voltage.
- ❖ The product can dim to 10%.



MODEL #	
PROJECT:	
NOTES:	
DATE:	
PREPARED BY:	

Additional Information:

- Input: AC 120-277V
- CCT : 3500K/4000K/5000K
- Light Source: SEOUL
- Driver: SIMON POWER



PRODUCT APPLICATIONS:

The Wraparound LED Lighting Series can be widely used for Indoor Excellent for Offices, Hallways, Multipurpose Rooms , Office Buildings, Conference Rooms,super market, store and many other applications.

Specifications


Wraparound-4FT
 Length:1211.8MM(47.7'')
 Width: 180MM(7.1'')
 Depth:71MM(2.8'')
 Weight:7.94 (lbs)

Packaging information

- ❖ **Inside the box:**1235MMX186MMX76MM
48.6''X7.32''X3''
- ❖ **carton:**1250MMX326MMX207MM(A case of four)
49.2''X12.83''X8.15''

Mounting

- ❖ Surface Mounting.



LED WRAPROUND LIGHT




Wattage & CCT Field Adjustable

30W
35W
40W

TECHNICAL PARAMETERS:

Type	RP4FT303540W-3545K		
Power	30W/35W/40W	Lighting Angle	101°
Input Voltage	AC120-277V	LED Brightness Decay	<5%/6000 hrs
PF	>0.98	Working Life	>75000 hrs
Driver Efficiency	>90%	Working Temperature	-20 - +50°C
Luminous Flux	4110Lm / 4690Lm / 5240 Lm	Storage Temperature	-20 -+50°C
Color Temperature	3500K/4000K/5000K	Protection Level	Damp
CRI	Ra>80	Cable	Input Connect, No Cable
Factory Setting	Power:40W	Color Temperature:4000K	

PHOTOMETRY:



ORDERING EXAMPLE:RP4FT303540W-3545K

RP	4FT	303540W	XXK
Product	Size	Power	ColorTemp
RP Led Wrapround Light	4 FT (4feet)	30W(30W) 35W(35W) 40W(40W)	35K (3500K) 40K (4000K) 50K (5000K)

Control Module:**Adjust the switch**

The LED WRAPROUND LIGHT can adjust the power and color temperature of the whole lamp, which is convenient and fast. The power and color temperature can be selected according to the actual needs of customers. For example, if I want 35W power and 4000K color temperature, you need to shift the dial code switch to the middle position of the switch Greatly,meet the needs of customers.

