

VENT-FREE GAS LOGS

Superior
FIREPLACES®
Our name is our promise.



SUPERIOR GAS LOGS elevate the traditional log and fire presentation to a much higher level. The combination of authentic looking hand-painted logs with a massive fire and ember bed allows you to have it all. Elegant design, versatility, quality construction, beauty and warmth — a perfect fit for every home.



**MOSSY OAK
CONCRETE LOGS**



**GIANT TIMBERS
CONCRETE LOGS**

► **PROFLAME
REMOTE:**

- LED Digital Display
- Manual & T-Stat Modes
- On-Off & 5 Flame Heights



► **ECOFLOW REMOTE:**

- Touchscreen Digital Display
- Manual & T-Stat Modes
- On-Off & 3 Flame Heights
- Weekday/Weekend Modes
- Wall Mount Docking Station



THE MEGA-FLAME Series boasts a triple burner to achieve the look of a real wood fire! The burner is cantilevered to produce tall flames that will not be dwarfed by its massive 19" high logs, the tallest in the industry. The MEGA-FLAME Series features two burners of bright yellow flames, plus a lower burner that creates a glowing ember bed. All models are heater rated with 99% heat efficiency and include a wood-burning grate appearance.

EXCLUSIVE FEATURES

- 🔥 Available in 24", 30", and 36" sizes
- 🔥 Tall dancing yellow flames and ember bed for wood fire realism
- 🔥 Highly detailed logs with the wood grain texture and color of real wood logs
- 🔥 Millivolt control model is remote ready for optional remote and wall controls (see page 6)
- 🔥 Variable control model includes ProFlame remote control
- 🔥 Electronic control model includes EcoFlow Touchscreen remote control
- 🔥 Also listed for use in vented fireplace applications (requires damper clamp sold separately)



**BOULDER
MOUNTAIN
CONCRETE LOGS**

▶ **PROFLAME
REMOTE:**

- LED Digital Display
- Manual & T-Stat Modes
- On-Off & 5 Flame Heights



▶ **ECOFLOW REMOTE:**

- Touchscreen Digital Display
- Manual & T-Stat Modes
- On-Off & 3 Flame Heights
- Weekday/Weekend Modes
- Wall Mount Docking Station



THE GLOW-RAMP Series provides three distinct areas of flame: dancing yellow flames in the rear, glowing logs in the center and vibrant glowing embers in the front. All models are heater rated with 99% heat efficiency and include a wood-burning grate appearance. Hand crafted with high-definition bark and split wood details, the GLOW-RAMP series logs are molded from real timber to create the essence of authentic fire wood.

EXCLUSIVE FEATURES

- 🔥 Available in 18", 24", and 30" sizes
- 🔥 Glowing center fiber log and ember bed for wood fire realism
- 🔥 Highly detailed logs with the wood grain texture and color of real wood logs
- 🔥 Millivolt control model is remote ready for optional remote and wall controls (see page 6)
- 🔥 Variable control model includes ProFlame remote control
- 🔥 Electronic control model includes EcoFlow Touchscreen remote control
- 🔥 Also listed for use in vented fireplace applications (requires damper clamp sold separately)



**WILD TIMBER
CONCRETE LOGS**



**RUGGED STACK
CONCRETE LOGS**

► **PROFLAME
REMOTE:**

- LED Digital Display
- Manual & T-Stat Modes
- On-Off & 5 Flame Heights



► **ECOFLOW REMOTE:**

- Touchscreen Digital Display
- Manual & T-Stat Modes
- On-Off & 3 Flame Heights
- Weekday/Weekend Modes
- Wall Mount Docking Station



THE TRIPLE-FLAME Series features a unique triple burner and glowing ember bed at its base to achieve the look of a real wood fire. Flickering embers are achieved through the implementation of two unique technologies and the burner offers the distinctive feature of an additional row of flames behind the logs. The result is a striking appearance with a very deep flame pattern. All models are heater rated with 99% heat efficiency and include a wood-burning grate.

EXCLUSIVE FEATURES

- 🔥 Available in 18", 24", and 30" sizes
- 🔥 Tall dancing yellow flames and ember bed for wood fire realism
- 🔥 Highly detailed logs with the wood grain texture and color of real wood logs
- 🔥 Millivolt control model is remote ready for optional remote and wall controls (see page 6)
- 🔥 Variable control model includes ProFlame remote control
- 🔥 Electronic control model includes EcoFlow Touchscreen remote control
- 🔥 Also listed for use in vented fireplace applications (requires damper clamp sold separately)



CRESCENT HILL HD
HIGH DENSITY FIBER LOGS



CRESCENT HILL
CONCRETE LOGS



GOLDEN OAK
CERAMIC FIBER LOGS

THE DOUBLE-FLAME Series' unique, clean-burning design provides 99% heating efficiency, which allows you to operate the logs vent-free with the fireplace damper closed. With no venting required, there is no heat loss up the chimney. Heating vent-free gas logs means you'll never again be left in the cold with wet logs or without heat during a power outage.

EXCLUSIVE FEATURES

- 🔥 Available in 18" and 24" sizes
- 🔥 Two rows of dancing yellow flames
- 🔥 Highly detailed logs with the wood grain texture and color of real wood logs
- 🔥 Manual control model features variable high-low flame control
- 🔥 Millivolt control model is remote ready for optional remote and wall controls (see page 6)
- 🔥 Also listed for use in vented fireplace applications (requires damper clamp sold separately)



**MULTI-SIDED
CERAMIC FIBER LOGS**

**OPTIONAL REMOTE
READY CONTROLS**



RCKIT 4001
On/Off
Remote



TRC T'stat
On/Off
Remote



TRSC Touch Screen Remote



GWMT1 Wall Mount T'stat
Control Kit

THE MULTI-SIDED Series is the perfect choice for see through, peninsula, corner and island fireplaces. This Vent-Free Gas Log Heater features "Remote Ready" controls, abundant yellow flames from a dual burner, plus a beautifully styled five piece multi-log design. Unique, clean-burning design provides 99% heating efficiency, which allows you to operate the logs vent-free with the fireplace damper closed.

EXCLUSIVE FEATURES

- 🔥 Available in a 27" size

- 🔥 For use in fireplaces with multiple openings

- 🔥 Two rows of tall dancing yellow flames look great from any angle

- 🔥 Highly detailed logs with the wood grain texture and color of real wood logs

- 🔥 Millivolt control model is remote ready for optional remote and wall controls (shown above)

- 🔥 Also listed for use in vented fireplace applications (requires damper clamp sold separately)



**MOSSY OAK
CONCRETE LOGS**



**GIANT TIMBERS
CONCRETE LOGS**

► **RCAF3
REMOTE:**

- On-Off Control
- Hi-Low Flame Heights



► **VOLCANIC STONE
EMBER BED
(OPTIONAL):**

- (MFEB) for enhanced flame & glow
- For vented applications only



THE MEGA-FLAME OUTDOOR Series boasts a triple burner to achieve the look of a real wood fire! The burner is cantilevered to produce tall flames that will not be dwarfed by its massive 19" high logs, the tallest in the industry. Outdoor models feature two burners of bright yellow flames, a stainless steel chassis and grate, and an optional lava rock flame bed at its base (for vented applications only).

EXCLUSIVE FEATURES

- 🔥 Available in 24", 30", and 36" sizes
- 🔥 Highly detailed logs with the wood grain texture and color of real wood logs
- 🔥 Heavy-duty stainless steel chassis and grate for enhanced durability
- 🔥 Optional volcanic stone flame bed (MFEB) available (For vented applications only)
- 🔥 Millivolt control model is remote ready for optional remote and wall controls (see page 6)
- 🔥 Electronic control model includes RCAF3 remote control
- 🔥 Also listed for use in vented fireplace applications (requires damper clamp sold separately)

			MINIMUM FIREBOX DIMENSIONS				CONTROLS					
MEGA-FLAME SERIES	SIZE	BURNER	HEIGHT	DEPTH	FRONT WIDTH	REAR WIDTH	MILLIVOLT		VARIABLE REMOTE		ELECTRONIC IGNITION	
							NG	LP	NG	LP	NG	LP
MOSSY OAK	24"	24"	28"	15-1/2"	32-1/4"	22-3/4"	29K-40K	29K-40K	28K-38K	31K-39K	28K-38K	31K-39K
	30"	24"	28"	15-1/2"	39"	26-3/4"	29K-40K	29K-40K	28K-38K	31K-39K	28K-38K	31K-39K
	36"	30"	28"	15-1/2"	47"	33"	29K-40K	29K-40K	28K-38K	31K-39K	28K-38K	31K-39K
GIANT TIMBERS	24"	24"	28"	15-1/2"	32-1/4"	22-3/4"	29K-40K	29K-40K	28K-38K	31K-39K	28K-38K	31K-39K
	30"	24"	28"	15-1/2"	39"	26-3/4"	29K-40K	29K-40K	28K-38K	31K-39K	28K-38K	31K-39K
	36"	30"	28"	15-1/2"	47"	33"	29K-40K	29K-40K	28K-38K	31K-39K	28K-38K	31K-39K
GLOW-RAMP SERIES	SIZE	BURNER	HEIGHT	DEPTH	FRONT WIDTH	REAR WIDTH	MILLIVOLT		VARIABLE REMOTE		ELECTRONIC IGNITION	
							NG	LP	NG	LP	NG	LP
BOULDER MOUNTAIN	18"	18"	17"	14-1/2"	26"	20"	21K-28K	19K-29K	19K-28K	21K-28K	21K-30K	24K-30K
	24"	24"	17"	14-1/2"	29"	22"	25K-39K	23K-39K	25K-39K	27K-39K	26K-39K	30K-39K
	30"	24"	21"	14-1/2"	32"	22"	25K-39K	27K-39K	25K-39K	27K-39K	26K-39K	30K-39K
TRIPLE-FLAME SERIES	SIZE	BURNER	HEIGHT	DEPTH	FRONT WIDTH	REAR WIDTH	MILLIVOLT		VARIABLE REMOTE		ELECTRONIC IGNITION	
							NG	LP	NG	LP	NG	LP
WILD TIMBER	18"	18"	19"	14"	28"	20"	21K-30K	24K-30K	21K-30K	24K-30K	24K-28K	24K-28K
	24"	24"	19"	14"	32"	22"	28K-39K	28K-39K	28K-39K	28K-39K	28K-39K	28K-39K
	30"	24"	19"	14"	40"	30"	28K-39K	28K-39K	28K-39K	28K-39K	28K-39K	28K-39K
RUGGED STACK	18"	18"	19"	14"	28"	20"	21K-30K	24K-30K	21K-30K	24K-30K	24K-28K	24K-28K
	24"	24"	19"	14"	32"	22"	28K-39K	28K-39K	28K-39K	28K-39K	28K-39K	28K-39K
	30"	24"	19"	14"	40"	30"	28K-39K	28K-39K	28K-39K	28K-39K	28K-39K	28K-39K
DOUBLE-FLAME SERIES	SIZE	BURNER	HEIGHT	DEPTH	FRONT WIDTH	REAR WIDTH	MANUAL		MILLIVOLT		VARIABLE	ELEC.
							NG	LP	NG	LP		
GOLDEN OAK	18"	18"	17"	13-1/2"	24"	20-1/2"	19K-36K	19K-36K	25K-36K	25K-36K	—	—
	24"	18"	17"	13-1/2"	28"	20-1/2"	19K-36K	19K-36K	25K-36K	25K-36K	—	—
CRESCENT HILL	18"	18"	17"	13-1/2"	24"	20-1/2"	19K-36K	19K-36K	25K-36K	25K-36K	—	—
	24"	18"	17"	13-1/2"	28"	20-1/2"	19K-36K	19K-36K	25K-36K	25K-36K	—	—
CRESCENT HILL HD	18"	18"	17"	13-1/2"	24"	20-1/2"	19K-36K	19K-36K	25K-36K	25K-36K	—	—
	24"	18"	17"	13-1/2"	28"	20-1/2"	19K-36K	19K-36K	25K-36K	25K-36K	—	—
MULTI-SIDED SERIES	SIZE	BURNER	HEIGHT	DEPTH	FRONT WIDTH	REAR WIDTH	MILLIVOLT		VARIABLE REMOTE		ELECTRONIC IGNITION	
							NG	LP	—	—	—	—
MULTI-SIDED	27"	27"	17"	19"	32"	32"	20K-39K	20K-39K	—	—	—	—
MEGA-FLAME OD	SIZE	BURNER	HEIGHT	DEPTH	FRONT WIDTH	REAR WIDTH	MILLIVOLT		VARIABLE REMOTE		ELECTRONIC IGNITION	
							NG	LP	—	—	NG	LP
MOSSY OAK	24"	24"	28"	15-1/2"	32-1/2"	22-3/4"	29K-40K	29K-40K	—	—	29K-40K	29K-40K
	30"	24"	28"	15-1/2"	39"	26-3/4"	29K-40K	29K-40K	—	—	29K-40K	29K-40K
	36"	30"	28"	15-1/2"	47"	33"	29K-40K	29K-40K	—	—	29K-40K	29K-40K
GIANT TIMBERS	24"	24"	28"	15-1/2"	32-1/2"	22-3/4"	29K-40K	29K-40K	—	—	29K-40K	29K-40K
	30"	24"	28"	15-1/2"	39"	26-3/4"	29K-40K	29K-40K	—	—	29K-40K	29K-40K
	36"	30"	28"	15-1/2"	47"	33"	29K-40K	29K-40K	—	—	29K-40K	29K-40K

All models include the Superior 3-year limited warranty.

Logs & Burner Systems sold separately.

