



On a tous
droit au
design



invicta.fr

PROFESSIONAL
CATALOG

8,99€ - 0320



3 244330 910968

made in
france

INVICTA

CAST IRON STOVES

KAORI

Stop the cold in its tracks with this charming and discreet stove with proven thermal efficiency. Treat yourself to a warm and cozy Kaori fireplace.

H 740 x W 754 x D 404 mm - Diameter of nozzle: 150 mm. Smoke exhaust: Top or Back. (Comparative tables : p145).

Design: B. Diquet.



KAZAN

Kazan is a stylish and high-performance stove inspired by the heat efficiency of cast iron radiators. Its fins provide it with a unique and elegant look, all the while improving its energy efficiency by way of an extended heat transfer surface.

H 768 x W 682 x D 372 mm - Diameter of nozzle: 150 mm. Smoke exhaust: Top or Back. (Comparative tables : p145).

Design: B. Diquet.



KAZAN GA

Featuring a screen-printed «grand angle» (GA) pane, our Kazan stove is both powerful and chic. Its fins are designed with an extended heat transfer surface for improved energy efficiency.

H 768 x W 682 x D 372 mm - Diameter of nozzle: 150 mm. Smoke exhaust: Top or Back. (Comparative tables : p145).

Design: B. Diquet.



BRADFORD

Bradford is designed with bold and timeless style. Classic yet trendy, this stove comes in subtle charcoal, elegant enamel ivory, or dazzling enamel red.

H 680 x W 730 x D 579,5 mm - Diameter of nozzle: 150 mm. Smoke exhaust: Top or Back. (Comparative tables : p145)



Heating surface 50 to 110 m²

Optimal power 9 kW

Consumption 3 kg wood / hour

Power modulation 6 to 13.5 kW

Maximum length of the logs 54 cm

Colour selection P317244 P317246 P317247




TECHNICAL DATA

						
P613744	P612744	P64794X	P64804X	P64806X	P611744	P611844
CHATEL	ELTON	FIFTY ARCHE	FIFTY on pedestal	FIFTY on pedestal	GAYA SLATE	GAYA LEAF
75	92	80	81	81	88	89
Cast iron stoves	Cast iron stoves	Cast iron stoves	Cast iron stoves	Cast iron stoves	Cast iron stoves	Cast iron stoves

DIMENSIONS AND WEIGHT						
Height	930	733	828	828	1143	1300
Width	476	910	922	922	1200	1213
Depth	375	480	442.5	442.5	503	500.5
Flue diameter	150	180	150	150	180	180
Flue height	-	791	-	-	663	-
Log length (cm)	34	80	60	60	71	71
Weight (kg)	80	210	176.5	180	176.5	206

HEATING PERFORMANCE

Optimal heat output (kW) ¹	8	14	10	10	12	12
Heat output adjustment ²	5 to 12	9.5 to 21	6.5 to 15	6.5 to 15	6.5 to 15	8 to 18
Efficiency (%) ³	77	75	76	76	77	77
CO level (%) ⁴	0.09	0.15	0.08	0.08	0.1	0.1
Performance rate ⁵	0.4	0.8	0.5	0.5	0.7	0.7
Flamme verte ⁶ / Ecolabel	7 ★ / A	6 ★ / A	7 ★ / A	7 ★ / A	7 ★ / A	7 ★ / A
Compatible with BBC RT 2012 ⁷	No	No	No	No	No	No
Ductable	Yes	Yes	Yes	Yes	Yes	Yes
Eligible for tax credit in France ⁸	Yes	No	Yes	Yes	Yes	Yes
Autonomy	8 H	8 H	8 H	8 H	8 H	8 H
Extended burning ⁹	105/240	185/425	135/300	135/300	160/360	160/360
Heating volume (m ³) ¹⁰	40/100	75/170	55/120	55/120	65/145	65/145
Heating surface (m ²) ¹¹	No	Yes	Yes	Yes	Yes	Yes
Post combustion system ¹²	No	Yes	Yes	Yes	Yes	Yes
Adjustable secondary air ¹³	Yes	Yes	Yes	Yes	Yes	Yes
Warranty ¹⁴	5 years	5 years	5 years	5 years	5 years	5 years
Standard	EN13240 BlmSchV2	EN13240	EN13240 BlmSchV2	EN13240 BlmSchV2	EN13240 BlmSchV2	EN13240 BlmSchV2
Finish	Anthracite	Anthracite	Anthracite, Ivory, Red	Anthracite, Ivory, Red	Red	Anthracite



TECHNICAL DATA

									
P615844	P611044	P610644	P647844	P6104XX	P645444	P614544	P918044	P618064	P613644
GOMONT	ITAYA	INAKI	KAORI	KAZAN KAZAN GA	LA BORNE 2	MAIRY	MANDOR	MANDOR	MESNIL
90	88	72	76	76	70	78	85	85	75
Cast iron stoves	Cast iron stoves	Cast iron stoves	Cast iron stoves	Cast iron stoves	Cast iron stoves	Cast iron stoves	Cast iron stoves	Cast iron stoves	Cast iron stoves

DIMENSIONS AND WEIGHT										
Height	1103	815	850	740	768	684	1071	770	770	959
Width	550	1051	372	754	652	548	524	852	852	486.5
Depth	447.5	431	394	404	372	400	426.5	492	492	385
Flue diameter	150	180	150	150	150	150	150	150	150	150
Flue height	-	-	718	601	636	-	-	608	-	-
Log length (cm)	45	71	34	58	58	45	40	66	66	34
Weight (kg)	128	187	118	152	157/162	89	107	144	144	88

HEATING PERFORMANCE

Optimal heat output (kW) ¹	12	12	7	9	9	7	10	12	12	8
Heat output adjustment ²	8 to 18	8 to 18	4.5 to 10.5	6 to 13.5	6 to 13.5	4.5 to 10.5	6.5 to 15	8 to 18	8 to 18	5 to 12
Efficiency (%) ³	75	77	78	75	76	78	76	77	77	77
CO level (%) ⁴	0.10	0.1	0.07	0.10	0.08	0.12	0.09	0.10	0.10	0.09
Performance rate ⁵	0.6	0.7	0.4	0.6	0.5	0.5	0.5	0.6	0.6	0.4
Flamme verte ⁶ / Ecolabel	7 ★ / A	7 ★ / A	7 ★ / A	7 ★ / A	7 ★ / A	7 ★ / A	7 ★ / A	7 ★ / A	7 ★ / A	7 ★ / A
Compatible with BBC RT 2012 ⁷	No	No	No	No	No	No	No	No	No	No
Ductable	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Eligible for tax credit in France ⁸	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Autonomy	8 H	8 H	8 H	8 H	8 H	8 H	8 H	8 H	8 H	8 H
Extended burning ⁹	160/360	160/360	100/210	125/275	125/275	100/210	135/300	160/360	160/360	105/240
Heating volume (m ³) ¹⁰	65/145	65/145	40/85	50/110	50/110	40/85	55/120	65/145	65/145	40/100
Heating surface (m ²) ¹¹	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No
Post combustion system ¹²	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No
Adjustable secondary air ¹³	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Warranty ¹⁴	5 years	5 years	5 years	5 years	5 years	5 years	5 years	5 years	5 years	5 years
Standard	EN13240 BlmSchV2	EN13240 BlmSchV2	EN13240 BlmSchV2	EN13240 BlmSchV2	EN13240 BlmSchV2	EN13240 BlmSchV2	EN13240 BlmSchV2	EN13240 BlmSchV2	EN13240 BlmSchV2	EN13240 BlmSchV2
Finish	Anthracite	Anthracite	Anthracite	Anthracite	Anthracite	Anthracite	Anthracite	Anthracite	Anthracite	Anthracite

