

Installation Instructions

Models:

WS-ODPLAZA-L28S - Wind Shield

WS-ODPLAZA-L24E - Wind Shield Extension Kit

WS-ODPLAZA-L28E - Wind Shield Extension Kit



This wind shield and extension kit have been tested for use with the ODPLAZA-L24S linear outdoor gas appliance. Check with your local building code agency before you begin installation to ensure compliance with local codes, including the need for permits and follow-up inspections. If you encounter any problems regarding code approvals, or if you need clarification of any of the instructions contained here, contact your Hearth & Home Technologies dealer. For the dealer nearest you, please visit www.hearthnhome. com.

CAUTION! Risk of Cuts, Abrasions or Flying **Debris.** Wear protective gloves and safety glasses during installation. Sheet metal edges are sharp.

A WARNING



HOT SURFACES!

Glass and other surfaces are hot during operation AND cool down.

Hot glass will cause burns.

- DO NOT touch glass until it is cooled
- NEVER allow children to touch glass
- · Keep children away
- CAREFULLY SUPERVISE children in same area as appliance.
- Alert children and adults to hazards of high temperatures.
 High temperatures may ignite clothing or other flammable
- Keep clothing, furniture, draperies and other flammable materials away.

A. Wind Shield

1. Inspect all contents from the kit to ensure each item is free from defect or damage. See Figure 1.

Kit Contains:

Two (2) long glass panels Two (2) short glass panels Eight (8) corner glass brackets




Figure 1 Starter Kit

2. Place the two long glass panels upright and install two corner brackets on each end flush with bottom. Use black markings as guides. See Figure 2.




Figure 2 Assemble Glass

NOTE: Silk screen gray marks are to face to the outside of glass. This ensures reflective coating is to the inside of glass.

 Assemble side and end glass to each other to form the rectangle wind shield. Attach the other four (4) brackets making sure to align the gray marks on the glass so the bracket is 1/4 inch above glass. See Figure 3.




Figure 3 Align Marks




Figure 4 Assembled Glass

4. Place assembled glass wind shield on table top so that 1/4 inch gap is on bottom. Ensure glass is centered on the table top. Be careful not to scratch surfaces. Secure brackets down with a small amount of silicone (with a minimum 300°F continuous exposure rating.)

B. Extension Kit

1. Inspect all contents from the kit to ensure each item is free from defect or damage. See Figure 5.

28 Inch Kit Contains:

Two (2) 28 inch glass panels

Four (4) flat glass brackets

24 Inch Kit Contains:

Two (2) 24 inch glass panels

Eight (8) flat glass brackets




Figure 5 Extension Kit

- 2. When installing multiple glass panel extensions, you will use corner brackets from the starter kit for the ends. The flat extension brackets will be supplied with the extension kit. Install between the extension glass panels lined up with the gray marks.
- 3. One glass extension kit will be needed for each 24 inch extension. See chart below.

Glass Kit Order Chart

Number of Sections	WS-ODPLAZA-L28S	WS-ODPLAZA-L24E	WS-ODPLAZA-L28E	Total Dimension
1	1	0	0	28-1/2 x 10-1/4 in (724 x 260 mm)
2	1	0	1	56-1/2 x 10-1/4 in (1435 x 260 mm)
3	1	1	1	80-1/4 x 10-1/4 in (2038 x 260 mm)
4	1	2	1	104-1/2 x 10-1/4 in (2654 x 260 mm)
5	1	3	1	128-3/4 x 10-1/4 in (3270 x 260 mm)



Outdoor Lifestyles, a brand of Hearth & Home Technologies 7571 215th Street West, Lakeville, MN 55044 www.hearthnhome.com

Please contact your Outdoor Lifestyles dealer with any questions or concerns.

For the location of your nearest Outdoor Lifestyles dealer, please visit www.hearthnhome.com.