


TUNGSTEN **SMART-HEAT™ GAS**

TUNGSTEN SMART-HEAT™ GAS

Our Tungsten Smart-Heat™ Gas heater has a durable, soft flowing curved fascia and engineered body, which produces formidable heat to create a truly comfortable outdoor space. Its easy pivot arm allows for greater positioning and directional heat control. This heater also has a range of accessories available to provide versatility in mounting & controller options.




500 SERIES



300 SERIES







TUNGSTEN **SMART-HEAT™ GAS**


MODEL NUMBER	300 SERIES		500 SERIES	
PRODUCT CODE	BH0210002-1 BH0210001-1		BH0210004-1 BH0210003-1	
FUEL TYPE	LPG	NG	LPG	NG
COLOR	BLACK		BLACK	
HEAT AREA	160FT ²		215FT ²	
ELECTRICAL CONNECTION	110V/2A		110V/2A	
MINIMUM FLOOR CLEARANCE	96"		96"	
OUTPUT	26,000 BTU		43,000 BTU	
MOUNTING OPTIONS				
CEILING MOUNT	✓		✓	
WALL MOUNT	✓		✓	
RECESSED FLUSH MOUNT	-		-	
CEILING POLE MOUNT	✓		✓	
FREESTANDING	-		-	
CONTROL OPTIONS				


ON OFF	✓	✓
ON OFF PRODUCT CODE	BH3130010-1	BH3130010-1
DIMMER	-	-
MASTER REMOTE	-	-


Measurements displayed within this catalog are minimum requirements for installation. Bromic takes no responsibility for incorrect or non-compliant installations.

All measurements in this catalog are displayed in inches.


PRODUCT MEASUREMENTS










PRODUCT MEASUREMENTS WITH HEAT DEFLECTOR








CEILING & WALL MOUNT CLEARANCE




WALL BRACKET




HEAT AREA

500 SERIES

300 SERIES







*HEAT AREA DEPENDENT ON AMBIENT TEMPERATURE AND WIND. OPTIMUM CONDITIONS EXPERIENCED AT APPROX 60°F AND IN A LOW WIND COVERED ENVIRONMENT.