



Click images
to make
selection



Click return
icon to go
back

Product Guide





Click images
to make
selection



Click return
icon to go
back

Choose the installation **type**:

Fireplace Insert



Built-in Firebox



Log Set



Built-in Fireboxes

Choose the built-in firebox **backer**:



Herringbone Brick



Weathered Concrete



Choose the built-in firebox **size**:

24"



RBF24

30"



RBF30

36"



RBF36

36" Portrait



RBF36P

42"



RBF42



Choose the built-in firebox **size**:

24"



RBF24WC

30"



RBF30WC

36"



RBF36WC

36" Portrait



RBF36PWC

42"



RBF42WC





Choose the built-in firebox **accessories**:

RBF24DLX*



* RBF24DLX includes
front glass pane
and plug kit.



RBFL24BR



RBFL24FC

Log Sets:

Replaces log set
supplied with
RBF24DLX





Choose the built-in firebox **accessories**:

RBF24DLXWC*



* RBF24DLXWC
includes front
glass pane and
plug kit.



RBFL24BR



RBFL24FC

Log Sets:

Replaces log set
supplied with
RBF24DLXWC






Choose the Built-in firebox **accessories**:

RBF30



RBFL30BR



RBFL30FC

Log Sets:
Replaces log set
supplied with
RBF30

Glass/Doors:



RBFGLASS30



RBFDOOR30



RBFPLUG




Choose the Built-in firebox **accessories**:

RBF30WC



RBFL30BR



RBFL30FC

Log Sets:
Replaces log set
supplied with
RBF30WC

Glass/Doors:



RBFGLASS30



RBFDOOR30



RBFPLUG





Choose the Built-in firebox **accessories**:

RBF36



RBFL42BR



RBFL42FC

Log Sets:
Replaces log set
supplied with
RBF36

Glass/Doors:



RBFGLASS36



RBFDOOR36



RBFPLUG





Choose the Built-in firebox **accessories**:

RBF36WC



RBFL42BR



RBFL42FC

Log Sets:
Replaces log set
supplied with
RBF36WC

Glass/Doors:



RBFGLASS36



RBFDOOR36



RBFPLUG





Choose the Built-in firebox **accessories**:

RBF36P



RBFL42BR



RBFL42FC

Log Sets:
Replaces log set
supplied with
RBF36P

Glass/Doors:



RBFGLASS36P



RBFDOOR36P



RBFPLUG





Choose the Built-in firebox **accessories**:

RBF36PWC



RBFL42BR



RBFL42FC

Log Sets:
Replaces log set
supplied with
RBF36PWC

Glass/Doors:



RBFGLASS36P



RBFDOOR36P



RBFPLUG



Choose the Built-in firebox **accessories**:

RBF42



RBFL42BR



RBFL42FC

Log Sets:

Replaces log set supplied with RBF42

Glass/Doors:



RBFGLASS42



RBFPLUG



RBFDOOR42





Choose the Built-in firebox **accessories**:

RBF42WC



RBFL42BR



RBFL42FC

Log Sets:

Replaces log set
supplied with
RBF42WC

Glass/Doors:



RBFGLASS42



RBFPLUG



RBFDOOR42



Fireplace Insert

Choose the fireplace insert **backer**:



Herringbone Brick



Weathered Concrete



Choose the fireplace insert **size:**

24"



RBF24DLX

30"



RBF30



Choose the fireplace insert **size:**

24"



RBF24DLXWC

30"



RBF30WC







Choose the fireplace Insert **accessories**:

RBF24DLX*



Trims: for use as a fireplace insert



RBFL24BR



RBFL24FC

* RBF24DLX includes front glass pane and plug kit.

Log Sets:

Replaces log set
supplied with
RBF24DLX







Choose the fireplace Insert **accessories**:

RBF24DLXWC*

Trims: for use as a fireplace insert



RBFL24BR



RBFL24FC

* RBF24DLXWC includes front glass pane and plug kit.

Log Sets:



Replaces log set
supplied with
RBF24DLXWC




Choose the fireplace Insert **accessories**:

RBF30

Trims: for use as a fireplace insert



RBFL30BR



RBFL30FC

Log Sets:
Replaces log set
supplied with
RBF30

Glass/Doors:



RBFGLASS30



RBFDOOR30



RBFPLUG





Choose the fireplace Insert **accessories**:

RBF30WC



Trims: for use as a fireplace insert



Glass/Doors:



Log Sets:
Replaces log set
supplied with
RBF30WC



Log Sets

Choose the log set **size**:

20"



RLG20

25"



RLG25

Choose the log set **wood**:



RLG20 (Realogs®)



Click here for
full spec sheet



RLG20BR (Birch)



Click here for
full spec sheet



RLG20FC (Fresh Cut)



Click here for
full spec sheet



Choose the log set **wood**:



RLG25 (Realogs®)



Click here for
full spec sheet



RLG25BR (Birch)



Click here for
full spec sheet



RLG25FC (Fresh Cut)



Click here for
full spec sheet



Appendix Spec Sheets



Revillusion®

24" Built-in Electric Firebox
/ Fireplace Insert

RBF24DLX
Herringbone Brick



Revillusion® is a completely new way of looking at fireplaces, and changing the standard for electric. A clear view through the lifelike flames, to the full brick interior, captures the charm of a wood-burning fireplace. Enjoy the look of a fireplace cut straight from the pages of a magazine by choosing Revillusion®; clearly a better fireplace.

Revillusion®
by Dimplex



Revillusion® 24" Built-in Electric Firebox / Fireplace Insert

RBF24DLX Herringbone Brick



Deluxe Features

- ComfortSaver® Heating System**
The patented ComfortSaver® ceramic heating system uses 11% less energy than the leading quartz infrared heater by automatically adjusting fan speed and heater wattage to safely and precisely match the requirements of the room.
- Eco Boost**
When Eco Boost is activated heater runs in a reduced wattage range.
- Flame Speed**
Allows you to adjust the speed of the flame to create the perfect atmosphere to suit your mood or room.
- Glass Pane Included**

120 V | 1,500 W | 5,118 BTU

Also available in Weathered Concrete - RBF24DLXWC



Features

- Revillusion® Flame Technology**
Flames are larger, brighter and more random, appearing from within the logs.
- Mirage™ Flame Panel**
Partially frosted acrylic panel is clearly better than a mirror, showing only dazzling flames and no reflections.
- ThruView™ Full-depth Design**
See clear through the flames to the back of the firebox for a more authentic experience.
- Mood Lighting**
Customize the firebox glow with a choice of warm hues, plus midnight mode.
- Color Enhancement**
Adjust the flame base color to red or blue.
- Realogs® Plus**
A full grate of life-size hardwood-cast logs, tiered for greater depth.
- Full Surround Firebox**
More authentic day or night; 270-degree surround with natural soot markings.
- Brightness and Flicker**
Adjust light level to suit the room and choose flicker effect for enhanced firelight.
- Ambient Light Sensor**
Automatically adjusts firebox light to suit the room day to night.
- All-season Flames**
Enjoy the unique charm of a fireplace 365 days a year using the flames without the heat.
- Just Plug It In / Direct-wire**
Simply plug into any standard household outlet for instant ambiance. Can be hardwired to a 120 volt circuit for a seamless look.

| Model # | Description | Lbs / Kg | UPC | Wty* | Carton Dimensions (WxHxD) | | Cube | |
|-------------|---|-------------|---------------|--------|---------------------------|---------------------|------|------|
| | | | | | Inches | cm | ft³ | m³ |
| RBF24DLX | 24" Built-in Electric Firebox - Herringbone brick interior | 58.2 / 26.4 | 781052 120655 | 2 yrs. | 29-3/8 x 28-1/8 x 16-3/8 | 74.4 x 71.2 x 41.6 | 7.83 | 0.22 |
| RBF24DLXWC | 24" Built-in Electric Firebox - Weathered concrete interior | 58.2 / 26.4 | 781052 129832 | 2 yrs. | 29-3/8 x 28-1/8 x 16-3/8 | 74.4 x 71.2 x 41.6 | 7.83 | 0.22 |
| RBFL24BR | Birch Log Set | 15 / 6.8 | 781052 130005 | 2 yr. | 25-7/8 x 17-1/2 x 15 | 65.5 x 44.2 x 38.1 | 3.90 | 0.11 |
| RBFL24FC | Fresh Cut Log Set | 15 / 6.8 | 781052 129955 | 2 yr. | 25-7/8 x 17-1/2 x 15 | 65.5 x 44.2 x 38.1 | 3.90 | 0.11 |
| RBF24TRIM36 | 36" Installation Trim | 15.7 / 7.1 | 781052 123595 | 1 yr. | 39-1/8 x 36-1/4 x 4-5/8 | 99.2 x 92.0 x 11.5 | 3.80 | 0.10 |
| RBF24TRIM40 | 40" Installation Trim | 17.7 / 8.0 | 781052 123618 | 1 yr. | 43 x 36-1/4 x 4-5/8 | 109.2 x 92.0 x 11.8 | 1.01 | 0.11 |


Specifications, finishes and dimensions are subject to change. *Limited warranty. ©2018 Glen Dimplex Americas

SE-367-R05-072919

Revillusion® 24" Built-in Electric Firebox / Fireplace Insert

RBF24DLX Herringbone Brick

Accessories



RBF24TRIM36
- 36" Black Installation Trim



RBF24TRIM40
- 40" Black Installation Trim



RBF24BR - Birch Log Set
Dimensions:
18-1/2" W x 10-7/8" H x 11" D
(46.8 cm x 27.4 cm x 27.9 cm)





RBF24FC - Fresh Cut Log Set
Dimensions:
18-1/2" W x 10-7/8" H x 11" D
(46.8 cm x 27.4 cm x 27.9 cm)

Framing Dimensions:

| RBF24DLX | | |
|-----------------------|----------------------|----------------------|
| A | B | C |
| 12-1/2" (31.8 cm) | 30-5/8" (77.8 cm) | 26-1/4" (66.5 cm) |
| D | E | F |
| 54-1/4" (137.8 cm) | 38-1/2" (97.8 cm) | 38-1/2" (97.8 cm) |

NOTE: The materials used for the finished surround must be cut to precise dimensions as the 1/2" (1.3 cm) self-trimming flange is only to create a finished appearance.

Firebox Insert Trim Dimensions:





Revillusion®

24" Built-in Electric Firebox
/ Fireplace Insert

RBF24DLXWC
Weathered Concrete



Easily update and finish an existing fireplace with Revillusion technology.

Building on the innovative Revillusion® ThruView™ full-depth design, the new Weathered Concrete Series strikes a more contemporary chord. The poured concrete features subtle detail and a neutral palette that provides a dramatic contrast for the lifelike flames. This playful use of an industrial material is a unique way to give any space some stylish, industrial flair.

Revillusion®
by Dimplex



Revillusion® 24" Built-in Electric Firebox / Fireplace Insert

RBF24DLXWC Weathered Concrete



Deluxe Features

ComfortSaver® Heating System

The patented ComfortSaver® ceramic heating system uses 11% less energy than the leading quartz infrared heater by automatically adjusting fan speed and heater wattage to safely and precisely match the requirements of the room.

Eco Boost

When Eco Boost is activated heater runs in a reduced wattage range.

Flame Speed

Allows you to adjust the speed of the flame to create the perfect atmosphere to suit your mood or room.

Glass Pane Included

Also available in Weathered Concrete - RBF24DLXWC



120 V | 1,500 W | 5,118 BTU

| Model # | Description | Lbs / Kg | UPC | Wty* | Carton Dimensions (WxHxD) | | Cube | |
|-------------|---|-------------|---------------|--------|---------------------------|---------------------|------|------|
| | | | | | Inches | cm | ft³ | m³ |
| RBF24DLXWC | 24" Built-in Electric Firebox - Weathered concrete interior | 58,2 / 26,4 | 781052 129832 | 2 yrs. | 29-3/8 x 28-1/8 x 16-3/8 | 74.4 x 71.2 x 41.6 | 7.83 | 0.22 |
| RBF24DLX | 24" Built-in Electric Firebox - Herringbone brick interior | 58,2 / 26,4 | 781052 120655 | 2 yrs. | 29-3/8 x 28-1/8 x 16-3/8 | 74.4 x 71.2 x 41.6 | 7.83 | 0.22 |
| RBFL24BR | Birch Log Set | 15 / 6.8 | 781052 130005 | 2 yr. | 25-7/8 x 17-1/2 x 15 | 65.5 x 44.2 x 38.1 | 3.90 | 0.11 |
| RBFL24FC | Fresh Cut Log Set | 15 / 6.8 | 781052 129955 | 2 yr. | 25-7/8 x 17-1/2 x 15 | 65.5 x 44.2 x 38.1 | 3.90 | 0.11 |
| RBF24TRIM36 | 36" Installation Trim | 15.7 / 7.1 | 781052 123595 | 1 yr. | 39-1/8 x 36-1/4 x 4-5/8 | 99.2 x 92.0 x 11.5 | 3.80 | 0.10 |
| RBF24TRIM40 | 40" Installation Trim | 17.7 / 8.0 | 781052 123618 | 1 yr. | 43 x 36-1/4 x 4-5/8 | 109.2 x 92.0 x 11.8 | 1.01 | 0.11 |

Specifications, finishes and dimensions are subject to change. *Limited warranty. ©2019 Glen Dimplex Americas


SE-457-R00-072919

- Revillusion® Flame Technology**
Flames are larger, brighter and more random, appearing from within the logs.
- Mirage™ Flame Panel**
Partially frosted acrylic panel is clearly better than a mirror, showing only dazzling flames and no reflections.
- ThruView™ Full-depth Design**
See clear through the flames to the back of the firebox for a more authentic experience.
- Mood Lighting**
Customize the firebox glow with a choice of warm hues, plus midnight mode.
- Color Enhancement**
Adjust the flame base color to red or blue.
- Realogs® Plus**
A full grate of life-size hardwood-cast logs, tiered for greater depth.
- Full Surround Firebox**
More authentic day or night; 270-degree surround with natural soot markings.
- Brightness and Flicker**
Adjust light level to suit the room and choose flicker effect for enhanced firelight.
- Ambient Light Sensor**
Automatically adjusts firebox light to suit the room day to night.
- All-season Flames**
Enjoy the unique charm of a fireplace 365 days a year using the flames without the heat.
- Just Plug It In / Direct-wire**
Simply plug into any standard household outlet for instant ambiance. Can be hardwired to a 120 volt circuit for a seamless look.

Revillusion® 24" Built-in Electric Firebox / Fireplace Insert

RBF24DLXWC Weathered Concrete

Accessories



RBF24TRIM36
- 36" Black Installation Trim



RBF24TRIM40
- 40" Black Installation Trim



RBF24BR - Birch Log Set
Dimensions:
18-1/2" W x 10-7/8" H x 11" D
(46.8 cm x 27.4 cm x 27.9 cm)





RBF24FC - Fresh Cut Log Set
Dimensions:
18-1/2" W x 10-7/8" H x 11" D
(46.8 cm x 27.4 cm x 27.9 cm)

Framing Dimensions:

| RBF24DLXWC | | |
|-----------------------|----------------------|----------------------|
| A | B | C |
| 12-1/2" (31.8 cm) | 30-5/8" (77.8 cm) | 26-1/4" (66.5 cm) |
| D | E | F |
| 54-1/4" (137.8 cm) | 38-1/2" (97.8 cm) | 38-1/2" (97.8 cm) |

NOTE: The materials used for the finished surround must be cut to precise dimensions as the 1/2" (1.3 cm) self-trimming flange is only to create a finished appearance.

Firebox Insert Trim Dimensions:





Revillusion®

30" Built-in Electric Firebox
/ Fireplace Insert

RBF30
Herringbone Brick



Easily update and finish an existing fireplace with Revillusion technology.

Revillusion® is a completely new way of looking at fireplaces, and changing the standard for electric. A clear view through the lifelike flames, to the full brick interior, captures the charm of a wood-burning fireplace. Enjoy the look of a fireplace cut straight from the pages of a magazine by choosing Revillusion®; clearly a better fireplace.

Revillusion®
by Dimplex



Revillusion® 30" Built-in Electric Firebox / Fireplace Insert

RBF30 Herringbone Brick



RBF30
Herringbone brick
firebox interior

















Mood-maker Remote
Customize the light color and intensity for a fireplace that reflects your personality.

120 V | 1,300 W | 4,400 BTU
208 V | 1,975 W | 6,745 BTU
240 V | 2,575 W | 8,794 BTU



Also available in Weathered Concrete - RBF30WC

Features

-  **Revillusion® Flame Technology**
Flames are larger, brighter and more random, appearing from within the logs.
-  **Mirage™ Flame Panel**
Partially frosted acrylic panel is clearly better than a mirror, showing only dazzling flames and no reflections.
-  **ThruView™ Full-depth Design**
See clear through the flames to the back of the firebox for a more authentic experience.
-  **Mood Lighting**
Customize the firebox glow with a choice of warm hues, plus midnight mode.
-  **Color Enhancement**
Adjust the flame base color to red or blue.
-  **Realogs® Plus**
A full grate of life-size hardwood-cast logs, tiered for greater depth.
-  **Full Surround Firebox**
More authentic day or night; 270-degree surround with natural soot markings.
-  **Brightness and Flicker**
Adjust light level to suit the room and choose flicker effect for enhanced firelight.
-  **Ambient Light Sensor**
Automatically adjusts firebox light to suit the room day to night.
-  **Quick and Easy Installation**
Simply frame, wire and finish – no venting, gas lines or safety screens.
-  **Primary Heat**
Option to use 240 volt supply for up to 8,800 BTU - use as part of primary heating plan; heater also operates without flame and can be deactivated.
-  **All-season Flames**
Enjoy the unique charm of a fireplace 365 days a year using the flames without the heat.
-  **Direct-wire**
Designed to be direct-wired to a 120, 208 or 240 volt circuit for a seamless look (optional plug kit available).
-  **Low Carbon Footprint**
The most sustainable fireplace option; no emissions and 100% efficient.

| Model # | Description | Lbs / Kg | UPC | Wty* | Carton Dimensions (WxHxD) | | Cube | |
|-------------|---|-------------|---------------|--------|---------------------------|---------------------|------|------|
| | | | | | Inches | cm | ft³ | m³ |
| RBF30 | 30" Built-in Electric Firebox - Herringbone brick interior | 67.7 / 30.7 | 781052 104747 | 2 yrs. | 35-1/4 x 15 x 31-5/8 | 89.8 x 38.2 x 80.4 | 9.7 | 0.3 |
| RBF30WC | 30" Built-in Electric Firebox - Weathered concrete interior | 67.7 / 30.7 | 781052 129849 | 2 yrs. | 35-1/4 x 15 x 31-5/8 | 89.8 x 38.2 x 80.4 | 9.7 | 0.3 |
| RBFL30BR | Birch Log Set | 15 / 6.8 | 781052 130012 | 2 yr. | 25-7/8 x 17-1/2 x 15 | 65.5 x 44.2 x 38.1 | 3.90 | 0.11 |
| RBFL30FC | Fresh Cut Log Set | 15 / 6.8 | 781052 129962 | 2 yr. | 25-7/8 x 17-1/2 x 15 | 65.5 x 44.2 x 38.1 | 3.90 | 0.11 |
| RBFLUG | Plug Kit | 0.6 / 0.3 | 781052 107656 | 1 yr. | 7 x 3 x 4 | 17.8 x 7.6 x 10.2 | 0.05 | 0.00 |
| RBFGLASS30 | Single Glass Pane | 22.1 / 10.0 | 781052 108004 | 1 yr. | 35-5/8 x 29-1/4 x 4-1/4 | 90.4 x 74.2 x 10.6 | 2.6 | 0.07 |
| RBFDOOR30 | 30" Glass Door | 28.4 / 12.8 | 781052 108042 | 1 yr. | 35-7/8 x 30-1/8 x 4-5/8 | 91.3 x 76.4 x 11.6 | 2.9 | 0.08 |
| RBF30TRIM38 | 38" Installation Trim | 14.0 / 6.4 | 781052 123625 | 1 yr. | 41-1/8 x 35-7/8 x 4-5/8 | 104.3 x 91.2 x 11.8 | 3.7 | 0.01 |
| RBF30TRIM44 | 44" Installation Trim | 19.4 / 8.8 | 781052 123601 | 1 yr. | 47-1/8 x 38-7/8 x 4-5/8 | 119.5 x 98.8 x 11.8 | 4.7 | 0.01 |

Specifications, finishes and dimensions are subject to change. *Limited warranty. ©2019 Glen Dimplex Americas.

SE-328-R14-072919

Revillusion®

30" Built-in Electric Firebox / Fireplace Insert

RBF30 Herringbone Brick


Accessories



RBFGLASS30
- 30" Tempered Front Glass
Dimensions:
29-1/4" W x 22-1/8" H x 3/8" D
(74.0 cm x 56.1 cm x 1.1 cm)



RBFDOOR30 - 30" Functional Doors with Tempered Glass
Dimensions:
33-3/4" W x 27-1/4" H x 1-1/4" D
(85.8 cm x 69.4 cm x 3.7 cm)



RBF30TRIM38
- 38" Black Installation Trim



RBF30TRIM44
- 44" Black Installation Trim



RBFL30BR - Birch Log Set
Dimensions:
22-3/8" W x 10-7/8" H x 11" D
(56.8 cm x 27.4 cm x 27.9 cm)





RBFL30FC - Fresh Cut Log Set
Dimensions:
22-3/8" W x 10-7/8" H x 11" D
(56.8 cm x 27.4 cm x 27.9 cm)



RBFPLUG

Framing Dimensions:





RBF30

| A | B | C |
|-----------------------|----------------------|----------------------|
| 12-1/2" (31.8 cm) | 30-5/8" (77.8 cm) | 26-1/4" (66.5 cm) |
| D | E | F |
| 54-1/4" (137.8 cm) | 38-1/2" (97.8 cm) | 38-1/2" (97.8 cm) |

NOTE: The materials used for the finished surround must be cut to precise dimensions as the 1/2" (1.3 cm) self-trimming flange is only to create a finished appearance.

Firebox Insert Trim Dimensions:





Revillusion®
30" Built-in Electric Firebox

RBF30WC
Weathered Concrete

Easily update and finish an existing fireplace with Revillusion technology.



Building on the innovative Revillusion® ThruView™ full-depth design, the new Weathered Concrete Series strikes a more contemporary chord. The poured concrete features subtle detail and a neutral palette that provides a dramatic contrast for the lifelike flames. This playful use of an industrial material is a unique way to give any space some stylish, industrial flair.

Revillusion®
by Dimplex



Revillusion® 30" Built-in Electric Firebox

RBF30WC Weathered Concrete



Capacitive touch built-in controls.

RBF30WC
Weathered concrete firebox interior

26-5/8"
67.6 cm

31-1/4"
79.2 cm

12-1/8"
30.7 cm

















Mood-maker Remote
Customize the light color and intensity for a fireplace that reflects your personality.

120 V | 1,300 W | 4,400 BTU
208 V | 1,975 W | 6,745 BTU
240 V | 2,575 W | 8,794 BTU

Also available in Herringbone Brick - RBF30



Features

-  **Revillusion® Flame Technology**
Flames are larger, brighter and more random, appearing from within the logs.
-  **Mirage™ Flame Panel**
Partially frosted acrylic panel is clearly better than a mirror, showing only dazzling flames and no reflections.
-  **ThruView™ Full-depth Design**
See clear through the flames to the back of the firebox for a more authentic experience.
-  **Mood Lighting**
Customize the firebox glow with a choice of warm hues, plus midnight mode.
-  **Color Enhancement**
Adjust the flame base color to red or blue.
-  **Realogs® Plus**
A full grate of life-size hardwood-cast logs, tiered for greater depth.
-  **Full Surround Firebox**
More authentic day or night; 270-degree surround with natural soot markings.
-  **Brightness and Flicker**
Adjust light level to suit the room and choose flicker effect for enhanced firelight.
-  **Ambient Light Sensor**
Automatically adjusts firebox light to suit the room day to night.
-  **Quick and Easy Installation**
Simply frame, wire and finish – no venting, gas lines or safety screens.
-  **Primary Heat**
Option to use 240 volt supply for up to 8,800 BTU - use as part of primary heating plan; heater also operates without flame and can be deactivated.
-  **All-season Flames**
Enjoy the unique charm of a fireplace 365 days a year using the flames without the heat.
-  **Direct-wire**
Designed to be direct-wired to a 120, 208 or 240 volt circuit for a seamless look (optional plug kit available).
-  **Low Carbon Footprint**
The most sustainable fireplace option; no emissions and 100% efficient.

| Model # | Description | Lbs / Kg | UPC | Wty* | Carton Dimensions (WxHxD) | | Cube | |
|-------------|---|-------------|---------------|--------|---------------------------|---------------------|------|------|
| | | | | | Inches | cm | ft³ | m³ |
| RBF30WC | 30" Built-in Electric Firebox - Weathered concrete interior | 67.7 / 30.7 | 781052 129849 | 2 yrs. | 35-1/4 x 15 x 31-5/8 | 89.8 x 38.2 x 80.4 | 9.7 | 0.3 |
| RBF30 | 30" Built-in Electric Firebox - Herringbone brick interior | 67.7 / 30.7 | 781052 104747 | 2 yrs. | 35-1/4 x 15 x 31-5/8 | 89.8 x 38.2 x 80.4 | 9.7 | 0.3 |
| RBFL30BR | Birch Log Set | 15 / 6.8 | 781052 130012 | 2 yr. | 25-7/8 x 17-1/2 x 15 | 65.5 x 44.2 x 38.1 | 3.90 | 0.11 |
| RBFL30FC | Fresh Cut Log Set | 15 / 6.8 | 781052 129962 | 2 yr. | 25-7/8 x 17-1/2 x 15 | 65.5 x 44.2 x 38.1 | 3.90 | 0.11 |
| RBFPLUG | Plug Kit | 0.6 / 0.3 | 781052 107656 | 1 yr. | 7 x 3 x 4 | 17.8 x 7.6 x 10.2 | 0.05 | 0.00 |
| RBFGLASS30 | Single Glass Pane | 22.1 / 10.0 | 781052 108004 | 1 yr. | 35-5/8 x 29-1/4 x 4-1/4 | 90.4 x 74.2 x 10.6 | 2.6 | 0.07 |
| RBFDOOR30 | 30" Glass Door | 28.4 / 12.8 | 781052 108042 | 1 yr. | 35-7/8 x 30-1/8 x 4-5/8 | 91.3 x 76.4 x 11.6 | 2.9 | 0.08 |
| RBF30TRIM38 | 38" Installation Trim | 14.0 / 6.4 | 781052 123625 | 1 yr. | 41-1/8 x 35-7/8 x 4-5/8 | 104.3 x 91.2 x 11.8 | 3.7 | 0.01 |
| RBF30TRIM44 | 44" Installation Trim | 19.4 / 8.8 | 781052 123601 | 1 yr. | 47-1/8 x 38-7/8 x 4-5/8 | 119.5 x 98.8 x 11.8 | 4.7 | 0.01 |

Specifications, finishes and dimensions are subject to change. *Limited warranty. ©2019 Glen Dimplex Americas.

SE-456-R00-072919

Revillusion® 30" Built-in Electric Firebox

RBF30WC Weathered Concrete

Accessories



RBFGLASS30 - 30" Tempered Front Glass
Dimensions:
29-1/4" W x 22-1/8" H x 3/8" D
(74.0 cm x 56.1 cm x 1.1 cm)



RBFDOOR30 - 30" Functional Doors with Tempered Glass
Dimensions:
33-3/4" W x 27-1/4" H x 1-1/4" D
(85.8 cm x 69.4 cm x 3.7 cm)



RBF30TRIM38
- 38" Black Installation Trim



RBF30TRIM44
- 44" Black Installation Trim



RBFL30BR - Birch Log Set
Dimensions:
22-3/8" W x 10-7/8" H x 11" D
(56.8 cm x 27.4 cm x 27.9 cm)





RBFL30FC - Fresh Cut Log Set
Dimensions:
22-3/8" W x 10-7/8" H x 11" D
(56.8 cm x 27.4 cm x 27.9 cm)



RBFPLUG

Framing Dimensions:





RBF30

| A | B | C |
|-----------------------|----------------------|----------------------|
| 12-1/2" (31.8 cm) | 30-5/8" (77.8 cm) | 26-1/4" (66.5 cm) |
| D | E | F |
| 54-1/4" (137.8 cm) | 38-1/2" (97.8 cm) | 38-1/2" (97.8 cm) |

NOTE: The materials used for the finished surround must be cut to precise dimensions as the 1/2" (1.3 cm) self-trimming flange is only to create a finished appearance.

Firebox Insert Trim Dimensions:





Revillusion®
36" Built-in Electric Firebox

RBF36
Herringbone Brick

The Future of
Fireplaces is Clear.™



Revillusion® is a completely new way of looking at fireplaces, and changing the standard for electric. A clear view through the lifelike flames, to the full brick interior, captures the charm of a wood-burning fireplace. Enjoy the look of a fireplace cut straight from the pages of a magazine by choosing Revillusion®; clearly a better fireplace.

Revillusion®
by Dimplex



Revillusion® 36" Built-in Electric Firebox

RBF36 Herringbone Brick



Capacitive touch built-in controls.

26-5/8"
67.6 cm

37-1/4"
94.4 cm

12-1/8"
30.7 cm

RBF36
Herringbone brick
firebox interior















Mood-maker Remote
Customize the light color and intensity for a fireplace that reflects your personality.

120 V | 1,300 W | 4,400 BTU
208 V | 1,975 W | 6,745 BTU
240 V | 2,575 W | 8,794 BTU



Also available in Weathered Concrete - RBF36WC

Features

-  **Revillusion® Flame Technology**
Flames are larger, brighter and more random, appearing from within the logs.
-  **Mirage™ Flame Panel**
Partially frosted acrylic panel is clearly better than a mirror, showing only dazzling flames and no reflections.
-  **ThruView™ Full-depth Design**
See clear through the flames to the back of the firebox for a more authentic experience.
-  **Mood Lighting**
Customize the firebox glow with a choice of warm hues, plus midnight mode.
-  **Color Enhancement**
Adjust the flame base color to red or blue.
-  **Realogs® Plus**
A full grate of life-size hardwood-cast logs, tiered for greater depth.
-  **Full Surround Firebox**
More authentic day or night; 270-degree surround with natural soot markings.
-  **Brightness and Flicker**
Adjust light level to suit the room and choose flicker effect for enhanced firelight.
-  **Ambient Light Sensor**
Automatically adjusts firebox light to suit the room day to night.
-  **Quick and Easy Installation**
Simply frame, wire and finish – no venting, gas lines or safety screens.
-  **Primary Heat**
Option to use 240 volt supply for up to 8,800 BTU - use as part of primary heating plan; heater also operates without flame and can be deactivated.
-  **All-season Flames**
Enjoy the unique charm of a fireplace 365 days a year using the flames without the heat.
-  **Direct-wire**
Designed to be direct-wired to a 120, 208 or 240 volt circuit for a seamless look (optional plug kit available).
-  **Low Carbon Footprint**
The most sustainable fireplace option; no emissions and 100% efficient.

| Model # | Description | Lbs / Kg | UPC | Wty* | Carton Dimensions (WxHxD) | | Cube | |
|-------------|---|-------------|---------------|--------|---------------------------|---------------------|------|------|
| | | | | | Inches | cm | ft³ | m³ |
| RBF36 | 36" Built-in Electric Firebox - Herringbone brick interior | 74.9 / 34.0 | 781052 104723 | 2 yrs. | 41-1/4 x 15-1/4 x 31-7/8 | 104.6 x 38.7 x 81.0 | 11.6 | 0.3 |
| RBF36WC | 36" Built-in Electric Firebox - Weathered concrete interior | 74.7 / 34.0 | 781052 129856 | 2 yrs. | 41-1/4 x 15-1/4 x 31-7/8 | 104.6 x 38.7 x 81.0 | 11.6 | 0.3 |
| RBFL42BR | Birch Log Set | 15 / 6.8 | 781052 129993 | 2 yr. | 29-7/8 x 17-1/2 x 15 | 75.9 x 44.1 x 38.1 | 4.52 | 0.13 |
| RBFL42FC | Fresh Cut Log Set | 15 / 6.8 | 781052 129986 | 2 yr. | 29-7/8 x 17-1/2 x 15 | 75.9 x 44.1 x 38.1 | 4.52 | 0.13 |
| RBFLPLUG | Plug Kit | 0.6 / 0.3 | 781052 107656 | 1 yr. | 7 x 3 x 4 | 17.8 x 7.6 x 10.2 | 0.05 | 0.00 |
| RBFLGLASS36 | Single Glass Pane | 25.1 / 11.4 | 781052 108011 | 1 yr. | 42-1/8 x 29-1/4 x 4-1/4 | 106.8 x 74.2 x 10.6 | 3.0 | 0.08 |
| RBFDOR36 | 36" Glass Door | 32.7 / 14.7 | 781052 108059 | 1 yr. | 41-7/8 x 30-1/8 x 4-5/8 | 106.3 x 76.4 x 11.6 | 3.3 | 0.09 |

Specifications, finishes and dimensions are subject to change. *Limited warranty. ©2019 Glen Dimplex Americas.

SE-329-R11-072919

Revillusion® 36" Built-in Electric Firebox

RBF36 Herringbone Brick

Accessories



RBFGLOSS36 - 36" Tempered Front Glass
Dimensions:
35-1/8" W x 22-1/8" H x 3/8" D
(89.1 cm x 56.1 cm x 1.1 cm)



RBFDOOR36 - 36" Functional Doors
with Tempered Glass
Dimensions:
39-3/4" W x 27-1/4" H x 1-1/4" D
(101.1 cm x 69.4 cm x 3.7 cm)



RBFPLUG





RBFL42BR - Birch Log Set
Dimensions:
26-1/2" W x 11-1/8" H x 11" D
(67.2 cm x 28.1 cm x 27.9 cm)



RBFL42FC - Fresh Cut Log Set
Dimensions:
26-1/2" W x 11-1/8" H x 11" D
(67.2 cm x 28.1 cm x 27.9 cm)

Framing Dimensions:



NOTE: The materials used for the finished surround must be cut to precise dimensions as the 1/2" (1.3 cm) self-trimming flange is only to create a finished appearance.

| RBF36 | | | | | |
|----------------------|----------------------|----------------------|-------------------|-----------------------|-----------------------|
| A | B | C | D | E | F |
| 12-1/2" (31.8 cm) | 36-5/8" (93.0 cm) | 26-1/4" (66.5 cm) | 60" (152.4 cm) | 42-1/2" (108.0 cm) | 42-1/2" (108.0 cm) |



Revillusion®
36" Built-in Electric Firebox

RBF36WC
Weathered Concrete

The Future of
Fireplaces is Clear.™



Building on the innovative Revillusion® ThruView™ full-depth design, the new Weathered Concrete Series strikes a more contemporary chord. The poured concrete features subtle detail and a neutral palette that provides a dramatic contrast for the lifelike flames. This playful use of an industrial material is a unique way to give any space some stylish, industrial flair.



Revillusion® 36" Built-in Electric Firebox

RBF36WC Weathered Concrete

















Mood-maker Remote
Customize the light color and intensity for a fireplace that reflects your personality.

120 V | 1,300 W | 4,400 BTU
208 V | 1,975 W | 6,745 BTU
240 V | 2,575 W | 8,794 BTU



Features

-  **Revillusion® Flame Technology**
Flames are larger, brighter and more random, appearing from within the logs.
-  **Mirage™ Flame Panel**
Partially frosted acrylic panel is clearly better than a mirror, showing only dazzling flames and no reflections.
-  **ThruView™ Full-depth Design**
See clear through the flames to the back of the firebox for a more authentic experience.
-  **Mood Lighting**
Customize the firebox glow with a choice of warm hues, plus midnight mode.
-  **Color Enhancement**
Adjust the flame base color to red or blue.
-  **Realslogs® Plus**
A full grate of life-size hardwood-cast logs, tiered for greater depth.
-  **Full Surround Firebox**
More authentic day or night; 270-degree surround with natural soot markings.
-  **Brightness and Flicker**
Adjust light level to suit the room and choose flicker effect for enhanced firelight.
-  **Ambient Light Sensor**
Automatically adjusts firebox light to suit the room day to night.
-  **Quick and Easy Installation**
Simply frame, wire and finish – no venting, gas lines or safety screens.
-  **Primary Heat**
Option to use 240 volt supply for up to 8,800 BTU - use as part of primary heating plan; heater also operates without flame and can be deactivated.
-  **All-season Flames**
Enjoy the unique charm of a fireplace 365 days a year using the flames without the heat.
-  **Direct-wire**
Designed to be direct-wired to a 120, 208 or 240 volt circuit for a seamless look (optional plug kit available).
-  **Low Carbon Footprint**
The most sustainable fireplace option; no emissions and 100% efficient.

| Model # | Description | Lbs / Kg | UPC | Wty* | Carton Dimensions (WxHxD) | | Cube | |
|-------------|---|-------------|---------------|--------|---------------------------|---------------------|------|------|
| | | | | | Inches | cm | ft³ | m³ |
| RBF36WC | 36" Built-in Electric Firebox - Weathered concrete interior | 74.7 / 34.0 | 781052 129856 | 2 yrs. | 41-1/4 x 15-1/4 x 31-7/8 | 104.6 x 38.7 x 81.0 | 11.6 | 0.3 |
| RBF36 | 36" Built-in Electric Firebox - Herringbone brick interior | 74.9 / 34.0 | 781052 104723 | 2 yrs. | 41-1/4 x 15-1/4 x 31-7/8 | 104.6 x 38.7 x 81.0 | 11.6 | 0.3 |
| RBFL42BR | Birch Log Set | 15 / 6.8 | 781052 129993 | 2 yr. | 29-7/8 x 17-1/2 x 15 | 75.9 x 44.1 x 38.1 | 4.52 | 0.13 |
| RBFL42FC | Fresh Cut Log Set | 15 / 6.8 | 781052 129986 | 2 yr. | 29-7/8 x 17-1/2 x 15 | 75.9 x 44.1 x 38.1 | 4.52 | 0.13 |
| RBFLPLUG | Plug Kit | 0.6 / 0.3 | 781052 107656 | 1 yr. | 7 x 3 x 4 | 17.8 x 7.6 x 10.2 | 0.05 | 0.00 |
| RBFLGLASS36 | Single Glass Pane | 25.1 / 11.4 | 781052 108011 | 1 yr. | 42-1/8 x 29-1/4 x 4-1/4 | 106.8 x 74.2 x 10.6 | 3.0 | 0.08 |
| RBFDOR36 | 36" Glass Door | 32.7 / 14.7 | 781052 108059 | 1 yr. | 41-7/8 x 30-1/8 x 4-5/8 | 106.3 x 76.4 x 11.6 | 3.3 | 0.09 |

Specifications, finishes and dimensions are subject to change. *Limited warranty. ©2019 Glen Dimplex Americas.

SE-455-R00-073019

Revillusion® 36" Built-in Electric Firebox

RBF36WC Weathered Concrete

Accessories



RBFGLOSS36 - 36" Tempered Front Glass
Dimensions:
35-1/8" W x 22-1/8" H x 3/8" D
(89.1 cm x 56.1 cm x 1.1 cm)



RBFDOOR36 - 36" Functional Doors
with Tempered Glass
Dimensions:
39-3/4" W x 27-1/4" H x 1-1/4" D
(101.1 cm x 69.4 cm x 3.7 cm)



RBFPLUG





RBFL42BR - Birch Log Set
Dimensions:
26-1/2" W x 11-1/8" H x 11" D
(67.2 cm x 28.1 cm x 27.9 cm)



RBFL42FC - Fresh Cut Log Set
Dimensions:
26-1/2" W x 11-1/8" H x 11" D
(67.2 cm x 28.1 cm x 27.9 cm)

Framing Dimensions:



NOTE: The materials used for the finished surround must be cut to precise dimensions as the 1/2" (1.3 cm) self trimming flange is only to create a finished appearance.

| RBF36 | | | | | |
|----------------------|----------------------|----------------------|-------------------|-----------------------|-----------------------|
| A | B | C | D | E | F |
| 12-1/2" (31.8 cm) | 36-5/8" (93.0 cm) | 26-1/4" (66.5 cm) | 60" (152.4 cm) | 42-1/2" (108.0 cm) | 42-1/2" (108.0 cm) |



Revillusion®

36" Portrait

Built-in Electric Firebox

RBF36P

Herringbone Brick



The Future of
Fireplaces is Clear.™

Revillusion® is a completely new way of looking at fireplaces, and changing the standard for electric. A clear view through the lifelike flames, to the full brick interior, captures the charm of a wood-burning fireplace. Enjoy the look of a fireplace cut straight from the pages of a magazine by choosing Revillusion®; clearly a better fireplace.

Revillusion®
by Dimplex



Revillusion® 36" Portrait Built-in Electric Firebox

RBF36P Herringbone Brick



RBF36P
Herringbone-look
firebox interior



Mood-maker Remote
Customize the light color and intensity for a fireplace that reflects your personality.

120 V | 1,300 W | 4,400 BTU
208 V | 1,975 W | 6,745 BTU
240 V | 2,575 W | 8,794 BTU

Also available in Weathered Concrete - RBF36PWC



Features

Revillusion® Flame Technology
Flames are larger, brighter and more random, appearing from within the logs.

Mirage™ Flame Panel
Partially frosted acrylic panel is clearly better than a mirror, showing only dazzling flames and no reflections.

ThruView™ Full-depth Design
See clear through the flames to the back of the firebox for a more authentic experience.

Mood Lighting
Customize the firebox glow with a choice of warm hues, plus midnight mode.

Color Enhancement
Adjust the flame base color to red or blue.

Realsogs® Plus
A full grate of life-size hardwood-cast logs, tiered for greater depth.

Full Surround Firebox
More authentic day or night; 270-degree surround with natural soot markings.

Brightness and Flicker
Adjust light level to suit the room and choose flicker effect for enhanced firelight.

Ambient Light Sensor
Automatically adjusts firebox light to suit the room day to night.

Quick and Easy Installation
Simply frame, wire and finish – no venting, gas lines or safety screens.

Primary Heat
Option to use 240 volt supply for up to 8,800 BTU - use as part of primary heating plan; heater also operates without flame and can be deactivated.

All-season Flames
Enjoy the unique charm of a fireplace 365 days a year using the flames without the heat.

Direct-wire
Designed to be direct-wired to a 120, 208 or 240 volt circuit for a seamless look (optional plug kit available).

Low Carbon Footprint
The most sustainable fireplace option; no emissions and 100% efficient.

| Model # | Description | Lbs / Kg | UPC | Wty* | Carton Dimensions (WxHxD) | | Cube | |
|--------------|--|-------------|---------------|--------|---------------------------|---------------------|------|------|
| | | | | | Inches | cm | ft³ | m³ |
| RBF36P | 36" Portrait Built-in Electric Firebox - Herringbone brick interior | 81.1 / 36.8 | 781052 108165 | 2 yrs. | 41-1/4 x 35-7/8 x 15-1/4 | 104.7 x 91.2 x 38.6 | 13.0 | 0.4 |
| RBF36PWC | 36" Portrait Built-in Electric Firebox - Weathered concrete interior | 81.1 / 36.8 | 781052 129863 | 2 yrs. | 41-1/4 x 35-7/8 x 15-1/4 | 104.7 x 91.2 x 38.6 | 13.0 | 0.4 |
| RBFL42BR | Birch Log Set | 15 / 6.8 | 781052 129993 | 2 yr. | 29-7/8 x 17-1/2 x 15 | 75.9 x 44.1 x 38.1 | 4.52 | 0.13 |
| RBFL42FC | Fresh Cut Log Set | 15 / 6.8 | 781052 129986 | 2 yr. | 29-7/8 x 17-1/2 x 15 | 75.9 x 44.1 x 38.1 | 4.52 | 0.13 |
| RBFLPLUG | Plug Kit | 0.6 / 0.3 | 781052 107656 | 1 yr. | 7 x 3 x 4 | 17.8 x 7.6 x 10.2 | 0.05 | 0.00 |
| RBFLGLASS36P | Single Glass Pane | 30.3 / 13.7 | 781052 108028 | 1 yr. | 42-1/8 x 33-3/4 x 4-1/4 | 104.4 x 85.6 x 10.7 | 3.4 | 0.10 |
| RBFDOR36P | 36" Portrait Glass Door | 37.0 / 16.6 | 781052 108066 | 1 yr. | 41-7/8 x 34-1/2 x 4-5/8 | 106.3 x 87.7 x 11.6 | 3.8 | 0.10 |

Specifications, finishes and dimensions are subject to change. *Limited warranty. ©2019 Glen Dimplex Americas.

SE-331-R10-072919

Revillusion® 36" Portrait Built-in Electric Firebox

RBF36P Herringbone Brick

Accessories



RBFGLOSS36P - 36" Tempered Front Glass
Dimensions:
35-1/8" W x 26-5/8" H x 3/8" D
(89.1 cm x 67.5 cm x 1.1 cm)



RBFDOOR36P - 36" Functional Doors
with Tempered Glass
Dimensions:
39-3/4" W x 31-3/4" H x 1-1/4" D
(101.1 cm x 80.8 cm x 3.7 cm)



RBFPLUG





RBFL42BR - Birch Log Set
Dimensions:
26-1/2" W x 11-1/8" H x 11" D
(67.2 cm x 28.1 cm x 27.9 cm)



RBFL42FC - Fresh Cut Log Set
Dimensions:
26-1/2" W x 11-1/8" H x 11" D
(67.2 cm x 28.1 cm x 27.9 cm)

Framing Dimensions:



NOTE: The materials used for the finished surround must be cut to precise dimensions as the 1/2" (1.3 cm) self trimming flange is only to create a finished appearance.

RBF36P

| A | B | C | D | E | F |
|----------------------|----------------------|----------------------|-------------------|-----------------------|-----------------------|
| 12-1/2" (31.8 cm) | 36-5/8" (93.0 cm) | 30-5/8" (77.8 cm) | 60" (152.4 cm) | 42-1/2" (108.0 cm) | 42-1/2" (108.0 cm) |



Revillusion®
36" Portrait Built-in
Electric Firebox

RBF36PWC
Weathered Concrete



The Future of
Fireplaces is Clear.™

Building on the innovative Revillusion® ThruView™ full-depth design, the new Weathered Concrete Series strikes a more contemporary chord. The poured concrete features subtle detail and a neutral palette that provides a dramatic contrast for the lifelike flames. This playful use of an industrial material is a unique way to give any space some stylish, industrial flair.

Revillusion®
by Dimplex



Revillusion® 36" Portrait Built-in Electric Firebox

RBF36PWC Weathered Concrete



RBF36PWC
Weathered concrete
firebox interior



Mood-maker Remote
Customize the light color and intensity for a fireplace that reflects your personality.

120 V | 1,300 W | 4,400 BTU
208 V | 1,975 W | 6,745 BTU
240 V | 2,575 W | 8,794 BTU



Also available in Herringbone Brick - RBF36P

Features

- Revillusion® Flame Technology**
Flames are larger, brighter and more random, appearing from within the logs.
- Mirage™ Flame Panel**
Partially frosted acrylic panel is clearly better than a mirror, showing only dazzling flames and no reflections.
- ThruView™ Full-depth Design**
See clear through the flames to the back of the firebox for a more authentic experience.
- Mood Lighting**
Customize the firebox glow with a choice of warm hues, plus midnight mode.
- Color Enhancement**
Adjust the flame base color to red or blue.
- Realogs® Plus**
A full grate of life-size hardwood-cast logs, tiered for greater depth.
- Full Surround Firebox**
More authentic day or night; 270-degree surround with natural soot markings.
- Brightness and Flicker**
Adjust light level to suit the room and choose flicker effect for enhanced firelight.
- Ambient Light Sensor**
Automatically adjusts firebox light to suit the room day to night.
- Quick and Easy Installation**
Simply frame, wire and finish – no venting, gas lines or safety screens.
- Primary Heat**
Option to use 240 volt supply for up to 8,800 BTU - use as part of primary heating plan; heater also operates without flame and can be deactivated.
- All-season Flames**
Enjoy the unique charm of a fireplace 365 days a year using the flames without the heat.
- Direct-wire**
Designed to be direct-wired to a 120, 208 or 240 volt circuit for a seamless look (optional plug kit available).
- Low Carbon Footprint**
The most sustainable fireplace option; no emissions and 100% efficient.

| Model # | Description | Lbs / Kg | UPC | Wty* | Carton Dimensions (WxHxD) | | Cube | |
|--------------|--|-------------|---------------|--------|---------------------------|---------------------|------|------|
| | | | | | Inches | cm | ft³ | m³ |
| RBF36PWC | 36" Portrait Built-in Electric Firebox - Weathered concrete interior | 81.1 / 36.8 | 781052 129863 | 2 yrs. | 41-1/4 x 35-7/8 x 15-1/4 | 104.7 x 91.2 x 38.6 | 13.0 | 0.4 |
| RBF36P | 36" Portrait Built-in Electric Firebox - Herringbone brick interior | 81.1 / 36.8 | 781052 108165 | 2 yrs. | 41-1/4 x 35-7/8 x 15-1/4 | 104.7 x 91.2 x 38.6 | 13.0 | 0.4 |
| RBFL42BR | Birch Log Set | 15 / 6.8 | 781052 129993 | 2 yr. | 29-7/8 x 17-1/2 x 15 | 75.9 x 44.1 x 38.1 | 4.52 | 0.13 |
| RBFL42FC | Fresh Cut Log Set | 15 / 6.8 | 781052 129986 | 2 yr. | 29-7/8 x 17-1/2 x 15 | 75.9 x 44.1 x 38.1 | 4.52 | 0.13 |
| RBFLPLUG | Plug Kit | 0.6 / 0.3 | 781052 107656 | 1 yr. | 7 x 3 x 4 | 17.8 x 7.6 x 10.2 | 0.05 | 0.00 |
| RBFLGLASS36P | Single Glass Pane | 30.3 / 13.7 | 781052 108028 | 1 yr. | 42-1/8 x 33-3/4 x 4-1/4 | 104.4 x 85.6 x 10.7 | 3.4 | 0.10 |
| RBFLDOOR36P | 36" Portrait Glass Door | 37.0 / 16.6 | 781052 108066 | 1 yr. | 41-7/8 x 34-1/2 x 4-5/8 | 106.3 x 87.7 x 11.6 | 3.8 | 0.10 |

Specifications, finishes and dimensions are subject to change. *Limited warranty. ©2019 Glen Dimplex Americas.

SE-454-R00-072919

Revillusion® 36" Portrait Built-in Electric Firebox

RBF36PWC Weathered Concrete

Accessories



RBFGLOSS36P - 36" Tempered Front Glass
Dimensions:
35-1/8" W x 26-5/8" H x 3/8" D
(89.1 cm x 67.5 cm x 1.1 cm)



RBFDOOR36P - 36" Functional Doors
with Tempered Glass
Dimensions:
39-3/4" W x 31-3/4" H x 1-1/4" D
(101.1 cm x 80.8 cm x 3.7 cm)



RBFPLUG





RBFL42BR - Birch Log Set
Dimensions:
26-1/2" W x 11-1/8" H x 11" D
(67.2 cm x 28.1 cm x 27.9 cm)



RBFL42FC - Fresh Cut Log Set
Dimensions:
26-1/2" W x 11-1/8" H x 11" D
(67.2 cm x 28.1 cm x 27.9 cm)

Framing Dimensions:



NOTE: The materials used for the finished surround must be cut to precise dimensions as the 1/2" (1.3 cm) self trimming flange is only to create a finished appearance.

RBF36P

| A | B | C | D | E | F |
|----------------------|----------------------|----------------------|-------------------|-----------------------|-----------------------|
| 12-1/2" (31.8 cm) | 36-5/8" (93.0 cm) | 30-5/8" (77.8 cm) | 60" (152.4 cm) | 42-1/2" (108.0 cm) | 42-1/2" (108.0 cm) |



Revillusion®
42" Built-in Electric Firebox

RBF42
Herringbone Brick

The Future of
Fireplaces is Clear.™



Revillusion® is a completely new way of looking at fireplaces, and changing the standard for electric. A clear view through the lifelike flames, to the full brick interior, captures the charm of a wood-burning fireplace. Enjoy the look of a fireplace cut straight from the pages of a magazine by choosing Revillusion®; clearly a better fireplace.

Revillusion®
by Dimplex



Revillusion® 42" Built-in Electric Firebox

RBF42 Herringbone Brick



RBF42
Herringbone brick
firebox interior



Mood-maker Remote
Customize the light color and intensity for a fireplace that reflects your personality.

120 V | 1,375 W | 4,400 BTU
208 V | 1,975 W | 6,745 BTU
240 V | 2,575 W | 8,794 BTU

Also available in Weathered Concrete - RBF42WC



Features

- Revillusion® Flame Technology**
Flames are larger, brighter and more random, appearing from within the logs.
- Mirage™ Flame Panel**
Partially frosted acrylic panel is clearly better than a mirror, showing only dazzling flames and no reflections.
- ThruView™ Full-depth Design**
See clear through the flames to the back of the firebox for a more authentic experience.
- Mood Lighting**
Customize the firebox glow with a choice of warm hues, plus midnight mode.
- Color Enhancement**
Adjust the flame base color to red or blue.
- Realslogs® Plus**
A full grate of life-size hardwood-cast logs, tiered for greater depth.
- Full Surround Firebox**
More authentic day or night; 270-degree surround with natural soot markings.
- Brightness and Flicker**
Adjust light level to suit the room and choose flicker effect for enhanced firelight.
- Ambient Light Sensor**
Automatically adjusts firebox light to suit the room day to night.
- Quick and Easy Installation**
Simply frame, wire and finish – no venting, gas lines or safety screens.
- Primary Heat**
Option to use 240 volt supply for up to 8,800 BTU - use as part of primary heating plan; heater also operates without flame and can be deactivated.
- All-season Flames**
Enjoy the unique charm of a fireplace 365 days a year using the flames without the heat.
- Direct-wire**
Designed to be direct-wired to a 120, 208 or 240 volt circuit for a seamless look (optional plug kit available).
- Low Carbon Footprint**
The most sustainable fireplace option; no emissions and 100% efficient.

| Model # | Description | Lbs / Kg | UPC | Wty* | Carton Dimensions (WxHxD) | | Cube | |
|-----------|---|-------------|---------------|--------|---------------------------|---------------------|------|------|
| | | | | | Inches | cm | ft³ | m³ |
| RBF42WC | 42" Built-in Electric Firebox - Weathered concrete interior | 88.6 / 40.2 | 781052 129887 | 2 yrs. | 47-1/2 x 15 x 35-7/8 | 120.6 x 38.2 x 91.2 | 14.8 | 0.4 |
| RBF42 | 42" Built-in Electric Firebox - Herringbone brick interior | 88.6 / 40.2 | 781052 104716 | 2 yrs. | 47-1/2 x 15 x 35-7/8 | 120.6 x 38.2 x 91.2 | 14.8 | 0.4 |
| RBFL42BR | Birch Log Set | 15 / 6.8 | 781052 129993 | 2 yr. | 29-7/8 x 17-1/2 x 15 | 75.9 x 44.1 x 38.1 | 4.52 | 0.13 |
| RBFL42FC | Fresh Cut Log Set | 15 / 6.8 | 781052 129986 | 2 yr. | 29-7/8 x 17-1/2 x 15 | 75.9 x 44.1 x 38.1 | 4.52 | 0.13 |
| RBFLUG | Plug Kit | 0.6 / 0.3 | 781052 107656 | 1 yr. | 7 x 3 x 4 | 17.8 x 7.6 x 10.2 | 0.05 | 0.0 |
| RBFLASS42 | Single Glass Pane | 33.7 / 15.3 | 781052 108035 | 1 yr. | 47-3/4 x 33-3/4 x 4-1/4 | 121.2 x 85.6 x 10.6 | 4.0 | 0.1 |
| RBFDOOR42 | 42" Glass Door | 41.7 / 18.8 | 781052 108073 | 1 yr. | 47-7/8 x 34-1/2 x 4-5/8 | 121.7 x 87.7 x 11.6 | 4.4 | 0.12 |

Specifications, finishes and dimensions are subject to change. *Limited warranty. ©2019 Glen Dimplex Americas.

SE-332-R10-072919

Revillusion® 42" Built-in Electric Firebox

RBF42 Herringbone Brick

Accessories



RBFGLOSS42 - 42" Tempered Front Glass
Dimensions:
41-1/8" W x 26-5/8" H x 3/8" D
(104.5 cm x 67.5 cm x 1.1 cm)



RBFDOOR42 - 42" Functional Doors
with Tempered Glass
Dimensions:
45-7/8" W x 31-3/4" H x 1-1/4" D
(116.5cm x 80.8cm x 3.7cm)



RBFPLUG





RBFL42BR - Birch Log Set
Dimensions:
26-1/2" W x 11-1/8" H x 11" D
(67.2 cm x 28.1 cm x 27.9 cm)



RBFL42FC - Fresh Cut Log Set
Dimensions:
26-1/2" W x 11-1/8" H x 11" D
(67.2 cm x 28.1 cm x 27.9 cm)

Framing Dimensions:



NOTE: The materials used for the finished surround must be cut to precise dimensions as the 1/2" (1.3 cm) self trimming flange is only to create a finished appearance.

RBF42

| A | B | C | D | E | F |
|----------------------|-----------------------|----------------------|-----------------------|-------------------|-------------------|
| 12-1/2" (31.8 cm) | 42-5/8" (108.3 cm) | 30-5/8" (77.8 cm) | 66-1/2" (168.9 cm) | 47" (119.4 cm) | 47" (119.4 cm) |



Revillusion®
42" Built-in Electric Firebox

RBF42WC
Weathered Concrete

The Future of
Fireplaces is Clear.™



Building on the innovative Revillusion® ThruView™ full-depth design, the new Weathered Concrete Series strikes a more contemporary chord. The poured concrete features subtle detail and a neutral palette that provides a dramatic contrast for the lifelike flames. This playful use of an industrial material is a unique way to give any space some stylish, industrial flair.

Revillusion®
by Dimplex



Revillusion® 42" Built-in Electric Firebox

RBF42WC Weathered Concrete



RBF42WC
Weathered concrete
firebox interior

















Mood-maker Remote
Customize the light color and intensity for a fireplace that reflects your personality.

120 V | 1,375 W | 4,400 BTU
208 V | 1,975 W | 6,745 BTU
240 V | 2,575 W | 8,794 BTU

Also available in Herringbone Brick - RBF42



Features

-  **Revillusion® Flame Technology**
Flames are larger, brighter and more random, appearing from within the logs.
-  **Mirage™ Flame Panel**
Partially frosted acrylic panel is clearly better than a mirror, showing only dazzling flames and no reflections.
-  **ThruView™ Full-depth Design**
See clear through the flames to the back of the firebox for a more authentic experience.
-  **Mood Lighting**
Customize the firebox glow with a choice of warm hues, plus midnight mode.
-  **Color Enhancement**
Adjust the flame base color to red or blue.
-  **Realslogs® Plus**
A full grate of life-size hardwood-cast logs, tiered for greater depth.
-  **Full Surround Firebox**
More authentic day or night; 270-degree surround with natural soot markings.
-  **Brightness and Flicker**
Adjust light level to suit the room and choose flicker effect for enhanced firelight.
-  **Ambient Light Sensor**
Automatically adjusts firebox light to suit the room day to night.
-  **Quick and Easy Installation**
Simply frame, wire and finish – no venting, gas lines or safety screens.
-  **Primary Heat**
Option to use 240 volt supply for up to 8,800 BTU - use as part of primary heating plan; heater also operates without flame and can be deactivated.
-  **All-season Flames**
Enjoy the unique charm of a fireplace 365 days a year using the flames without the heat.
-  **Direct-wire**
Designed to be direct-wired to a 120, 208 or 240 volt circuit for a seamless look (optional plug kit available).
-  **Low Carbon Footprint**
The most sustainable fireplace option; no emissions and 100% efficient.

| Model # | Description | Lbs / Kg | UPC | Wty* | Carton Dimensions (WxHxD) | | Cube | |
|-----------|---|-------------|---------------|--------|---------------------------|---------------------|------|------|
| | | | | | Inches | cm | ft³ | m³ |
| RBF42WC | 42" Built-in Electric Firebox - Weathered concrete interior | 88.6 / 40.2 | 781052 129887 | 2 yrs. | 47-1/2 x 15 x 35-7/8 | 120.6 x 38.2 x 91.2 | 14.8 | 0.4 |
| RBF42 | 42" Built-in Electric Firebox - Herringbone brick interior | 88.6 / 40.2 | 781052 104716 | 2 yrs. | 47-1/2 x 15 x 35-7/8 | 120.6 x 38.2 x 91.2 | 14.8 | 0.4 |
| RBFL42BR | Birch Log Set | 15 / 6.8 | 781052 129993 | 2 yr. | 29-7/8 x 17-1/2 x 15 | 75.9 x 44.1 x 38.1 | 4.52 | 0.13 |
| RBFL42FC | Fresh Cut Log Set | 15 / 6.8 | 781052 129986 | 2 yr. | 29-7/8 x 17-1/2 x 15 | 75.9 x 44.1 x 38.1 | 4.52 | 0.13 |
| RBFLUG | Plug Kit | 0.6 / 0.3 | 781052 107656 | 1 yr. | 7 x 3 x 4 | 17.8 x 7.6 x 10.2 | 0.05 | 0.0 |
| RBFLASS42 | Single Glass Pane | 33.7 / 15.3 | 781052 108035 | 1 yr. | 47-3/4 x 33-3/4 x 4-1/4 | 121.2 x 85.6 x 10.6 | 4.0 | 0.1 |
| RBFDOOR42 | 42" Glass Door | 41.7 / 18.8 | 781052 108073 | 1 yr. | 47-7/8 x 34-1/2 x 4-5/8 | 121.7 x 87.7 x 11.6 | 4.4 | 0.12 |

Specifications, finishes and dimensions are subject to change. *Limited warranty. ©2019 Glen Dimplex Americas.

SE-452-R0-072919

Revillusion® 42" Built-in Electric Firebox

RBF42WC Weathered Concrete

Accessories



RBFGLOSS42 - 42" Tempered Front Glass
Dimensions:
41-1/8" W x 26-5/8" H x 3/8" D
(104.5 cm x 67.5 cm x 1.1 cm)



RBFDOOR42 - 42" Functional Doors
with Tempered Glass
Dimensions:
45-7/8" W x 31-3/4" H x 1-1/4" D
(116.5cm x 80.8cm x 3.7cm)



RBFPLUG





RBFL42BR - Birch Log Set
Dimensions:
26-1/2" W x 11-1/8" H x 11" D
(67.2 cm x 28.1 cm x 27.9 cm)



RBFL42FC - Fresh Cut Log Set
Dimensions:
26-1/2" W x 11-1/8" H x 11" D
(67.2 cm x 28.1 cm x 27.9 cm)

Framing Dimensions:



NOTE: The materials used for the finished surround must be cut to precise dimensions as the 1/2" (1.3 cm) self trimming flange is only to create a finished appearance.

RBF42

| A | B | C | D | E | F |
|----------------------|-----------------------|----------------------|-----------------------|-------------------|-------------------|
| 12-1/2" (31.8 cm) | 42-5/8" (108.3 cm) | 30-5/8" (77.8 cm) | 66-1/2" (168.9 cm) | 47" (119.4 cm) | 47" (119.4 cm) |



Revillusion®

20" Plug-in Electric Realogs® Set

RLG20

The Future of
Fireplaces is Clear.™



More than the addition of new features, Revillusion is a completely new way of looking at fireplaces. Gaze through the lifelike flames to the back of the firebox, revealing the natural character that gives a wood-burning fireplace its charm. Enjoy the look of a fireplace cut straight from the pages of a magazine by choosing Revillusion; clearly a better fireplace.

Revillusion®
by Dimplex



Revillusion® 20" Plug-in Electric Realogs® Set

RLG20



Also available:



RLG20BR - Birch Log Set



RLG20FC - Fresh Cut Log Set

120 V | 1,500 W | 5,118 BTU

| Model # | Description | Lbs / Kg | UPC | Wty* | Carton Dimensions (WxHxD) | | Cube | |
|---------|--|-----------|---------------|-------|---------------------------|--------------------|------|------|
| | | | | | Inches | cm | ft³ | m³ |
| RLG20 | 20" Plug-in Electric Realogs Set | | 781052 104709 | 1 yr. | 25-5/8 x 15-5/8 x 14-7/8 | 65.0 x 39.5 x 37.5 | 3.4 | 0.1 |
| RLG20BR | 20" Plug-in Electric - Birch Log Set | | 781052 130173 | 1 yr. | 25-5/8 x 15-5/8 x 14-7/8 | 65.0 x 39.5 x 37.5 | 3.4 | 0.1 |
| RLG20FC | 20" Plug-in Electric - Fresh Cut Log Set | | 781052 134911 | 1 yr. | 25-5/8 x 15-5/8 x 14-7/8 | 65.0 x 39.5 x 37.5 | 3.4 | 0.1 |
| REM-KIT | 20" Ashmat | 2.4 / 1.1 | 781052 106185 | | 20 x 2-3/8 x 6-1/2 | 50.0 x 6.0 x 16.5 | 0.17 | 0.01 |

Specifications, finishes and dimensions are subject to change. *Limited warranty. ©2019 Glen Dimplex Americas.

Features

- Revillusion® Flame Technology**
Flames are larger, brighter and more random, appearing from within the logs.
- Mirage™ Flame Panel**
Partially frosted acrylic panel is clearly better than a mirror, showing only dazzling flames and no reflections.
- ThruView™ Full-depth Design**
See clear through the flames to the back of a masonry fireplace for a more authentic experience.
- Heat On Demand**
Enjoy the heater without the flames to warm up your room.
- 360° Light**
Add flickering light to enhance the firelight effect.
- Brightness and Flicker**
Adjust light level to suit the room and choose flicker effect for enhanced firelight.
- Realogs® Plus**
A full grate of life-size hardwood-cast logs, tiered for greater depth.
- Hidden Heat**
Fan-forced ceramic heater provides hidden comfort for small spaces.
- All-season Flames**
Enjoy the unique charm of a fireplace 365 days a year using the flames without the heat.
- Just Plug It In**
Simply plug into any standard household outlet for instant ambiance.
- Low Carbon Footprint**
The most sustainable fireplace option; no emissions and 100% efficient.

Accessories



REM-KIT - Revillusion 20" Ashmat
WxHxD: 18-7/8" x 1-1/8" x 5-5/8"
(47.8 cm x 3.0 cm x 14.1 cm)

SE-024-R02-073019



Revillusion®

20" Plug-in Electric Birch Log Set

RLG20BR

The Future of
Fireplaces is Clear.™



Capture the essence of a rustic escape with the faux birch wood log set. The soft, parchment-like quality of birch bark provides a neutral compliment for the gentle flames rising from the grate that cradles them. When added to the dazzling realism of the Revillusion flame technology, the Birch Log Set a cozy and inviting hearth in previously unused fireplaces.

Revillusion®
by Dimplex



Revillusion® 20" Plug-in Electric Birch Log Set

RLG20BR

RLG20BR
- Birch Log Set
(includes Ashmat)



Also available:



RLG20
- Shown with Ashmat (REM-KIT)
sold separately.



RLG20FC
- Fresh Cut Log Set
(includes Ashmat)

120 V | 1,500 W | 5,118 BTU

Features

- Revillusion® Flame Technology**
Flames are larger, brighter and more random, appearing from within the logs.
- Mirage™ Flame Panel**
Partially frosted acrylic panel is clearly better than a mirror, showing only dazzling flames and no reflections.
- ThruView™ Full-depth Design**
See clear through the flames to the back of a masonry fireplace for a more authentic experience.
- 360° Light**
Add flickering light to enhance the firelight effect.
- Brightness and Flicker**
Adjust light level to suit the room and choose flicker effect for enhanced firelight.
- Realogs® Plus**
A full grate of life-size hardwood-cast logs, tiered for greater depth.
- Hidden Heat**
Fan-forced ceramic heater provides hidden comfort for small spaces.
- All-season Flames**
Enjoy the unique charm of a fireplace 365 days a year using the flames without the heat.
- Just Plug It In**
Simply plug into any standard household outlet for instant ambiance.
- Low Carbon Footprint**
The most sustainable fireplace option; no emissions and 100% efficient.

Accessories



REM-KIT - Revillusion 20" Ashmat
WxHxD: 18-7/8" x 1-1/8" x 5-5/8"
(47.8 cm x 3.0 cm x 14.1 cm)

| Model # | Description | Lbs / Kg | UPC | Wty* | Carton Dimensions (WxHxD) | | Cube | |
|---------|--|-----------|---------------|-------|---------------------------|--------------------|------|------|
| | | | | | Inches | cm | ft³ | m³ |
| RLG20BR | 20" Plug-in Electric Birch Log Set | | 781052 130173 | 1 yr. | 25-5/8 x 15-5/8 x 14-7/8 | 65.0 x 39.5 x 37.5 | 3.4 | 0.1 |
| RLG20 | 20" Plug-in Electric Realogs Set | | 781052 104709 | 1 yr. | 25-5/8 x 15-5/8 x 14-7/8 | 65.0 x 39.5 x 37.5 | 3.4 | 0.1 |
| RLG20FC | 20" Plug-in Electric Fresh Cut Log Set | | 781052 134911 | 1 yr. | 25-5/8 x 15-5/8 x 14-7/8 | 65.0 x 39.5 x 37.5 | 3.4 | 0.1 |
| REM-KIT | 20" Revillusion Ashmat | 2.4 / 1.1 | 781052 106185 | | 20 x 2-3/8 x 6-1/2 | 50.0 x 6.0 x 16.5 | 0.17 | 0.01 |

Specifications, finishes and dimensions are subject to change. *Limited warranty. ©2019 Glen Dimplex Americas.

SE-459-R00-082719



Revillusion®

20" Plug-in Electric Fresh Cut Log Set

RLG20FC

The Future of
Fireplaces is Clear.™



The Fresh Cut Log Set lets you enjoy the natural beauty of split firewood along with the anticipation of a fire that is ready to burn. Three stacked logs nestled in a grate show off their splintered edges, giving you the feel of freshly chopped wood without ever swinging an axe. When added to the dazzling realism of the Revillusion flame technology, the Fresh Cut Log Set a cozy and inviting hearth in previously unused fireplaces.

Revillusion®
by Dimplex



Revillusion® 20" Plug-in Electric Fresh Cut Log Set

RLG20FC

RLG20FR
- Fresh Cut Log Set
(includes Ashmat)



Also available:



RLG20BR
- Birch Log Set
(includes Ashmat)



RLG20
- Shown with Ashmat (REM-KIT)
sold separately.

120 V | 1,500 W | 5,118 BTU

Features

- Revillusion® Flame Technology**
Flames are larger, brighter and more random, appearing from within the logs.
- Mirage™ Flame Panel**
Partially frosted acrylic panel is clearly better than a mirror, showing only dazzling flames and no reflections.
- ThruView™ Full-depth Design**
See clear through the flames to the back of a masonry fireplace for a more authentic experience.
- 360° Light**
Add flickering light to enhance the firelight effect.
- Brightness and Flicker**
Adjust light level to suit the room and choose flicker effect for enhanced firelight.
- Realogs® Plus**
A full grate of life-size hardwood-cast logs, tiered for greater depth.
- Hidden Heat**
Fan-forced ceramic heater provides hidden comfort for small spaces.
- All-season Flames**
Enjoy the unique charm of a fireplace 365 days a year using the flames without the heat.
- Just Plug It In**
Simply plug into any standard household outlet for instant ambiance.
- Low Carbon Footprint**
The most sustainable fireplace option; no emissions and 100% efficient.

Accessories



REM-KIT - Revillusion 20" Ashmat
WxHxD: 18-7/8" x 1-1/8" x 5-5/8"
(47.8 cm x 3.0 cm x 14.1 cm)

| Model # | Description | Lbs / Kg | UPC | Wty* | Carton Dimensions (WxHxD) | | Cube | |
|---------|--|-----------|---------------|-------|---------------------------|--------------------|------|------|
| | | | | | Inches | cm | ft³ | m³ |
| RLG20FC | 20" Plug-in Electric - Fresh Cut Log Set | | 781052 134911 | 1 yr. | 25-5/8 x 15-5/8 x 14-7/8 | 65.0 x 39.5 x 37.5 | 3.4 | 0.1 |
| RLG20 | 20" Plug-in Electric Realogs Set | | 781052 104709 | 1 yr. | 25-5/8 x 15-5/8 x 14-7/8 | 65.0 x 39.5 x 37.5 | 3.4 | 0.1 |
| RLG20BR | 20" Plug-in Electric - Birch Log Set | | 781052 130173 | 1 yr. | 25-5/8 x 15-5/8 x 14-7/8 | 65.0 x 39.5 x 37.5 | 3.4 | 0.1 |
| REM-KIT | 20" Revillusion Ashmat | 2.4 / 1.1 | 781052 106185 | | 20 x 2-3/8 x 6-1/2 | 50.0 x 6.0 x 16.5 | 0.17 | 0.01 |

Specifications, finishes and dimensions are subject to change. *Limited warranty. ©2019 Glen Dimplex Americas.

SE-458-R00-082719



Revillusion®

25" Plug-in Electric Realogs® Set

RLG25

The Future of
Fireplaces is Clear.™



More than the addition of new features, Revillusion is a completely new way of looking at fireplaces. Gaze through the lifelike flames to the back of the firebox, revealing the natural character that gives a wood-burning fireplace its charm. Enjoy the look of a fireplace cut straight from the pages of a magazine by choosing Revillusion; clearly a better fireplace.

Revillusion®
by Dimplex



Revillusion® 25" Plug-in Electric Realogs® Set

RLG25



Also available:



RLG25BR - Birch Log Set



RLG25FC - Fresh Cut Log Set

120 V | 1,500 W | 5,118 BTU

| Model # | Description | Lbs / Kg | UPC | Wty* | Carton Dimensions (WxHxD) | | Cube | |
|---------|--|----------|---------------|--------|---------------------------|--------------------|------|------|
| | | | | | Inches | cm | ft³ | m³ |
| RLG25 | 25" Plug-in Electric Realogs Set | | 781052 104686 | 2 yrs. | 28-3/8 x 18-1/8 x 15-1/8 | 72.0 x 46.0 x 38.2 | 4.5 | 0.13 |
| RLG25BR | 25" Plug-in Electric - Birch Log Set | | 781052 130319 | 2 yrs. | 28-3/8 x 18-1/8 x 15-1/8 | 72.0 x 46.0 x 38.2 | 4.5 | 0.13 |
| RLG25FC | 25" Plug-in Electric - Fresh Cut Log Set | | 781052 130302 | 2 yrs. | 28-3/8 x 18-1/8 x 15-1/8 | 72.0 x 46.0 x 38.2 | 4.5 | 0.13 |

Features

- Revillusion® Flame Technology**
Flames are larger, brighter and more random, appearing from within the logs.
- Mirage™ Flame Panel**
Partially frosted acrylic panel is clearly better than a mirror, showing only dazzling flames and no reflections.
- ThruView™ Full-depth Design**
See clear through the flames to the back of a masonry fireplace for a more authentic experience.
- Mood Lighting**
Customize the firebox glow with a choice of warm hues, plus midnight mode.
- Color Enhancement**
Adjust the flame base color to red or blue.
- Heat On Demand**
Enjoy the heater without the flames to warm up your room.
- Brightness and Flicker**
Adjust light level to suit the room and choose flicker effect for enhanced firelight.
- Realogs® Plus**
A full grate of life-size hardwood-cast logs, tiered for greater depth.
- Hidden Heat**
Fan-forced ceramic heater provides hidden comfort for small spaces.
- All-season Flames**
Enjoy the unique charm of a fireplace 365 days a year using the flames without the heat.
- Just Plug It In**
Simply plug into any standard household outlet for instant ambiance.
- Low Carbon Footprint**
The most sustainable fireplace option; no emissions and 100% efficient.



Revillusion®

25" Plug-in Electric Birch Log Set

RLG25BR

The Future of
Fireplaces is Clear.™



Capture the essence of a rustic escape with the faux birch wood log set. The soft, parchment-like quality of birch bark provides a neutral compliment for the gentle flames rising from the grate that cradles them. When added to the dazzling realism of the Revillusion flame technology, the Birch Log Set a cozy and inviting hearth in previously unused fireplaces.

Revillusion®
by Dimplex



Revillusion® 25" Plug-in Electric Birch Log Set

RLG25BR



Features

-  **Revillusion® Flame Technology**
Flames are larger, brighter and more random, appearing from within the logs.
-  **Mirage™ Flame Panel**
Partially frosted acrylic panel is clearly better than a mirror, showing only dazzling flames and no reflections.
-  **ThruView™ Full-depth Design**
See clear through the flames to the back of a masonry fireplace for a more authentic experience.
-  **Mood Lighting**
Customize the firebox glow with a choice of warm hues, plus midnight mode.
-  **Color Enhancement**
Adjust the flame base color to red or blue.
-  **Brightness and Flicker**
Adjust light level to suit the room and choose flicker effect for enhanced firelight.
-  **Realogs® Plus**
A full grate of life-size hardwood-cast logs, tiered for greater depth.
-  **Hidden Heat**
Fan-forced ceramic heater provides hidden comfort for small spaces.
-  **All-season Flames**
Enjoy the unique charm of a fireplace 365 days a year using the flames without the heat.
-  **Just Plug It In**
Simply plug into any standard household outlet for instant ambiance.
-  **Low Carbon Footprint**
The most sustainable fireplace option; no emissions and 100% efficient.

| Model # | Description | Lbs / Kg | UPC | Wty* | Carton Dimensions (WxHxD) | | Cube | |
|---------|--|----------|---------------|--------|---------------------------|--------------------|------|------|
| | | | | | Inches | cm | ft³ | m³ |
| RLG25BR | 25" Plug-in Electric Birch Log Set | | 781052 130319 | 2 yrs. | 28-3/8 x 18-1/8 x 15-1/8 | 72.0 x 46.0 x 38.2 | 4.5 | 0.13 |
| RLG25 | 25" Plug-in Electric Realogs Set | | 781052 104686 | 2 yrs. | 28-3/8 x 18-1/8 x 15-1/8 | 72.0 x 46.0 x 38.2 | 4.5 | 0.13 |
| RLG25FC | 25" Plug-in Electric Fresh Cut Log Set | | 781052 130302 | 2 yrs. | 28-3/8 x 18-1/8 x 15-1/8 | 72.0 x 46.0 x 38.2 | 4.5 | 0.13 |

Specifications, finishes and dimensions are subject to change. *Limited warranty. ©2019 Glen Dimplex Americas.

SE-460-R00-082719



Revillusion®

25" Plug-in Electric Fresh Cut Log Set

RLG25FC

The Future of
Fireplaces is Clear.™



The Fresh Cut Log Set lets you enjoy the natural beauty of split firewood along with the anticipation of a fire that is ready to burn. Three stacked logs nestled in a grate show off their splintered edges, giving you the feel of freshly chopped wood without ever swinging an axe. When added to the dazzling realism of the Revillusion flame technology, the Fresh Cut Log Set a cozy and inviting hearth in previously unused fireplaces.

Revillusion®
by Dimplex












Revillusion® 25" Plug-in Electric Fresh Cut Log Set

RLG25FC



Features

-  **Revillusion® Flame Technology**
Flames are larger, brighter and more random, appearing from within the logs.
-  **Mirage™ Flame Panel**
Partially frosted acrylic panel is clearly better than a mirror, showing only dazzling flames and no reflections.
-  **ThruView™ Full-depth Design**
See clear through the fireplace to the back of a masonry fireplace for a more authentic experience.
-  **Mood Lighting**
Customize the firebox glow with a choice of warm hues, plus midnight mode.
-  **Color Enhancement**
Adjust the flame base color to red or blue.
-  **Brightness and Flicker**
Adjust light level to suit the room and choose flicker effect for enhanced firelight.
-  **Realogs™ Plus**
A full grate of life-size hardwood-cast logs, tiered for greater depth.
-  **Hidden Heat**
Fan-forced ceramic heater provides hidden comfort for small spaces.
-  **All-season Flames**
Enjoy the unique charm of a fireplace 365 days a year using the flames without the heat.
-  **Just Plug It In**
Simply plug into any standard household outlet for instant ambiance.
-  **Low Carbon Footprint**
The most sustainable fireplace option; no emissions and 100% efficient.

| Model # | Description | Lbs / Kg | UPC | Wty* | Carton Dimensions (WxHxD) | | Cube | |
|---------|--|----------|---------------|--------|---------------------------|--------------------|------|------|
| | | | | | Inches | cm | ft³ | m³ |
| RLG25FC | 25" Plug-in Electric Fresh Cut Log Set | | 781052 130302 | 2 yrs. | 28-3/8 x 18-1/8 x 15-1/8 | 72.0 x 46.0 x 38.2 | 4.5 | 0.13 |
| RLG25BR | 25" Plug-in Electric Birch Log Set | | 781052 130319 | 2 yrs. | 28-3/8 x 18-1/8 x 15-1/8 | 72.0 x 46.0 x 38.2 | 4.5 | 0.13 |
| RLG25 | 25" Plug-in Electric Realogs Set | | 781052 104686 | 2 yrs. | 28-3/8 x 18-1/8 x 15-1/8 | 72.0 x 46.0 x 38.2 | 4.5 | 0.13 |

Specifications, finishes and dimensions are subject to change. *Limited warranty. ©2019 Glen Dimplex Americas.

SE-461-R00-082719



Revillusion®

24" Built-in Electric Firebox
/ Fireplace Insert

RBF24DLX
Herringbone Brick



Easily update and finish an existing fireplace with Revillusion technology.

Revillusion® is a completely new way of looking at fireplaces, and changing the standard for electric. A clear view through the lifelike flames, to the full brick interior, captures the charm of a wood-burning fireplace. Enjoy the look of a fireplace cut straight from the pages of a magazine by choosing Revillusion®; clearly a better fireplace.

Revillusion®
by Dimplex





Revillusion® 24" Built-in Electric Firebox / Fireplace Insert

RBF24DLX Herringbone Brick



Deluxe Features












-  **ComfortSaver® Heating System**
The patented ComfortSaver® ceramic heating system uses 11% less energy than the leading quartz infrared heater by automatically adjusting fan speed and heater wattage to safely and precisely match the requirements of the room.
-  **Eco Boost**
When Eco Boost is activated heater runs in a reduced wattage range.
-  **Flame Speed**
Allows you to adjust the speed of the flame to create the perfect atmosphere to suit your mood or room.
-  **Glass Pane Included**

120 V | 1,500 W | 5,118 BTU

Also available in Weathered Concrete - RBF24DLXWC



Features

-  **Revillusion® Flame Technology**
Flames are larger, brighter and more random, appearing from within the logs.
-  **Mirage™ Flame Panel**
Partially frosted acrylic panel is clearly better than a mirror, showing only dazzling flames and no reflections.
-  **ThruView™ Full-depth Design**
See clear through the flames to the back of the firebox for a more authentic experience.
-  **Mood Lighting**
Customize the firebox glow with a choice of warm hues, plus midnight mode.
-  **Color Enhancement**
Adjust the flame base color to red or blue.
-  **Realogs® Plus**
A full grate of life-size hardwood-cast logs, tiered for greater depth.
-  **Full Surround Firebox**
More authentic day or night; 270-degree surround with natural soot markings.
-  **Brightness and Flicker**
Adjust light level to suit the room and choose flicker effect for enhanced firelight.
-  **Ambient Light Sensor**
Automatically adjusts firebox light to suit the room day to night.
-  **All-season Flames**
Enjoy the unique charm of a fireplace 365 days a year using the flames without the heat.
-  **Just Plug It In / Direct-wire**
Simply plug into any standard household outlet for instant ambiance. Can be hardwired to a 120 volt circuit for a seamless look.

| Model # | Description | Lbs / Kg | UPC | Wty* | Carton Dimensions (WxHxD) | | Cube | |
|-------------|---|-------------|---------------|--------|---------------------------|---------------------|------|------|
| | | | | | Inches | cm | ft³ | m³ |
| RBF24DLX | 24" Built-in Electric Firebox - Herringbone brick interior | 58.2 / 26.4 | 781052 120655 | 2 yrs. | 29-3/8 x 28-1/8 x 16-3/8 | 74.4 x 71.2 x 41.6 | 7.83 | 0.22 |
| RBF24DLXWC | 24" Built-in Electric Firebox - Weathered concrete interior | 58.2 / 26.4 | 781052 129832 | 2 yrs. | 29-3/8 x 28-1/8 x 16-3/8 | 74.4 x 71.2 x 41.6 | 7.83 | 0.22 |
| RBFL24BR | Birch Log Set | 15 / 6.8 | 781052 130005 | 2 yr. | 25-7/8 x 17-1/2 x 15 | 65.5 x 44.2 x 38.1 | 3.90 | 0.11 |
| RBFL24FC | Fresh Cut Log Set | 15 / 6.8 | 781052 129955 | 2 yr. | 25-7/8 x 17-1/2 x 15 | 65.5 x 44.2 x 38.1 | 3.90 | 0.11 |
| RBF24TRIM36 | 36" Installation Trim | 15.7 / 7.1 | 781052 123595 | 1 yr. | 39-1/8 x 36-1/4 x 4-5/8 | 99.2 x 92.0 x 11.5 | 3.80 | 0.10 |
| RBF24TRIM40 | 40" Installation Trim | 17.7 / 8.0 | 781052 123618 | 1 yr. | 43 x 36-1/4 x 4-5/8 | 109.2 x 92.0 x 11.8 | 1.01 | 0.11 |


Specifications, finishes and dimensions are subject to change. *Limited warranty. ©2018 Glen Dimplex Americas

SE-367-R05-072919

Revillusion® 24" Built-in Electric Firebox / Fireplace Insert

RBF24DLX Herringbone Brick

Accessories



RBF24TRIM36
- 36" Black Installation Trim



RBF24TRIM40
- 40" Black Installation Trim



RBF24BR - Birch Log Set
Dimensions:
18-1/2" W x 10-7/8" H x 11" D
(46.8 cm x 27.4 cm x 27.9 cm)





RBF24FC - Fresh Cut Log Set
Dimensions:
18-1/2" W x 10-7/8" H x 11" D
(46.8 cm x 27.4 cm x 27.9 cm)

Framing Dimensions:

| RBF24DLX | | |
|-----------------------|----------------------|----------------------|
| A | B | C |
| 12-1/2" (31.8 cm) | 30-5/8" (77.8 cm) | 26-1/4" (66.5 cm) |
| D | E | F |
| 54-1/4" (137.8 cm) | 38-1/2" (97.8 cm) | 38-1/2" (97.8 cm) |

NOTE: The materials used for the finished surround must be cut to precise dimensions as the 1/2" (1.3 cm) self-trimming flange is only to create a finished appearance.

Firebox Insert Trim Dimensions:





Revillusion®

24" Built-in Electric Firebox
/ Fireplace Insert

RBF24DLXWC
Weathered Concrete



Easily update and finish an existing fireplace with Revillusion technology.

Building on the innovative Revillusion® ThruView™ full-depth design, the new Weathered Concrete Series strikes a more contemporary chord. The poured concrete features subtle detail and a neutral palette that provides a dramatic contrast for the lifelike flames. This playful use of an industrial material is a unique way to give any space some stylish, industrial flair.

Revillusion®
by Dimplex



Revillusion® 24" Built-in Electric Firebox / Fireplace Insert

RBF24DLXWC Weathered Concrete



Deluxe Features

- ComfortSaver® Heating System**
The patented ComfortSaver® ceramic heating system uses 11% less energy than the leading quartz infrared heater by automatically adjusting fan speed and heater wattage to safely and precisely match the requirements of the room.
- Eco Boost**
When Eco Boost is activated heater runs in a reduced wattage range.
- Flame Speed**
Allows you to adjust the speed of the flame to create the perfect atmosphere to suit your mood or room.
- Glass Pane Included**

120 V | 1,500 W | 5,118 BTU



- Revillusion® Flame Technology**
Flames are larger, brighter and more random, appearing from within the logs.
- Mirage™ Flame Panel**
Partially frosted acrylic panel is clearly better than a mirror, showing only dazzling flames and no reflections.
- ThruView™ Full-depth Design**
See clear through the flames to the back of the firebox for a more authentic experience.
- Mood Lighting**
Customize the firebox glow with a choice of warm hues, plus midnight mode.
- Color Enhancement**
Adjust the flame base color to red or blue.
- Realogs® Plus**
A full grate of life-size hardwood-cast logs, tiered for greater depth.
- Full Surround Firebox**
More authentic day or night; 270-degree surround with natural soot markings.
- Brightness and Flicker**
Adjust light level to suit the room and choose flicker effect for enhanced firelight.
- Ambient Light Sensor**
Automatically adjusts firebox light to suit the room day to night.
- All-season Flames**
Enjoy the unique charm of a fireplace 365 days a year using the flames without the heat.
- Just Plug It In / Direct-wire**
Simply plug into any standard household outlet for instant ambiance. Can be hardwired to a 120 volt circuit for a seamless look.

| Model # | Description | Lbs / Kg | UPC | Wty* | Carton Dimensions (WxHxD) | | Cube | |
|-------------|---|-------------|---------------|--------|---------------------------|---------------------|------|------|
| | | | | | Inches | cm | ft³ | m³ |
| RBF24DLXWC | 24" Built-in Electric Firebox - Weathered concrete interior | 58,2 / 26,4 | 781052 129832 | 2 yrs. | 29-3/8 x 28-1/8 x 16-3/8 | 74.4 x 71.2 x 41.6 | 7.83 | 0.22 |
| RBF24DLX | 24" Built-in Electric Firebox - Herringbone brick interior | 58,2 / 26,4 | 781052 120655 | 2 yrs. | 29-3/8 x 28-1/8 x 16-3/8 | 74.4 x 71.2 x 41.6 | 7.83 | 0.22 |
| RBFL24BR | Birch Log Set | 15 / 6.8 | 781052 130005 | 2 yr. | 25-7/8 x 17-1/2 x 15 | 65.5 x 44.2 x 38.1 | 3.90 | 0.11 |
| RBFL24FC | Fresh Cut Log Set | 15 / 6.8 | 781052 129955 | 2 yr. | 25-7/8 x 17-1/2 x 15 | 65.5 x 44.2 x 38.1 | 3.90 | 0.11 |
| RBF24TRIM36 | 36" Installation Trim | 15.7 / 7.1 | 781052 123595 | 1 yr. | 39-1/8 x 36-1/4 x 4-5/8 | 99.2 x 92.0 x 11.5 | 3.80 | 0.10 |
| RBF24TRIM40 | 40" Installation Trim | 17.7 / 8.0 | 781052 123618 | 1 yr. | 43 x 36-1/4 x 4-5/8 | 109.2 x 92.0 x 11.8 | 1.01 | 0.11 |


Specifications, finishes and dimensions are subject to change. *Limited warranty. ©2019 Glen Dimplex Americas

SE-457-R00-072919

Revillusion® 24" Built-in Electric Firebox / Fireplace Insert

RBF24DLXWC Weathered Concrete

Accessories



RBF24TRIM36
- 36" Black Installation Trim



RBF24TRIM40
- 40" Black Installation Trim



RBF24BR - Birch Log Set
Dimensions:
18-1/2" W x 10-7/8" H x 11" D
(46.8 cm x 27.4 cm x 27.9 cm)





RBF24FC - Fresh Cut Log Set
Dimensions:
18-1/2" W x 10-7/8" H x 11" D
(46.8 cm x 27.4 cm x 27.9 cm)

Framing Dimensions:

| RBF24DLXWC | | |
|-----------------------|----------------------|----------------------|
| A | B | C |
| 12-1/2" (31.8 cm) | 30-5/8" (77.8 cm) | 26-1/4" (66.5 cm) |
| D | E | F |
| 54-1/4" (137.8 cm) | 38-1/2" (97.8 cm) | 38-1/2" (97.8 cm) |

NOTE: The materials used for the finished surround must be cut to precise dimensions as the 1/2" (1.3 cm) self-trimming flange is only to create a finished appearance.

Firebox Insert Trim Dimensions:





Revillusion®

30" Built-in Electric Firebox
/ Fireplace Insert

RBF30
Herringbone Brick



Easily update and finish an existing fireplace with Revillusion technology.

Revillusion® is a completely new way of looking at fireplaces, and changing the standard for electric. A clear view through the lifelike flames, to the full brick interior, captures the charm of a wood-burning fireplace. Enjoy the look of a fireplace cut straight from the pages of a magazine by choosing Revillusion®; clearly a better fireplace.

Revillusion®
by Dimplex



Revillusion® 30" Built-in Electric Firebox / Fireplace Insert

RBF30 Herringbone Brick



Capacitive touch built-in controls.

RBF30
Herringbone brick firebox interior

26-5/8"
67.6 cm

31-1/4"
79.2 cm

12-1/8"
30.7 cm



Mood-maker Remote

Customize the light color and intensity for a fireplace that reflects your personality.

120 V | 1,300 W | 4,400 BTU
208 V | 1,975 W | 6,745 BTU
240 V | 2,575 W | 8,794 BTU



Features

- Revillusion® Flame Technology**
Flames are larger, brighter and more random, appearing from within the logs.
- Mirage™ Flame Panel**
Partially frosted acrylic panel is clearly better than a mirror, showing only dazzling flames and no reflections.
- ThruView™ Full-depth Design**
See clear through the flames to the back of the firebox for a more authentic experience.
- Mood Lighting**
Customize the firebox glow with a choice of warm hues, plus midnight mode.
- Color Enhancement**
Adjust the flame base color to red or blue.
- Realogs® Plus**
A full grate of life-size hardwood-cast logs, tiered for greater depth.
- Full Surround Firebox**
More authentic day or night; 270-degree surround with natural soot markings.
- Brightness and Flicker**
Adjust light level to suit the room and choose flicker effect for enhanced firelight.
- Ambient Light Sensor**
Automatically adjusts firebox light to suit the room day to night.
- Quick and Easy Installation**
Simply frame, wire and finish – no venting, gas lines or safety screens.
- Primary Heat**
Option to use 240 volt supply for up to 8,800 BTU - use as part of primary heating plan; heater also operates without flame and can be deactivated.
- All-season Flames**
Enjoy the unique charm of a fireplace 365 days a year using the flames without the heat.
- Direct-wire**
Designed to be direct-wired to a 120, 208 or 240 volt circuit for a seamless look (optional plug kit available).
- Low Carbon Footprint**
The most sustainable fireplace option; no emissions and 100% efficient.

| Model # | Description | Lbs / Kg | UPC | Wty* | Carton Dimensions (WxHxD) | | Cube | |
|-------------|---|-------------|---------------|--------|---------------------------|---------------------|------|------|
| | | | | | Inches | cm | ft³ | m³ |
| RBF30 | 30" Built-in Electric Firebox - Herringbone brick interior | 67.7 / 30.7 | 781052 104747 | 2 yrs. | 35-1/4 x 15 x 31-5/8 | 89.8 x 38.2 x 80.4 | 9.7 | 0.3 |
| RBF30WC | 30" Built-in Electric Firebox - Weathered concrete interior | 67.7 / 30.7 | 781052 129849 | 2 yrs. | 35-1/4 x 15 x 31-5/8 | 89.8 x 38.2 x 80.4 | 9.7 | 0.3 |
| RBFL30BR | Birch Log Set | 15 / 6.8 | 781052 130012 | 2 yr. | 25-7/8 x 17-1/2 x 15 | 65.5 x 44.2 x 38.1 | 3.90 | 0.11 |
| RBFL30FC | Fresh Cut Log Set | 15 / 6.8 | 781052 129962 | 2 yr. | 25-7/8 x 17-1/2 x 15 | 65.5 x 44.2 x 38.1 | 3.90 | 0.11 |
| RBFLUG | Plug Kit | 0.6 / 0.3 | 781052 107656 | 1 yr. | 7 x 3 x 4 | 17.8 x 7.6 x 10.2 | 0.05 | 0.00 |
| RBFGLASS30 | Single Glass Pane | 22.1 / 10.0 | 781052 108004 | 1 yr. | 35-5/8 x 29-1/4 x 4-1/4 | 90.4 x 74.2 x 10.6 | 2.6 | 0.07 |
| RBFDOOR30 | 30" Glass Door | 28.4 / 12.8 | 781052 108042 | 1 yr. | 35-7/8 x 30-1/8 x 4-5/8 | 91.3 x 76.4 x 11.6 | 2.9 | 0.08 |
| RBF30TRIM38 | 38" Installation Trim | 14.0 / 6.4 | 781052 123625 | 1 yr. | 41-1/8 x 35-7/8 x 4-5/8 | 104.3 x 91.2 x 11.8 | 3.7 | 0.01 |
| RBF30TRIM44 | 44" Installation Trim | 19.4 / 8.8 | 781052 123601 | 1 yr. | 47-1/8 x 38-7/8 x 4-5/8 | 119.5 x 98.8 x 11.8 | 4.7 | 0.01 |

Specifications, finishes and dimensions are subject to change. *Limited warranty. ©2019 Glen Dimplex Americas.

SE-328-R14-072919

Revillusion®

30" Built-in Electric Firebox / Fireplace Insert

RBF30 Herringbone Brick

Accessories



RBFGLASS30
- 30" Tempered Front Glass
Dimensions:
29-1/4" W x 22-1/8" H x 3/8" D
(74.0 cm x 56.1 cm x 1.1 cm)



RBFDOOR30 - 30" Functional Doors with Tempered Glass
Dimensions:
33-3/4" W x 27-1/4" H x 1-1/4" D
(85.8 cm x 69.4 cm x 3.7 cm)



RBF30TRIM38
- 38" Black Installation Trim



RBF30TRIM44
- 44" Black Installation Trim



RBFL30BR - Birch Log Set
Dimensions:
22-3/8" W x 10-7/8" H x 11" D
(56.8 cm x 27.4 cm x 27.9 cm)





RBFL30FC - Fresh Cut Log Set
Dimensions:
22-3/8" W x 10-7/8" H x 11" D
(56.8 cm x 27.4 cm x 27.9 cm)



RBFPLUG

Framing Dimensions:





RBF30

| A | B | C |
|-----------------------|----------------------|----------------------|
| 12-1/2" (31.8 cm) | 30-5/8" (77.8 cm) | 26-1/4" (66.5 cm) |
| D | E | F |
| 54-1/4" (137.8 cm) | 38-1/2" (97.8 cm) | 38-1/2" (97.8 cm) |

NOTE: The materials used for the finished surround must be cut to precise dimensions as the 1/2" (1.3 cm) self-trimming flange is only to create a finished appearance.

Firebox Insert Trim Dimensions:





Revillusion®
30" Built-in Electric Firebox

RBF30WC
Weathered Concrete

Easily update and finish an existing fireplace with Revillusion technology.



Building on the innovative Revillusion® ThruView™ full-depth design, the new Weathered Concrete Series strikes a more contemporary chord. The poured concrete features subtle detail and a neutral palette that provides a dramatic contrast for the lifelike flames. This playful use of an industrial material is a unique way to give any space some stylish, industrial flair.

Revillusion®
by Dimplex



Revillusion® 30" Built-in Electric Firebox

RBF30WC Weathered Concrete



RBF30WC
Weathered concrete
firebox interior

















Mood-maker Remote
Customize the light color and intensity for a fireplace that reflects your personality.

120 V | 1,300 W | 4,400 BTU
208 V | 1,975 W | 6,745 BTU
240 V | 2,575 W | 8,794 BTU

Also available in Herringbone Brick - RBF30



Features

-  **Revillusion® Flame Technology**
Flames are larger, brighter and more random, appearing from within the logs.
-  **Mirage™ Flame Panel**
Partially frosted acrylic panel is clearly better than a mirror, showing only dazzling flames and no reflections.
-  **ThruView™ Full-depth Design**
See clear through the flames to the back of the firebox for a more authentic experience.
-  **Mood Lighting**
Customize the firebox glow with a choice of warm hues, plus midnight mode.
-  **Color Enhancement**
Adjust the flame base color to red or blue.
-  **Realogs® Plus**
A full grate of life-size hardwood-cast logs, tiered for greater depth.
-  **Full Surround Firebox**
More authentic day or night; 270-degree surround with natural soot markings.
-  **Brightness and Flicker**
Adjust light level to suit the room and choose flicker effect for enhanced firelight.
-  **Ambient Light Sensor**
Automatically adjusts firebox light to suit the room day to night.
-  **Quick and Easy Installation**
Simply frame, wire and finish – no venting, gas lines or safety screens.
-  **Primary Heat**
Option to use 240 volt supply for up to 8,800 BTU - use as part of primary heating plan; heater also operates without flame and can be deactivated.
-  **All-season Flames**
Enjoy the unique charm of a fireplace 365 days a year using the flames without the heat.
-  **Direct-wire**
Designed to be direct-wired to a 120, 208 or 240 volt circuit for a seamless look (optional plug kit available).
-  **Low Carbon Footprint**
The most sustainable fireplace option; no emissions and 100% efficient.

| Model # | Description | Lbs / Kg | UPC | Wty* | Carton Dimensions (WxHxD) | | Cube | |
|-------------|---|-------------|---------------|--------|---------------------------|---------------------|------|------|
| | | | | | Inches | cm | ft³ | m³ |
| RBF30WC | 30" Built-in Electric Firebox - Weathered concrete interior | 67.7 / 30.7 | 781052 129849 | 2 yrs. | 35-1/4 x 15 x 31-5/8 | 89.8 x 38.2 x 80.4 | 9.7 | 0.3 |
| RBF30 | 30" Built-in Electric Firebox - Herringbone brick interior | 67.7 / 30.7 | 781052 104747 | 2 yrs. | 35-1/4 x 15 x 31-5/8 | 89.8 x 38.2 x 80.4 | 9.7 | 0.3 |
| RBFL30BR | Birch Log Set | 15 / 6.8 | 781052 130012 | 2 yr. | 25-7/8 x 17-1/2 x 15 | 65.5 x 44.2 x 38.1 | 3.90 | 0.11 |
| RBFL30FC | Fresh Cut Log Set | 15 / 6.8 | 781052 129962 | 2 yr. | 25-7/8 x 17-1/2 x 15 | 65.5 x 44.2 x 38.1 | 3.90 | 0.11 |
| RBFPLUG | Plug Kit | 0.6 / 0.3 | 781052 107656 | 1 yr. | 7 x 3 x 4 | 17.8 x 7.6 x 10.2 | 0.05 | 0.00 |
| RBFGLASS30 | Single Glass Pane | 22.1 / 10.0 | 781052 108004 | 1 yr. | 35-5/8 x 29-1/4 x 4-1/4 | 90.4 x 74.2 x 10.6 | 2.6 | 0.07 |
| RBFDOOR30 | 30" Glass Door | 28.4 / 12.8 | 781052 108042 | 1 yr. | 35-7/8 x 30-1/8 x 4-5/8 | 91.3 x 76.4 x 11.6 | 2.9 | 0.08 |
| RBF30TRIM38 | 38" Installation Trim | 14.0 / 6.4 | 781052 123625 | 1 yr. | 41-1/8 x 35-7/8 x 4-5/8 | 104.3 x 91.2 x 11.8 | 3.7 | 0.01 |
| RBF30TRIM44 | 44" Installation Trim | 19.4 / 8.8 | 781052 123601 | 1 yr. | 47-1/8 x 38-7/8 x 4-5/8 | 119.5 x 98.8 x 11.8 | 4.7 | 0.01 |

Specifications, finishes and dimensions are subject to change. *Limited warranty. ©2019 Glen Dimplex Americas.

SE-456-R00-072919

Revillusion® 30" Built-in Electric Firebox

RBF30WC Weathered Concrete


Accessories



RBFGLASS30 - 30" Tempered Front Glass
Dimensions:
29-1/4" W x 22-1/8" H x 3/8" D
(74.0 cm x 56.1 cm x 1.1 cm)



RBFDOOR30 - 30" Functional Doors with Tempered Glass
Dimensions:
33-3/4" W x 27-1/4" H x 1-1/4" D
(85.8 cm x 69.4 cm x 3.7 cm)



RBF30TRIM38
- 38" Black Installation Trim



RBF30TRIM44
- 44" Black Installation Trim



RBFL30BR - Birch Log Set
Dimensions:
22-3/8" W x 10-7/8" H x 11" D
(56.8 cm x 27.4 cm x 27.9 cm)





RBFL30FC - Fresh Cut Log Set
Dimensions:
22-3/8" W x 10-7/8" H x 11" D
(56.8 cm x 27.4 cm x 27.9 cm)



RBFPLUG

Framing Dimensions:



RBF30

| A | B | C |
|-----------------------|----------------------|----------------------|
| 12-1/2" (31.8 cm) | 30-5/8" (77.8 cm) | 26-1/4" (66.5 cm) |
| D | E | F |
| 54-1/4" (137.8 cm) | 38-1/2" (97.8 cm) | 38-1/2" (97.8 cm) |

NOTE: The materials used for the finished surround must be cut to precise dimensions as the 1/2" (1.3 cm) self-trimming flange is only to create a finished appearance.

Firebox Insert Trim Dimensions:

