

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Auramine Phenol Stain

SYNONYMS: Phenolic auramine solution

CATALOG CODES: VAP

MANUFACTURER: Volu-Sol

ADDRESS: 5095 West 2100 South
Salt Lake City, UT 84120

EMERGENCY PHONE: (800) 535-5053

OTHER CALLS: (801) 974-9474

FAX: (801) 974-9553

CHEMICAL FAMILY: -

CHEMICAL FORMULA: -

PREPARED BY: Volu-Sol

RECOMMENDED USE: Laboratory chemicals, manufacture of substances

RESTRICTIONS ON USE: Use as recommended

SECTION 2: HAZARD(S) IDENTIFICATION

EMERGENCY OVERVIEW:

GHS Classification:

Flammable liquids	(Category 3)
Skin Irritation	(Category 2)
Serious Eye Damage	(Category 1)
Germ cell mutagenicity	(Category 2)
Carcinogenicity	(Category 2)
Chronic Aquatic Toxicity	(Category 3)
Specific target organ toxicity Repeated Exposure	(Category 2)

GHS LABEL ELEMENTS:

Pictogram:



Signal Word:

Danger

Hazard Statement(s):

H226 Flammable liquid and vapour

H315 Causes skin irritation

H318 Causes serious eye damage

H341 Suspected of causing genetic defects

H351 Suspected of causing cancer

H373 May cause damage to organs through prolonged or repeated exposure

H412 Harmful to aquatic life with long lasting effects

Precautionary Statement(s):

P201 Obtain special instructions before use

P202 Do not handle until all safety precautions have been read and understood

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking

P233 Keep container tightly closed

P240 Ground/bond container and receiving equipment

P241 Use explosion-proof electrical/ventilating/lighting equipment

P242 Use only non-sparking tools

P243 Take precautionary measures against static discharge

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray

P264 Wash skin thoroughly after handling

P273 Avoid release to the environment

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection

P281 Use personal protective equipment as required

P302+P352 IF ON SKIN: Wash with plenty of soap and water

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P308+P313 IF exposed or concerned: Get medical advice/attention

P310 Immediately call a POISON CENTER or doctor/physician

P314 Get medical advice/attention if you feel unwell

P321 Specific treatment (see supplemental first aid instruction on this label)

P332+P313 If skin irritation occurs: Get medical advice/attention

P362 Take off contaminated clothing and wash before reuse

P370+P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction

P403+P235 Store in a well-ventilated place. Keep cool

P405 Store locked up

P501 Dispose of contents/container to an approved waste disposal plant

OTHER HAZARDS: None

HMIS Classification:

Health hazard: 3

Chronic health hazard: -

Flammability: 2

Physical hazards: 0

NFPA Rating:

Health hazard: 3

Fire: 2

Reactivity Hazard: 0

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT	CAS NO. EC-NO. Index-NO.
Phenol (1-5%)	108-95-2 203-632-7 604-001-00-2
4,4'-Carbonimidoylbis(n,N-dimethylaniline) monohydrochloride (0.1-1%)	2465-27-2 219-567-2 612-097-00-2
Ethanol (6-12%)	64-17-5 200-578-6 603-002-00-5

SECTION 4: FIRST AID MEASURES

INHALATION: If breathed in, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Consult a physician

INGESTION: If swallowed, vomiting may occur spontaneously, but DO NOT INDUCE. If vomiting occurs, keep head below hips to prevent aspiration into lungs. Rinse mouth with water. Never give anything by mouth to an unconscious person. Consult a physician

SKIN: Immediately flush skin with plenty of soap and water for at least 15 minutes. Remove contaminated clothing and shoes, wash before reuse. Consult a physician

EYE: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital

SECTION 5: FIRE-FIGHTING MEASURES

FLAMMABLE LIMITS IN AIR: **Percentage by Volume**
Upper: - %
Lower: - %

FLASH POINT: -

AUTOIGNITION TEMPERATURE: -

EXTINGUISHING MEDIA: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

FIRE FIGHTING PROCEDURES: In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full face piece operated in the pressure demand or other positive pressure mode

FIRE AND EXPLOSION HAZARDS: Use water spray to cool unopened containers

SECTION 6: ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES: Avoid breathing vapours, mist, or gas. Ensure adequate ventilation. Beware of vapours accumulating to form explosive concentrations. Evacuate personnel to safe areas. Absorb with suitable material. Collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal. Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided. Keep in suitable, closed containers for disposal. Dispose of in accordance with local regulations. US Regulations (CERCLA) require reporting spills and releases to soil, water and air in excess of reportable quantities. The number to contact the US Coast Guard National Response Center is (800) 424-8802

SECTION 7: HANDLING AND STORAGE

HANDLING AND STORAGE: Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Containers of this material may be hazardous when empty since they retain product residues (vapours, liquid); observe all warnings and precautions listed for the product. Use explosion-proof equipment. Keep away from sources of ignition – No smoking. Take measures to prevent the buildup of electrostatic charge.

INCOMPATIBILITIES: Strong oxidizing agents

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

EXPOSURE LIMITS: Reported in a time-weighted average (TWA)

Component	CAS-No.	Reference	OSHA		ACGIH	
			ppm	mg/m ³	ppm	mg/m ³
Phenol	108-95-2		5	19	5	19
			PEL	PEL	TLV	TLV
Ethanol	64-17-5		1,000	1,900	1,000	1,900
			PEL	PEL	TLV	TLV

VENTILATION SYSTEM: Local and/or general exhaust is recommended to keep exposure below limits. Local exhaust ventilation is preferred for control of the emissions at its source, to prevent dispersion into the general work area. Please refer to the ACGIH document, *Industrial Ventilation: A Manual of Recommended Practices*, for details

PERSONAL RESPIRATORS: If exposure limit is exceeded and engineering controls are not feasible, a half-face organic vapour respirator may be worn for up to ten times the exposure limit, or the maximum use concentration specified by the appropriate regulatory agency or respirator supplier; whichever is lowest. A full-face piece organic vapour respirator may be worn up to 50 times the exposure limit, or the maximum use concentration specified by the appropriate regulatory agency or respirator supplier, whichever is lowest. For emergencies or instances where the exposure levels are not known, use a full-face, positive-pressure, air-supplied respirator. **WARNING:** Air-purifying respirators do not protect workers in oxygen-deficient atmospheres

SKIN PROTECTION: Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact

EYE PROTECTION: Use chemical safety goggles and/or a full face shield where splashing is possible. Maintain eye wash fountain and quick-drench facilities in work area

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: liquid
ODOR: -
SOLUBILITY: -
pH: -
BOILING POINT: -
MELTING POINT: -
VAPOR PRESSURE (kPa): -
SPECIFIC GRAVITY: -
MOLECULAR WEIGHT: -
DENSITY: -
VISCOSITY: -
REFRACTIVE INDEX: -

SECTION 10: STABILITY AND REACTIVITY

CHEMICAL STABILITY: Stable under recommended conditions of use and storage

CONDITIONS TO AVOID: Heat, flames, ignition sources and incompatibles

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS:
No data available

SECTION 11: TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION: No data available
Acute Toxicity: Oral rat LD50: - mg/kg
Inhalation rat LC50: - mg/m³
Dermal LD50: - mg/kg
Skin/Eye Irritation: No data available
ROUTES OF ENTRY: Inhalation/Ingestion/Skin

SECTION 12: ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION:
Soil Release Material No data available
Air Release Material No data available
ENVIRONMENTAL TOXICITY: PBT/vPvB assessment not available as chemical safety assessment not required/not conducted. An environmental hazard cannot be excluded in the event of unprofessional handling or disposal

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Whatever cannot be saved for recovery or recycling should be handled as hazardous waste and sent to a RCRA approved incinerator or disposed in an RCRA approved waste facility. Processing, use, or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber

SECTION 14: TRANSPORT INFORMATION

US DOT	IATA
Shipping Name: Flammable Liquids, Corrosive, n.o.s. (Ethanol, Phenol)	Shipping Name: Flammable Liquids, Corrosive, n.o.s. (Ethanol, Phenol)
Hazard Class: 3	Hazard Class: 3
UN Number: 2924	UN Number: 2924
Packing Group: III	Packing Group: III

MARINE POLLUTANT: No

SECTION 15: REGULATORY INFORMATION

SARA 302	108-95-2
SARA 313	108-95-2
SARA 311/312 Hazards	Fire Hazard, Acute Health Hazard, Chronic Health Hazard
State	Right to know lists: MA: 108-95-2, 64-17-5 PA: 108-95-2, 2465-27-2, 7732-18-5, 64-17-5 NJ: 108-95-2, 7732-18-5, 64-17-5 California Prop. 65 Components:

SECTION 16: OTHER INFORMATION

Disclaimer: The information is provided without any representation or warranty, express or implied, regarding the accuracy or correctness. The conditions or methods of handling, storage, use, and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.