

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Dehydrant 95%

SYNONYMS: Dehydrant 95, 95% Dehydrant

CATALOG CODES: VDN
MANUFACTURER: Volu-Sol
ADDRESS: 5095 West 2100 South
 Salt Lake City, UT 84120

EMERGENCY PHONE: (800) 535-5053
OTHER CALLS: (801) 974-9474
FAX: (801) 974-9553

CHEMICAL FAMILY: -
CHEMICAL FORMULA: -
PREPARED BY: Volu-Sol

RECOMMENDED USE: Laboratory chemical, manufacture of substances, histology/cytology reagent

RESTRICTIONS ON USE: Use as recommended

SECTION 2: HAZARD(S) IDENTIFICATION

EMERGENCY OVERVIEW:
GHS Classification: Flammable Liquids (Category 2)
 Acute Toxicity, Oral (Category 5)
 Acute Toxicity, Dermal (Category 5)
 Acute Toxicity, Inhalation (Category 5)
 Eye Irritation (Category 2B)
 Specific target organ toxicity Single Exposure (Category 2)

GHS LABEL ELEMENTS:

Pictogram:



Signal Word:

Danger

Hazard Statement(s):

H225 Highly flammable liquid and vapor
 H303 May be harmful if swallowed
 H313 May be harmful in contact with skin
 H333 May be harmful if inhaled
 H320 Causes eye irritation
 H371 May cause damage to organs

Precautionary Statement(s):

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking
 P233 Keep container tightly closed
 P240 Ground/bond container and receiving equipment
 P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment
 P242 Use only non-sparking tools
 P243 Take precautionary measures against static discharge
 P260 Do not breathe dust/fume/gas/mist/vapors/spray
 P264 Wash skin thoroughly after handling
 P270 Do not eat, drink, or smoke when using this product
 P280 Wear protective gloves/protective clothing/eye protection/face protection
 P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
 P304+P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 P309+P311 IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician
 P312 Call a POISON CENTER/doctor/physician if you feel unwell
 P337+P313 If eye irritation persists: Get medical advice/attention

P370+P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction
 P403+P235 Store in a well-ventilated place. Keep cool
 P405 Store locked up
 P501 Dispose of contents/container to an approved waste disposal plant

OTHER HAZARDS: -

HMIS Classification:

Health hazard: 2
Chronic health hazard: -
Flammability: 3
Physical hazards: 0

NFPA Rating:

Health hazard: 2
Fire: 3
Reactivity Hazard: 0

POTENTIAL HEALTH EFFECTS:

INHALATION: If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician

INGESTION: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician

SKIN: Wash off with soap and plenty of water. Consult a physician

EYE: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT	CAS NO. EC-NO. Index-NO.
Isopropyl Alcohol (3-6%)	67-63-0 200-661-7 603-117-00-0
Ethyl Alcohol (60-90%)	64-17-5 200-578-6 603-002-00-5
Methanol (3-6%)	67-56-1 200-659-6 603-001-00-X

SECTION 4: FIRST AID MEASURES

INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Consult a physician

INGESTION: If swallowed, vomiting may occur spontaneously, but DO NOT INDUCE. If vomiting occurs, keep head below hips to prevent aspiration into lungs. Never give anything by mouth to an unconscious person. Consult a physician

SKIN: Immediately flush skin with plenty of soap and water. Remove contaminated clothing and shoes, wash before reuse. Consult a physician

EYE: Immediately flush eyes with plenty of water for at least 15 minutes. Consult a physician

SECTION 5: FIRE-FIGHTING MEASURES

FLAMMABLE LIMITS IN AIR: **Percentage by Volume**
 Upper: - %
 Lower: - %

FLASH POINT: -

AUTOIGNITION TEMPERATURE: -

EXTINGUISHING MEDIA: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide

FIRE FIGHTING PROCEDURES: In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full face piece operated in the pressure demand or other positive pressure mode

FIRE AND EXPLOSION HAZARDS: Use water spray to cool unopened containers

SECTION 6: ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES: Use personal protective equipment. Avoid breathing vapors, mist, or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations. Dispose of in accordance with local regulations. US Regulations (CERCLA) require reporting spills and releases to soil, water and air in excess of reportable quantities. The number to contact the US Coast Guard National Response Center is (800) 424-8802

SECTION 7: HANDLING AND STORAGE

HANDLING AND STORAGE: Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Containers of this material may be hazardous when empty since they retain product residues (vapors, liquid); observe all warnings and precautions listed for the product. Take measures to prevent the buildup of electrostatic charge. No smoking

INCOMPATIBILITIES: -

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

EXPOSURE LIMITS: Reported in a time-weighted average (TWA)

Component	CAS-No.	Reference	OSHA		ACGIH	
			ppm	mg/m ³	ppm	mg/m ³
Ethanol	64-17-5		1,000	1,900	1,000	1,900
			PEL	PEL	TLV	TLV
Isopropyl Alcohol	67-63-0		400	980	200	530
			PEL	PEL	TLV	TLV
Methanol	67-56-1		200	260	200	260
			PEL	PEL	TLV	TLV

VENTILATION SYSTEM: Local and/or general exhaust is recommended to keep exposure below limits. Local exhaust ventilation is preferred for control of the emissions at its source, preventing dispersion into the general work area. Please refer to the ACGIH document, *Industrial Ventilation: A Manual of Recommended Practices*, for details

PERSONAL RESPIRATORS: If exposure limit is exceeded and engineering controls are not feasible, a half-face organic vapor respirator may be worn for up to ten times the exposure limit, or the maximum use concentration specified by the appropriate regulatory agency or respirator supplier; whichever is lowest. A full-face piece organic vapor respirator may be worn up to 50 times the exposure limit, or the maximum use concentration specified by the appropriate regulatory agency or respirator supplier, whichever is lowest. For emergencies or instances where the exposure levels are not known, use a full-face, positive-pressure, air-supplied respirator. WARNING: Air-purifying respirators do not protect workers in oxygen-deficient atmospheres

SKIN PROTECTION: Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact

EYE PROTECTION: Use chemical safety goggles and/or a full face shield where splashing is possible. Maintain eye wash fountain and quick-drench facilities in work area

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Clear, liquid
ODOR: -
SOLUBILITY: -
pH: -
BOILING POINT: -
MELTING POINT: -
VAPOR PRESSURE (kPa): -
SPECIFIC GRAVITY: -
MOLECULAR WEIGHT: -
DENSITY: -
VISCOSITY: -
REFRACTIVE INDEX: -

SECTION 10: STABILITY AND REACTIVITY

CHEMICAL STABILITY: Stable under recommended conditions of use and storage

CONDITIONS TO AVOID: Heat, flames, ignition sources

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: No data available

SECTION 11: TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION:

Acute Toxicity: Oral rat LD50: - mg/kg
Inhalation rat LC50: - mg/m³
Dermal LD50: - mg/kg

Skin/Eye Irritation: -

ROUTES OF ENTRY: Inhalation/Ingestion/Skin

SECTION 12: ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION:

Soil Release Material No data available

Air Release Material No data available

ENVIRONMENTAL TOXICITY: PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Whatever cannot be saved for recovery or recycling should be handled as hazardous waste and sent to a RCRA approved incinerator or disposed in an RCRA approved waste facility. Processing, use, or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state, and local requirements

SECTION 14: TRANSPORT INFORMATION

US DOT	IATA
Shipping Name: Alcohols, n.o.s.	Shipping Name: Alcohols, n.o.s.
Hazard Class: 3	Hazard Class: 3
UN Number: 1987	UN Number: 1987
Packing Group: II	Packing Group: II

SECTION 15: REGULATORY INFORMATION

SARA 302	-
SARA 313	67-56-1, 67-63-0
SARA 311/312 Hazards	Fire hazard, Acute Health Hazard, Chronic Health Hazard
State	Right to know lists: MA: 64-17-5, 67-63-0, 67-56-1 PA: 64-17-5, 67-63-0, 67-56-1, 7732-18-5 NJ: 64-17-5, 67-63-0, 67-56-1, 7732-18-5 California Prop. 65 Components: 67-56-1

SECTION 16: OTHER INFORMATION

Disclaimer: The information is provided without any representation or warranty, express or implied, regarding the accuracy or correctness. The conditions or methods of handling, storage, use, and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage, or expense arising out of or in any way connected with the handling, storage, use, or disposal of the product.