# VOLU-SOL

SECTION	I 1: PRODUCT AND COMPANY IDENTIFICATION
PRODUCT NAME:	Gram's Decolorizer Concentrate
SYNONYMS:	Gram's decolorizer solution 1 to 1 dilution, Gram Decolorizer equal
CATALOG CODES:	VGDC-128C
MANUFACTURER:	Volu-Sol
ADDRESS:	5095 West 2100 South
	Salt Lake City, UT 84120
EMERGENCY PHONE:	(800) 535-5053
OTHER CALLS:	(801) 974-9474
FAX:	(801) 974-9553
CHEMICAL FAMILY:	_
CHEMICAL FORMULA:	-
PREPARED BY:	Volu-Sol
RECOMMENDED USE: La	aboratory chemical
RESTRICTIONS ON USE:	Use as recommended
S	SECTION 2: HAZARD(S) IDENTIFICATION
EMERGENCY OVERVIEW	:
GHS Classification	: Flammable Liquids (Category 2)
	Eye Irritation (Category 2A)
	Specific target organ toxicity (Category 3)
	Single Exposure, Central Nervous System
GHS LABEL ELEMENTS:	
Pictogram:	
Signal Word:	Danger
Hazard Statement	(s):
H225	Highly flammable liquid and vapour
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness
Precautionary Stat	
P210	Keep away from heat/sparks/open flames/hot
P233	surfaces. No smoking Keep container tightly closed
P240	Ground/bond container and receiving equipment
P241	Use explosion-proof electrical/ ventilating/
	lighting/ equipment
P242	Use only non-sparking tools
P243	Take precautionary measures against static
	discharge
P261	Avoid breathing dust/ fume/ gas/ mist/ vapours/
P264	spray Wash skin thoroughly after handling
P271	Use only outdoors or in a well-ventilated area
P280	Wear protective gloves/ eye protection/ face
	protection
P303+P361+	P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with
	water/shower
P304+P340	IF INHALED: Remove victim to fresh air and keep
P305+P351+	at rest in a position comfortable for breathing P338 IF IN EYES: Rinse cautiously with water for several
	minutes. Remove contact lenses, if present and
	easy to do. Continue rinsing Call a POISON CENTER or doctor/physician if you
P312	
	feel unwell
P312 P337+P313	
	If eye irritation persists: Get medica advice/attention In case of fire: Use dry sand, dry chemical or
P337+P313	If eye irritation persists: Get medical advice/attention In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction Store in a well-ventilated place. Keep container
P337+P313 P370+P378 P403+P233	If eye irritation persists: Get medical advice/attention In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction Store in a well-ventilated place. Keep container tightly closed
P337+P313 P370+P378 P403+P233 P403+P235	If eye irritation persists: Get medical advice/attention In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction Store in a well-ventilated place. Keep container tightly closed Store in a well-ventilated place. Keep cool
P337+P313 P370+P378 P403+P233	If eye irritation persists: Get medica advice/attention In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction Store in a well-ventilated place. Keep container tightly closed

# **HMIS Classification:**

Health hazard:	2
Chronic health hazard:	-
Flammability:	3
Physical hazards:	0
FPA Rating:	
Health hazard:	2
Fire:	3
Reactivity Hazard:	0

#### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT	CAS NO. EC-NO. Index-NO.
Acetone (50%)	67-64-1 200-662-2 606-001-00-8
Ethanol (50%)	64-17-5 200-578-6 603-002-00-5

### SECTION 4: FIRST AID MEASURES

**INHALATION:** If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician

**INGESTION:** Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician

SKIN: Wash off with soap and plenty of water for at least 15 minutes and consult a physician

EYE: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician

#### SECTION 5: FIRE-FIGHTING MEASURES

FLAMMABLE LIMITS IN AIR:

Percentage by Volume Upper: -% Lower: -%

#### FLASH POINT:

AUTOIGNITION TEMPERATURE:

EXTINGUISHING MEDIA: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide

**FIRE FIGHTING PROCEDURES:** In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full face piece operated in the pressure demand or other positive pressure mode

FIRE AND EXPLOSION HAZARDS: Use water spray to cool unopened containers

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES: Use personal protective equipment. Avoid breathing vapours, mist, or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations. Dispose of in accordance with local regulations. US Regulations (CERCLA) require reporting spills and releases to soil, water and air in excess of reportable quantities. The number to contact the US Coast Guard National Response Center is (800) 424-8802

#### SECTION 7: HANDLING AND STORAGE

HANDLING AND STORAGE: Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Use explosion-proof equipment. Keep away from sources of ignition. No smoking. Take measures to prevent the buildup of electrostatic charge. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage

INCOMPATIBILITES:

Strong oxidizing agents

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION EXPOSURE LIMITS: Reported in a time-weighted average (TWA)

Component	CAS-No.	Reference	0	SHA	AC	GIH
Component	CAS-NO.	Reference	ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>
Acetone	67-64-1		1,000	2,400	500	1,190
Acetone	07-04-1		PEL	PEL	TLV	TLV
Ethanol	64-17-5		1,000	1,900	1,000	1,900
Ethanor	04-17-5		PEL	PEL	TLV	TLV

VENTILATION SYSTEM: Local and/or general exhaust is recommended to keep exposure below limits. Local exhaust ventilation is preferred for control of the emissions at its source, preventing dispersion into the general work area. Please refer to the ACGIH document, *Industrial Ventilation: A Manual of Recommended Practices*, for details

**PERSONAL RESPIRATORS:** If exposure limit is exceeded and engineering controls are not feasible, a half-face organic vapour respirator may be worn for up to ten times the exposure limit, or the maximum use concentration specified by the appropriate regulatory agency or respirator supplier; whichever is lowest. A full-face piece organic vapour respirator may be worn up to 50 times the exposure limit, or the maximum use concentration specified by the appropriate regulatory agency or respirator supplier; whichever is lowest. A full-face piece organic vapour respirator may be worn up to 50 times the exposure limit, or the maximum use concentration specified by the appropriate regulatory agency or respirator supplier, whichever is lowest. For emergencies or instances where the exposure levels are not known, use a full-face, positive-pressure, air-supplied respirator. WARNING: Air-purifying respirators do not protect workers in oxygen-deficient atmospheres

**SKIN PROTECTION:** Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

**EYE PROTECTION:** Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU).

SECTION 9: F	PHYSICAL AND CHEMICAL PROPERTIES
	the second s
APPEARANCE:	liquid, clear
ODOR:	
SOLUBILITY:	
pH:	
BOILING POINT:	
MELTING POINT:	
VAPOR PRESSURE:	
SPECIFIC GRAVITY:	
MOLECULAR WEIGHT:	- 0.1%
DENSITY:	
VISCOSITY:	
REFRACTIVE INDEX:	
SECTION	10: STABILITY AND REACTIVITY
CHEMICAL STABILITY:	Stable under recommended conditions of use and
	storage
CONDITIONS TO AVOID:	Heat, flames, ignition sources
HAZARDOUS DECOMPOSITION	OR BY-PRODUCTS: No data available
SECTION 1	1: TOXICOLOGICAL INFORMATION
TOXICOLOGICAL INFORMATION	4:
Acute Toxicity:	No data available
Skin/Eye Irritation:	No data available
Carcinogenicity:	No component of this product present at level
,	greater than or equal to 0.1% is identified as
	probable, possible or confirmed human carcinoger
ROUTES OF ENTRY:	Inhalation/Ingestion/Skin
	initiation, ingestion, skin
SECTION	12: ECOLOGICAL INFORMATION
ECOLOGICAL INFORMATION:	
Toxicity: No data avai	
Persistence and degradal	•
Mobility in soil: No dat	
	T/vPvB assessment not available as chemical safety
	inducted
assessment not required/not co	
	nuucteu

WASTE DISPOSAL METHOD: Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Whatever cannot be saved for recovery or recycling should be handled as hazardous waste and sent to a RCRA approved incinerator or disposed in an RCRA approved waste facility. Processing, use, or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state, and local requirements. Dispose of as unused product

#### SECTION 14: TRANSPORT INFORMATION

US DOT	ΙΑΤΑ	IMDG
Shipping Name:	Shipping Name:	Shipping Name:
Flammable liquids, n.o.s.	Flammable liquids, n.o.s.	FLAMMABLE LIQUID,
(Ethanol, Acetone)	(Ethanol, Acetone)	N.O.S. (Ethanol, Acetone)
Hazard Class:	Hazard Class:	Hazard Class:
3	3	3
UN Number:	UN Number:	UN Number:
1993	1993	1993
Packing Group:	Packing Group:	Packing Group:
II	II	II

# SECTION 15: REGULATORY INFORMATION

SARA 302	-
SARA 313	
SARA 311/312 Hazards	Fire hazard, Acute Health Hazard, Chronic Health Hazard
State	Right to know lists: MA: 67-64-1, 64-17-5 PA: 67-64-1, 64-17-5, 7732-18-5 NJ: 67-64-1, 64-17-5, 7732-18-5
	California Prop. 65 Components:

# SECTION 16: OTHER INFORMATION

**Disclaimer:** The information is provided without any representation or warranty, express or implied, regarding the accuracy or correctness. The conditions or methods of handling, storage, use, and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage, or expense arising out of or in any way connected with the handling, storage, use, or disposal of the product.