

SAFETY DATA SHEET

Section 1: Identification

Product Name: 200 Proof Ethanol **Chemical Name/Synonyms:** Ethanol

Company:

DISTRIBUTOR INFORMATION:

Remix Chem, LLC 2202 S Figueroa St. #528 Los Angeles, CA 90007

www.remixchem.com

CHEMTREC EMERGENCY INFORMATION:

For Hazardous Materials [or Dangerous Goods] Incident Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC 24 Hours 1-800-262-8200 / +1 703-741-5500

CCN: 1002199

Section 2: Hazard(s) Identification

Hazard Classification:

Flammable Liquids Category 2
Acute Toxicity, Oral Category 5
Serious Eye Damage Category 2A
Skin Corrosion/Irritation Category 2

Specific target organ toxicity,

(Single exposure),

Respiratory tract irritation Category 3

Specific Target Organ Toxicity

(Single Exposure)

Narcotic Effects Category 3

Specific Target Organ Toxicity

(Single Exposure) Central Nervous

System, Optic Nerve, Respiratory System Category 1

Specific Target Organ Toxicity

(Repeated Exposure)

Kidney, Liver, Spleen, Blood Category 1

Hazardous to the aquatic environment

(Acute Toxicity) Category 2

Hazardous to the aquatic environment

(Acute Toxicity) Category 2



Signal Word(s): Danger

Pictograms:





Hazard Statements:

H225 Highly flammable liquid and vapor

H303 May be harmful if swallowed

H315 Causes skin irritation

H319 Causes serious eye irritation

H335 May cause respiratory irritation

H336 May cause drowsiness or dizziness

H370 Causes damage to organs

H372 Causes damage to organs through prolonged or repeated exposure

H401 Toxic to aquatic life

H411 Toxic to aquatic life with long lasting effects

Precautionary Statements:

P304+P340

P305+P351+P338

P210	Keep away from heat/sparks/open flames/hot surfaces No smoking
P233	Keep container tightly closed.
P235	Keep cool.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P264	Wash exposed skin thoroughly after handling.
P270	Do not eat, drink or smoke while using this product.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wash goggles/gloves/other PPE thoroughly after handling.
P301+P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P303+P361+P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing.
	Rinse skin with water/shower.

comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

IF INHALED: Remove victim to fresh air and keep at rest in a position



lenses, if present and easy to do. Continue rinsing.
P332+P313 If skin irritation occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P362 Take off contaminated clothing and wash before reuse.

P370+P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for

extinction.

P391 Collect spillage.
P403 Store in a dry place.

P403+P235 Store in a well-ventilated place. Keep cool.

P404+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container to an approved waste disposal plant.

Description of other hazards:

Section 3: Composition/Information on Ingredients

Chemical Name	Synon	ym	CAS#	# Conc	•
Ethanol	Ethyl A	lcohol, EtOH	64-1	7-5 >99.2	2%

Section 4: First-Aid Measures

After skin contact: Wash skin with soap and water. Remove contaminated clothing

immediately. Consult a physician if irritation persists.

After eye contact: Rinse thoroughly with soap and water for 15 minutes. Consult a

physician if irritation persists.

After inhalation: Move to fresh air in case of accidental inhalation of vapors. If

breathing is difficult, supply oxygen.

After swallowing: Clean mouth with water and afterwards drink plenty of water. Do not

induce vomiting without a physician's advice. Consult a physician.

Section 5: Fire-Fighting Measures

Suitable extinguishing agents: Foam carbon dioxide (CO2), Dry powder

Unsuitable extinguishing agents: Water. Do not use solid water stream as it may scatter

fire

Special protective equipment

for firefighters: Stay in danger area only with self-contained breathing

apparatus. Prevent skin contact by keeping a safe



Flash Point: 13 °C/ 57 °F Autoignition Temperature: 362.8 °C/ 685 °F

NFPA

Health:2Flammability:3Instability:0Physical Hazards:N/A

Section 6: Accidental Release Measures

Personal precautions: Ensure adequate ventilation. Especially in confined areas. Do

not breathe vapors, aerosols. Avoid substance contact. Keep away from heat and ignition sources. Evacuate the danger areas. Wear protective gloves/protective clothing and

eye/face protective gear when handling.

Measures for

environmental protection: Prevent product from entering drains. Do not flush into

surface water/sanitary sewer system. Risk of explosion.

Measures for

cleaning/collecting: Collect, bind and pump off spills. Observe possible material

restrictions see (Section 7 and 10). Take up carefully with liquid absorbent material Dispose of in properly labeled

containers.

Section 7: Handling and Storage

Handling: Keep away from open flames, hot surfaces and sources of ignition.

Take precautionary measures against static discharge. Ensure adequate ventilation, especially in confined areas. Wear personal

protective equipment. For precautions, see section 2

Storage: Keep container tightly closed in a dry, well-ventilated place. Keep

away from sources of ignition. Protect from sunlight.

Incompatible Materials: None known

Section 8: Exposure Controls/Personal Protection

Chemical Name	OSHA PEL	NIOSH IDLH	ACGIH TLV	Mexico OEL (TWA)
Ethanol	TWA: 1000 ppm	IDLH: 300 ppm	STEL: 100 ppm	TWA: 1000 ppm
	TWA: 1900	TWA: 1000 ppm		TWA: 1900 mg/m₃
	mg/m₃	WA: 1900 mg/m₃		



ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

General protective and

hygienic measures: Immediately change contaminated clothing. Wash hands and

face after working with substance.

Breathing equipment: If exposure limits are exceeded or irritation is experienced,

> NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations. Ensure adequate ventilation,

especially in confined areas.

Skin and Body Protection: Avoid contact with skin. Wear protective gloves and clothing.

Eye protection: Use equipment for eye protection tested and approved under

appropriate government standards such as NIOSH (US) or EN

166(EU). Safety glasses and or face shield.

Control of

environmental exposure: Do not allow to enter drains/surface water

Section 9: Physical and Chemical Properties

Liquid Form: Color: Clear Odor: Alcohol-like Odor threshold: No data available No data available pH: Melting point/melting range: -114.1 °C / -173.4 °F **Boiling point/boiling range:** 77.1 °C / 170.8 °

Flash point: 13.9 °C / 57 °F **Evaporation rate:** No data available

Flammability (solid,gas): N/A

Upper/lower flammability

18.0 vol %/3.3 vol % or explosive limits: **Auto ignition temperature:** 362.8 °C / 685 °F Vapor pressure: 59.5 mmHg

Vapor density: 1.6

0.785 - 0.792 **Relative density:** Solubility in/Miscibility with water: Miscible

Section 10: Stability and Reactivity

Reactivity: Vapor/air mixtures are explosive under intense warming. Can

react vigorously with strong oxidizers.

Chemical stability: This product is chemically stable under ambient



conditions.

Conditions to avoid: Heating

Incompatible materials: Strong oxidizing agents, Acids, Acid anhydrides, Acid chlorides,

Peroxides, Alkali metals

Hazardous

decomposition products: Hazardous decomposition products formed under fire

conditions - Carbon monoxide, carbon dioxide

Section 11: Toxicological Information

Potential routes of exposure/potential health effects

Oral LD50: Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg
Dermal LD50: Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg
Vapor LC50: Based on ATE data, the classification criteria are not met. ATE > 20 mg

Component	LD50 (Oral)	LD50 (Dermal)	LD50 (Inhalation)
Ethyl Alcohol	3450 mg/kg (mouse)	Not listed	20000 ppm/10h (rat) 39 g/m^3/4h
	6300 mg/kg (rabbit)		(mouse)
	7060 mg/kg		
	(rat)		

Toxicologically Synergistic Products: No data available

Skin: Irritating to skin

Eye: Causes serious eye irritation **Inhalation:** Avoid breathing vapors or mists

Epidemiology: Ethanol has been shown to produce fetotoxicity in the

embryo or fetus of laboratory animals.

Carcinogenicity: The table below indicates whether each agency has

listed any ingredient as a carcinogen

Teratogenicity: Oral, Human - woman TDLo = 41 g/kg

Component	IARC	NTP	ACGIH	OSHA
Ethyl Alcohol	Group 1	Known	A3	Х

IARC (International Agency for Research on Cancer): Group 1 - Carcinogenic to humans

Group 2A - Possibly carcinogenic to

humans

Group 2B - Possibly carcinogenic to

humans

NTP (National Toxicity Program): Known - Known carcinogen

Reasonably anticipated - Reasonably

anticipated to be a carcinogen

ACGIH (American Conference of Governmental Industrial Hygienists):

A1 - Known human carcinogen

A2 - Suspected human carcinogen

A3 - Animal carcinogen

Section 12: Ecological Information (non-mandatory)



Ecotoxicity: Contains a substance which is toxic to aquatic organisms

Component	Freshwater	Freshwater Fish	Microtox	Micro Flea
	Algae			
Ethyl Alcohol	EC 50 (72h) = 275	Fathead minnow	Photobacterium	EC50 = 9268 mg/L/48h
1	mg/l	(Pimephales	Phosphoreum:	EC50 = 10800
	(Chlorella vulgaris)	promelas)	EC50 = 34634mg/L/30 min	mg/L/24h
		LC50 = 14200	Photobacterium	
		mg/l/96h	Phosphoreum:	
		Rainbow Trout	EC50 = 35470mg/L/5 min	O \
		LC50 =12900-15300		
		mg/L; 96 H		

Mobility: Will likely be mobile in the environment due to its volatility

Component	log Pow
Ethyl Alcohol	-0.32

Section 13: Disposal Considerations (non-mandatory)

Disposal of Waste: Disposal should be in accordance with applicable, regional,

national and local laws and regulations. Contact a licensed professional waste disposal service to dispose of this

material.

Contaminated Packaging: Do not reuse container

Section 14: Transport Information (non-mandatory)

DOT:

• **UN/ID No:** 1170

• **PSN:** Ethanol Solution (Ethyl Alcohol Solution)

Packaging group: IIIADR/RID class: 3

TDG

• **UN/ID No:** 1170

• **PSN:** Ethanol Solution (Ethyl Alcohol Solution)

• Packaging Group: III

• IMDG Class: 3

Air transport ICAO-TI and IATA-DGR:

• **UN/ID No:** 1170

• **PSN:** Ethanol Solution (Ethyl Alcohol Solution))

Packaging Group: IIIICAO/IATA Class: 3

IMDG



• **UN/ID No:** 1170

• **PSN:** Ethanol Solution (Ethyl Alcohol Solution)

Packaging Group: III

IMDG Class: 3

Section 15: Regulatory Information (non-mandatory)

US Federal Regulations

SARA Section 355 (extremely hazardous substances):

Section 355 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the act and Title 40 of the Code of Federal Regulations, Part 372

SARA Section 313 (specific toxic chemical listings):

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories:

Acute health hazard	Yes
Chronic health hazard	Yes
Fire hazard	Yes
Sudden release of pressure hazard	No
Reactive hazard	No

CWA:

This product as supplied does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA:

This product as supplied does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

California Proposition 65:

Ethyl alcohol is only considered a Proposition 65 developmental hazard when it is ingested as an alcoholic beverage. This product contains the following Proposition 65 chemicals:



Component	CAS Number	California Prop 65	Prop 65 NSRL	Category
Ethyl Alcohol	64-17-5	Developmental	-	Developmental
		(Alcoholic		carcinogen
		beverages only)		

US State Right to Know Regulations:

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Ethyl Alcohol	✓	✓	✓	✓	✓

Section 16: Other Information

SDS date of preparation: 3/16/2023 SDS date of update: 3/16/2023

The above information is believed to be correct, but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Remix Chemical and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.

