

CUSHLA WHITING

RING SIZE GUIDE


CUSHLA WHITING provides one complimentary resize with any engagement ring purchased.

Before measuring your ring size, please be sure this guide is printed in A4 and scaled to 100%. To make sure the page has printed to the correct scale please position a credit card on the line below. If the card lines up, the sizing guide will be accurate and you're all set to go.




OPTION 1: MEASURING YOUR CURRENT RING


1. Select a ring that properly fits the ring finger you, or your partner wishes to wear the new ring on.
2. Place the ring over the circles, matching the INSIDE edge of the ring to the circle nearest in size.



CHOOSE A SMALLER SIZE



CHOOSE A LARGER SIZE



CORRECT RING SIZE



CUSHLA WHITING

OPTION 2: MEASURE WITH THE CUSHLA WHITING RULER

1. You can purchase a professional ring sizing tool from our website, which will be shipped to you.
2. The ring sizing gauge works like a belt. Simply push the end through the slit to form a ring shape. Slip the ring sizing gauge onto your finger.
3. Adjust to give a comfortable fit, checking that it just slips over the knuckle. You want to do this a few times until you have found a consistent size.
4. If it slides off with too much ease, it is too loose, you want there to be a bit of a wiggle taking it off. However, the belt should not change size as you slide it over your knuckle.
5. When the best fit is achieved, read off the size that is indicated by the arrow. Please be aware that you can measure in half sizes, for example, 5 1/2.

MEASURING NOTES

1. Your ring should fit your finger comfortably; snug enough so that it will not fall off, but loose enough to slide over your knuckle.
2. Finger size changes depending on the time of day and the weather. For best results measure your finger size:
 - At the end of the day and when your fingers are warm. Fingers are smaller in the early morning and when cold.
 - Measure your finger size 3 to 4 times to eliminate an erroneous reading.

AUS & UK SIZE	USA & CAD SIZE	CHINA SIZE	CW RING SIZING TOOL	INSIDE CIRCUMFERENCE (MILLIMETERS)
A				39
A 1/2		1		39.5
B	1		1	40
B 1/2		2		40.5
C	1 1/2		1 1/2	41
C 1/2		3		41.5
D	2		2	42
D 1/2		4		42.5
E	2 1/2		2 1/2	43
E 1/2		5		43.33
F	3		3	43.66
F 1/2		6		44
G	3 1/2		3 1/2	45
G 1/2		7		45.5
H	4		4	46
H 1/2		8		47
I	4 1/2	9	4 1/2	47.5
I 1/2				48
J	5		5	48.5
J 1/2		10		49
K	5 1/2		5 1/2	50
K 1/2		11		50.5
L	6		6	51
L 1/2		12		52
M	6 1/2	12	6 1/2	52.5
M 1/2				53

AUS & UK SIZE	USA & CAD SIZE	CHINA SIZE	CW RING SIZING TOOL	INSIDE CIRCUMFERENCE (MILLIMETERS)
N		14	6 3/4	53.5
N 1/2	7		7	54
O		15		55
O 1/2	7 1/2		7 1/2	55.5
P		16		56
P 1/2	8	17	8	57
Q				57.5
Q 1/2	8 1/2	18	8 1/2	58
R				59
R 1/2	9	19	9	59.5
S		20		60
S 1/2	9 1/2		9 1/2	61
T		21		61.5
T 1/2	10		10	62
U		22		62.5
U 1/2	10 1/2		10 1/2	63
V		23		64
V 1/2	11		11	64.5
W		24		65
W 1/2	11 1/2	25	11 1/2	66
X				66.5
X 1/2	12	26	12	67
Y				67.33
Y 1/2	12 1/2		12 1/2	67.66
Z				68
Z 1/2	13		13	68.5