

# Environmental Newsflyer

## Announcing:

**EnviroTech's New Instrument and Equipment Repair Facility in Sacramento.** Our specialized and experienced team is top notch. See inside page three for details on how we can send you a packing slip to ship your equipment for fast repair or certified calibration.

## Four New Products Introduced in 2021



Solinst 12 Volt Stainless Submersible Pump - Page 5



Solinst Upgraded Levellogger 5 Series - Page 5



Solinst Sonci Water Level Meter - Page 4



Flushlock Well Plugs - Page 8

## Enviro-Tech News



Our new repair facility marks our 15 year in the Sacramento area.



**John Muir  
Conservation  
Award**

**John Muir  
ASSOCIATION**

EnviroTech has been recognized by the John Muir Association for our Stewardship toward protecting the environment. It was an honor to receive this coveted award.

## Index

Front Cover .....	1
Donation to CSU-Chico .....	2
Our New Repair Facility.....	3
SGMA Update.....	4
New Products .....	5
Groundwater Specials .....	6
Soil Sampling Specials.....	7
More Specials.....	8

## Our Finest Donation

We have always said, "when you purchase from EnviroTech you are helping the geoscience community".

To illustrate in 2021, EnviroTech donated and set-up 150- linear feet of rocks and minerals to the California State University- Chico New Geoscience building. It was a fun project. See inside page 2 for our photo line up of this project."



EnviroTech's finest Charitable Project ever was to donate and set up a teaching rock and mineral display at the New CSU-Chico Geoscience Building. It proved a fun collaborative effort. We first requested permission to undertake this project for the Geology Department under the supervision of Geology Chairperson Todd Greene and Professor William Koperwhats. In addition to donating a 5-foot high Brazilian standing amethyst, we enlisted Geology Professor, Rod Demordaigle, with Geological Specimen Supply Company to provide and label a remarkable display case. The final result is a 150-foot linear display of geologic rock and mineral specimens. The unique quality is that this display provides teaching cards to illustrate how chemistry and geologic properties differ in igneous, sedimentary and metamorphic rocks. For example, one enlightening display details the properties of how marine layering is transformed over time and by diagenous properties into Monterey shale and subsequently crude oil.




*The old Geoscience Building served its purpose for decades where thousands of Geoscience students walked its halls. This building will be leveled and a new one erected.*



*The new Geoscience Building*



*This is a 5-foot high Amethyst from Brazil. Located second floor, Geology lounge area.*



*Professor Rod Demordaigle, with Geological Specimen Supply pointing out the exact right spot of his specimens.*



*The work of creating this display took months of planning and preparation including field specimen collection and over 7 hours to lay it out.*



*The final product wonderfully explains the Geological and chemical process at work to create our landscape.*




*Chico State Motto. Today Decides Tomorrow*

**From conception to closure, EnviroTech was extremely proud to have contributed on this academic level project. As we have said when you purchase from a EnviroTech a portion goes back toward the Geoscience community.**

## Announcing our new Sacramento-Rancho Cordova Instrument & Equipment Repair Facility

- **Office Deliveries.**  
Providing to-your-office-doorstep deliveries of rental and assorted products.
- **Free Training and Instrument Calibration.**  
Our staff is knowledgeable and qualified. Allow them to go through the use and calibration of any equipment. Just drop on by.
- **Project Collaboration.**  
If you have a project pending, let our experienced staff calibrate and set aside your equipment. No charge for equipment reservation.
- **Low Price Guaranteed.**  
We'll match any competitors price.
- **We Provide:**  
Fast Evaluation Response  
Certified Calibrations  
Qualified Repairs  
Best Repair Rates




**Specializing in Local Deliveries and Pick Ups**

### Equipment Repairs 3 Easy Steps

1. E-mail or call Pat or Mike at our Rancho Facility:  
11275 Sunrise Gold Circle, Ste. S,  
Rancho Cordova, Ca 95742  
(916) 852-885  
Mike@envirotechonline.com  
Pat@envirotechonline.com
2. Box up your instrument and we will arrange to pick it up if you are local, or send a UPS Agent to your facility, or you can ship it to us.
3. Once at our facility we will evaluate the equipment and provide a phone call to you regarding it's repair status. This evaluation is at no charge.



**Now Occupying 3 units to serve your environmental needs.**



## Groundwater Sustainability Agency's (GSA) Tools

In accordance with guidelines created under the Sustainability Groundwater Management Act each groundwater basin in the State will have an Agency (GSA) dedicated to acquiring and reporting specific groundwater data and parameters for selected monitoring wells.

EnviroTech is a Company that provides products and instrumentation for acquiring that data, including the tools needed to satisfy many GSA requirements as outlined under their Groundwater Sustainability Plans (GSP). This page is dedicated to outline the primary tools any GSA will need. Here are three tools of the trade.

### 1) Water Level Meters

There are a host of meters to choose from but it can be assumed a GSA will require a water level meter with depth. Here is the most cost effective and efficient of all the brands available.

#### Coaxial Cable Water Level Meter

The Solinst Model 102 Water Level Meter is designed to measure groundwater levels, especially in small diameter (pumping ports) and deep wells. It is light and portable tool for GSA work.

Cat. No.	Description	Price
SOL-102-100	Small Reel Solinst WLM 100 ft. 30 m	475.00
SOL-102-200	Small Reel Solinst WLM 200 ft. 60 m	555.00
SOL-102-300	Small Reel Solinst WLM 300 ft. 100 m	635.00
SOL-102-500	Medium Reel Solinst WLM 500 ft. 150 m	795.00
SOL-102-750	Medium Reel Solinst WLM 750 ft. 250 m	955.00
SOL-102-1000	Medium Reel Solinst WLM 1000 ft. 300 m	1,195.00
SOL-102-CB	Small & Medium Carry Bag	75.00



### 2) Solinst Levelogger 5

Also known as dataloggers or transducers, these tools will measure rising and falling water levels in a well over time at pre-programmed intervals. The Solinst Levelogger Junior 5 is shown. All you need is basic communication package then drop down a well, retrieve then download the data.

Cat. No.	Description	Price
	<b>Model 3001 Levelogger Junior Edge</b>	
SOL-114606	Junior LT M5, F15	\$459.00
SOL-114607	Junior LT M10, F30	459.00
SOL-114608	Barologger M1.5, F5	342.00
	<b>Comm Package - Optical Reader</b>	
SOL-114404	Desktop Reader	\$105.00



Model 3001 Junior 5

### 3) Solinst Sonic Water Level Meter

The Solinst Sonic Water Level Meter is portable, acoustic ranging instrument designed to simply and quickly measure depth to static water level in a well, piezometer, sounding tube, or any closed pipe. The Sonic Water Level Meter reports static water level measurements without having to put any instruments down the well. This Meter works in straight or crooked pipes, and is ideal for wells with difficult access. Depth measurements to 2000 feet are possible. A perfect tool for GSA tight narrow inlets on wells that house pumps.



Solinst Sonic Meter 104

Hands down, Solinst Canada is the industry standard for groundwater sampling equipment. Established in 1975 by Doug Belshaw, EnviroTech and Solinst Canada have been working together since 1987. In 2021 Solinst introduced several new products as shown below, a further indication that Solinst is always on the cutting edge of groundwater product innovation.

## Solinst Levellogger 5 Series

*Solinst- The Industry Standard. Providing ground water products since 1975*

- Solinst has upgraded and improved the Levellogger to the new Levellogger Edge 5.
- This is a new product and it replaces all versions of the previous Levellogger Edge.
- The old "Edge" style loggers are no longer available, however, they all are compatible with the Levellogger 5.

CAT. NO.	DESCRIPTION	PRICE
<b>SOLINIST Levellogger 5 Junior Edge: For Depths 0 - 30 ft</b>		
SOL-114606	Levellogger 5 Junior Edge: M5, F15	\$459.00
SOL-114007	Levellogger 5 Junior Edge: M5, F30	\$459.00
<b>SOLINIST Levellogger 5 Junior Edge: For Depths 0 - 600 ft</b>		
SOL-114609	Levellogger 5 Edge: M5, F15	\$657.00
SOL-114610	Levellogger 5 Edge: M10, F30	\$657.00
SOL-114611	Levellogger 5 Edge: M20, F60	\$657.00
SOL-114612	Levellogger 5 Edge: M30, F100	\$657.00
SOL-114613	Levellogger 5 Edge: M100, F300	\$657.00
SOL-114614	Levellogger 5 Edge: M200, F600	\$657.00
<b>SOLINIST Barologger 5</b>		
SOL-114608	Barologger	\$342.00
SOL-114007	Levellogger 5 Junior Edge: M5, F30	\$459.00
<b>SOLINIST Barologger 5</b>		
SOL-114404	Desktop Reader 5 USB: Comm.	\$105.00
SOL-114403	Field Reader 5 USB	\$99.00
SOL-114261	Levellogger L5 to Edge Adaptor	\$64.00
SOL-114262	Edge to L5 Adaptor enables old	\$80.00

### Main Advantages of The Levellogger 5 Series

**More Memory**  
almost 4x the Levellogger Edge

**Increased Corrosion Resistance**  
double o-ring seals and protective coating applied internally and externally, baked-on using polymerization technology.\*

**Faster, More Reliable Communication**  
smooth-surface, single eye is easy to clean and provides faster communication speeds with newly designed communication cables.

**Compatible**  
New Levellogger Software Version 4.5 is compatible with older model Levelloggers with no firmware upgrades required.



## Three New Products in 2020:

- Levellogger 5 Upgrade
- Sonic Water Level Meter
- Downhole DC Stainless Pump

## Just Announced - Fall 2021.

### Downhole Pump

The Solinst 12V Submersible Pump provides an efficient means of purging and obtaining groundwater samples from monitoring wells. The 12V Submersible Pump and 12V Pump Controller are lightweight, portable, and easy to set up, deploy and operate.



*This Submersible Pump is capable of pumping groundwater from 120 feet below ground surface, with flow rates up to 3.6 gpm in shallow conditions.*

### Competitive Pricing

Solinst Model 415  
Pump w/ 120 ft. line - \$343  
Controller - \$1,381  
Total - \$1,724

**Call (800) 468-8921**  
**In Stock Now**

### The Expert on Vernal Wetlands.

Levelloggers prove useful in ecological research of vernal wetlands that fluctuate seasonally with complex hydrological processes. They receive inputs from precipitation, runoff, and subsurface flow, and are influenced by geology, soil and climate.

By using Solinst levelloggers, the Institute for Ecohydrology Research (ER) in Davis, California is conducting research to develop the most accurate and reliable method to measure the hydrological functioning and performance of natural and created vernal pool wetlands.


Shown here placing a levellogger on site is the owner of Ecohydrology Research, Niall McCarten. He is available to assist with providing consulting on this complex research at [Nmccarten@ecohydrologyresearch.org](mailto:Nmccarten@ecohydrologyresearch.org).

**EnviroTech; Specializing in Discount Sampling Equipment**

For your 4th quarter sampling or other fields projects, EnviroTech is a large in-house stocking distributor providing discount pricing at the highest level. We will match any price, provide the same day shipping and professional & friendly customer service. Here are a few specials:

Mention Flyer to Receive Sale Prices

**Best Rental Rates**



**Disposable Bailers**

Enviro-Tech carries all brands of bailers at the lowest prices. If you are buying bailers, call us and we will give you better pricing than what you are currently paying. AQ-PY16X36SW, 1.5"x36", Polyethylene Bailers, Weighted, 24/cs.

List	SALE
\$130.80/case	\$109.00/case



**Model 101**  
*Industry-Wide Preferred*  
**Solinst Water Level Meter**

Pricing for 100-foot, P7 Probe

List	SALE
\$571.00	\$490.00



**Geotech® Geopump 2 Peristaltic Pump**

- Reversible flow for back-flushing
- Includes 5' of #15 silicone tubing

List	SALE
\$1,450.00	\$1,349.00



RENTAL RATES  
30/90/270  
DAY WEEK MONTH

Peristaltic Pump

**Mega Purger Pump**



1 Year Warranty

No Booster Required

Best, Most Durable Purge Pump – 90-feet

List	SALE
\$440.00	\$299.00

Requires communication package



USB Package  
\$203.00

10% Off

Optical Reader

**Solinst Levelogger Jr. 5**

- Datalogger, temperature sensor, pressure sensor, and battery in a waterproof stainless steel housing

M5/F15	M10/F30
\$459.00	\$459.00



**Nitrile Gloves**

Powder-Free

List-Box	SALE-Box
\$21.00	\$19.00



RENTAL RATES  
40/120/360  
DAY WEEK MONTH

Turbidity Meter



**Locking Well Plug**

- Manufactured from a recycled composite engineering polymer

Size	List	SALE
2-inch	\$12.50	\$9.50
4-inch	\$14.50	\$11.00

**Filters**

Groundwater Sampling Filters. (.45 Micron)



**1** High-Capacity Polyethersulfone Groundwater Filter



**2** EnviroTech .45 µm High-Capacity Filter

	Product	Specs	Qty.	Cat. No.	Price	SALE
<b>1</b>	High Capacity Groundwater Filter (QuickFilter®)	1/8 in. NPT	1/pack	AQ-GF-1	\$ 22.00	\$ 12.50
		0.45µm	10/pack	AQ-GF-10	210.00	120.00
		609 cm <sup>2</sup>	50/pack	AQ-GF-100	880.90	770.00
<b>2</b>	Popular EnviroTech .45 micron brand	1/8 in. NPT	1/pack	ET-GF-1	\$ 18.95	\$ 12.00
		0.45µm	10/pack	ET-GF-10	180.00	115.00
		>600 cm <sup>2</sup>	50/pack	ET-GF-100	650.00	615.00



RENTAL RATES  
100/300/900  
DAY WEEK MONTH

Multiparameter Meter

## Mini Soil Core Sampling Kits

Everything you need for collecting soil core samples to 12 feet!



AMS-209.07

Cat. No.	Description	Weight	List Price
<b>5/8" Threaded Mini Soil Core Sampling Kits</b>			
AMS-209.07	3 1/4" Mini Soil Core Sampling Kit	32.5 lb	\$1,116.52

## Geotechnical Supplies on Sale All Compliant with EPA Method 5035

### EnCore Sampler

This device is one EPA "accepted" apparatus for the collection and storage of soil samples used in accordance with EPA Method 5035.



Cat. No.	Description	Price	Sale
ECSK-1	Starter Kit, 1 EnCore T-Handle 12 5 or 25 gr.	\$365.00	\$349.00
ET-ENCORE-50	EnCore 5 or 25 gr. Samplers (50/case)	595.00/cs.	569.00/cs.
ET-ENCORE-T	Standard EnCore T-Handle	200.00	185.00
ECSK-4	EnCore Extrusion Tool	290.00	270.00


### ESS Core N' One™

The easiest way to sample and transport 5 grams of undisturbed soil samples for US EPA Method 5035.



Use for both soil collection and transportation.

Cat. No.	Description	Price
ESS-19082	Core N' One Soil Handle	\$ 14.50
ESS-19083	Core N' One Soil Capsule (20)	170.00



## Munsell® Soil Color Chart Binder

Color classification of soils using 250 mounted chips.

The Munsell color chart enables color classification of soils using 250 mounted color chips. Developed with the U.S. Soil Conservation Service, this guide is the industry standard. The chart now includes two new soil charts - 7.5R and 5R! The pages are more water resistant, and recessed paint chips are less likely to chip or fall off. The recessed chips also make it easier to compare your sample's color.

Cat. No.	Description	Weight	List Price
AMS-504.00	Munsell Soil Color Chart Binder	0.8 lb.	\$289.00

## Soil Sample Liners



Take  
**15% off**  
all prices

Standard Dimensions	Cat. No.	Brass	Cat. No.	Stainless
1.5"x3"	VB-BL153	\$ 2.40	VB-SL153	\$ 2.25
1.5"x6"	VB-BL156	3.45	VB-SL156	3.25
2"x3"	VB-BL23	3.30	VB-SL23	3.30
2"x4"	VB-BL24	4.20	VB-SL24	3.50
2"x6"	VB-BL26	4.90	VB-SL26	4.25
2.5"x3"	VB-BL253	3.90	VB-SL253	3.70
2.5"x6"	VB-BL256	7.05	VB-SL256	5.05

Cat. No.	Description	Price
VB-EC	Plastic End Caps (1", 1.5", 2", 2.5")	\$ .22
VB-TT4	Roll Teflon Tape 4" x 100' Regular	70.00
VB-PTT4	Roll Teflon Tape 4" x 100' Perforated	75.00
VB-STD1	Adhesiveless (Silicon) Tape	22.00

## MiniRAE 3000 Lite Photoionization Detectors

Over the course of years, many reliable PID brands have vanished (i.e.: Photovac and Thermo 580B). RAE Systems has an active Research and Development department and they have virtually taken over the PID market with new innovative products. The Model 3000 is the new Standard PID model with upgraded features, ideal for most environmental applications.



Cat. No.	Description	List
059-A110-000	MiniRAE Liter Meter	\$ 3,286.00
059-A110-100	Lite Full KIT	\$3,928.00

*Full Kit with Bluetooth*

### Accessories Kit Includes:

- Hard transport case with pre-cut foam padding
- Charging/download cradle
- 5 Porous metal filters and O-rings
- Organic vapor zeroing kit
- Gas outlet port adapter and tubing

## NEW PRODUCT!


## 2" FlushLock Well Plugs

### A new brand of Locking Well Plugs

Our new low cost high-tech FlushLock well plugs are flush in height and diameter with the well casing freeing up space in pro casings or manholes. Made from an environmentally sustainable prime Nylon.


List
\$16.00 each

SALE
\$8.50



## Tubing

Enviro-Tech is a stocking distributor of discharge tubing, in all varieties. Shown are the popular sizes. As a stocking distributor, we sell to you for less.



Tubing Type	Application	I.D.	O.D.	Cat. No.	Per Foot
Nylon Reinforced PVC Tubing	Discharge Tubing for Sampling/Purging	1/2"	5/8"	RYN-0512-080	\$120.00/100ft.
		3/8"	1/2"	RYN-0512-072	84.00/100ft.
Clear Vinyl PVC Tubing	Discharge Tubing for Sampling/Purging	1/2"	5/8"	RYN-0500-135	47.00/100ft.
		3/8"	1/2"	RYN-0500-107	37.00/100ft.
Polyethylene Tubing	Discharge Tubing for Sampling/Purging * Commonly used w/ Peristaltic Pumps	1/8"	1/4"*	RYN-0525-018	.40/ft.
		1/4"	3/8"*	RYN-0525-024	.58/ft.
		3/8"	1/2"	RYN-0525-032	.77/ft.
Silicon Tubing	Peristaltic Pump Head Tubing Size 15	3/16"	3/8"	RYN-0575-054	2.32/ft.
Pure-Line-1 Teflon® Tubing	EPA Approved Discharge Tubing Polyethylene lined with Teflon®	3/16"	1/4"	STG-020	1.96/ft.
		1/4"	3/8"	STG-040	3.40/ft.

## EnviroTech Well Construction SPECIALS



Cat. No.	Description	List
MIC-S-*	Nitron ONE lightly powdered Nitrile gloves *please specify size (S, M, L, XL)	\$16.00
MOR-418XA-812	8"x12" Morrison Well Box	114.45
MOR-418XA-1212	12"x12" Morrison Well Box	179.00
CHR-271-675	2" Cherne Well Plug	18.00
CHR-271-683	4" Cherne Well Plug	22.00
CHR-271-691	6" Cherne Well Plug	45.00
CHR-112-941	Dolphin Locks (brass)	5.80
ATL-2290	2" PVC Pipe Cutter	98.00
ATL-4290	4" PVC Pipe Cutter	105.00
RR-37	Rite in the Rain all weather pen	15.00
RR-550F	Rite in the Rain 156p field book w/Environmental Notes & References	35.00
BRE-NHZZL	NON-Hazardous waste labels, Pack of 25	36.00
ECT-CB	Wax coated Coreboxes, Holds 10' of NX core	15.00
ET-Tyvek	Tyvek coverall w/ elastic wrist and ankle *sizes M-2XL available. Sold individually.	7.00

