## AB-NK156-2 RafB-CT (RafB-4) Antibody

Pan-specific polyclonal antibody for monitoring the expression of human protein-serine/threonine kinase Raf-B (BRaf)



Email: info@kinexus.ca Phone: 604-323-2547

Address: 8755 Ash Street, Suite 1 Vancouver, British Columbia, Canada V6P 6T3

Target Protein	
Name Long:	B-Raf proto-oncogene serine-threonine-protein kinase; RafB proto-oncogene- encoded protein-serine kinase
Alias:	B-RAF; B-RAF proto-oncogene serine/threonine-protein kinase; BRAF1; C- RMIL; Kinase B-Raf; P94; RAFB1; RMIL; RMIL serine/threonine-protein kinase; V-Raf murine sarcoma viral oncogene homolog B1; MGC126806; MGC138284; CCDS5863.1; ENSG00000157764
UniProt ID:	P15056
Sequence Predicted Mass (KDa):	84.437 (766 AA; P15056)
Observed SDS-PAGE Mass (KDa):	87-97
Immunogen	
Antibody Immunogen Source:	Human Raf-B (BRaf) sequence peptide
Antibody Immunogen Sequence:	RAGFQTEDFSLYAC
Location in Target:	Corresponds to amino acid residues R619 to C632; C-terminus
Peptide Type:	For pan-specific recognition of target expression levels.
Target Phosphosite:	Not phosphorylated
Dreduction	
Production	Rabbit
Antibody Host Species: Antibody Type:	Polyclonal
Antibody Ig Isotype Clone Lot:	Immunoglobulin G
Antibody ig isotype cione Lot.	The immunizing peptide was produced on an A.B.I. automated peptide
Production Method:	synthesizer. The peptide was cleaved from the synthesis resin with HF and purified by reverse-phase hplc chromatography. Purity was assessed by analytical hplc and the amino acid sequence confirmed by amino acid analysis. This peptide was coupled to KLH prior to immunization into rabbits. New Zealand White rabbits were subcutaneously injected with KLH-coupled immunizing peptide every 4 weeks. The sera from each animal was applied onto an agarose column to which the immunogen peptide was thio-linked. Antibody was eluted from the column with 0.1 M glycine, pH 2.5. Subsequently, the antibody solution was neutralized to pH 7.0 with saturated Tris.
Antibody Amount:	25 μg
Antibody Concentration:	0.15 mg/ml
Lot Number:	10320
Storage Buffer:	100 mM Tris-glycine, pH 7.0
Storage Conditions and Stability:	For long term storage, keep frozen at -40°C or lower. Stock solution can be kept at +4°C for more than 3 months, but either 0.1% sodium azide or 0.05% Thimerasol should be added. Avoid repeated freeze-thaw cycles.

## AB-NK156-2 RafB-CT (RafB-4) Antibody



Address: 8755 Ash Street, Suite 1 Vancouver, British Columbia, Canada V6P 6T3

Email: info@kinexus.ca Phone: 604-323-2547

Applications	
Product Use:	Western blotting   Antibody microarrays
Antibody Dilution Recommended:	2 µg/ml for immunoblotting
Antibody Species Reactivity:	Human, mouse, rat and many other mammals

This product is for in vitro research use only and is not intended for use in humans or animals.

For more information on our products please visit <u>www.kinexusproducts.ca</u> or contact us at 1-866-KINEXUS(546-3987)