

# AB-NN328-2

## SOD (EC) Antibody

Pan-specific polyclonal antibody for monitoring the expression of human SOD (EC)



**KINEXUS**

Address: 8755 Ash Street, Suite 1  
Vancouver, British Columbia,  
Canada V6P 6T3

Email: [info@kinexus.ca](mailto:info@kinexus.ca)  
Phone: 604-323-2547

### Target Protein

<b>Name Long:</b>	Extracellular superoxide dismutase [Cu-Zn] (SOD (EC))
<b>Alias:</b>	EC SOD, EC-SOD, Extracellular superoxide dismutase [Cu Zn], Extracellular superoxide dismutase [Cu-Zn], Extracellular superoxide dismutase, Extracellular superoxide dismutase precursor, MGC20077, SOD 3, SOD3, SODE_HUMAN, Superoxide dismutase 3 extracellular
<b>UniProt ID:</b>	P08294 - Human
<b>Human Predicted Mass (KDa):</b>	25.851 (240 AA; P08294-1)
<b>Observed SDS-PAGE Mass (KDa):</b>	35

### Immunogen

<b>Antibody Immunogen Source:</b>	Peptide corresponding to AA 227-236 of human EC SOD
-----------------------------------	---

### Production

<b>Antibody Host Species:</b>	Rabbit
<b>Antibody Type:</b>	Polyclonal
<b>Antibody Ig Isotype Clone Lot:</b>	35 Mix
<b>Antibody Purification:</b>	Peptide affinity purified
<b>Amount:</b>	25 µg
<b>Antibody Concentration:</b>	1 mg/ml
<b>Lot Number:</b>	15DE1
<b>Storage Buffer:</b>	Phosphate buffered saline pH 7.4; 50% glycerol, 0.09% azide
<b>Storage Conditions and Stability:</b>	For long term storage, keep frozen at -40°C or lower. Stock solution can be kept at +4°C for more than 3 months. Avoid repeated freeze-thaw cycles. For long term storage, keep frozen at -40°C or lower. Stock solution can be kept at +4°C for more than 3 months. Avoid repeated freeze-thaw cycles.

### Applications

<b>Product Use:</b>	WB   ICC/IF
<b>Antibody Dilution Recommended:</b>	WB (1:1000), ICC/IF (1:200); optimal dilutions for assays should be determined by the user.
<b>Antibody Species Reactivity:</b>	Human   Mouse   Rat
<b>Antibody Positive Control:</b>	1 µg/ml of SPC-124 was sufficient for detection of ECSOD in 20 µg of Hela lysate by colorimetric immunoblot analysis using Goat anti-rabbit IgG:HRP as the secondary antibody.
<b>Target Detection Immunoblotting:</b>	Detects a extracellular SOD ~35 kDa protein.

This product is for in vitro research use only and is not intended for use in humans or animals.

For more information on our products please visit [www.kinexusproducts.ca](http://www.kinexusproducts.ca) or contact us at 1-888-546-3987