## AB-PK503 AAK1-pS637 Antibody

Phosphosite-specific polyclonal antibody for monitoring the phosphorylation of human protein-serine/threonine kinase AAK1



Email: info@kinexus.ca Phone: 604-323-2547

Address: 8755 Ash Street, Suite 1 Vancouver, British Columbia, Canada V6P 6T3

Target Protein	
Name Long:	AP2-associated protein kinase 1
Alias:	Adaptor-associated kinase 1; AP2 associated kinase 1; DKFZp686K16132; KIAA1048; Kinase AAK1
UniProt ID:	Q2M2I8
Sequence Predicted Mass (KDa):	103.885 (961 AA; Q2M2I8); 93.578 (863 AA; Q2M2I8-2)
Observed SDS-PAGE Mass (KDa):	90-95
Immunogen	
Antibody Immunogen Source:	Human AAK1 sequence peptide Cat. No.: PE-04ALP99
Antibody Immunogen Sequence:	RIL(pS)DVT(bA)C (bA) = beta-alanine
Location in Target:	Corresponds to amino acid residues R634 to T640; In the C-terminal half of the kinase after the catalytic domain. The major site of phosphorylation of AAK1.
Peptide Type:	For phosphosite-specific recognition of target.
Target Phosphosite:	Ser-637
Production	
Antibody Host Species:	Rabbit
Antibody Type:	Polyclonal
Antibody Ig Isotype Clone Lot:	Immunoglobulin G
Production Method:	The immunizing peptide was produced by solid phase synthesis on a multipep peptide synthesizer and purified by reverse-phase hplc chromatography. Purity was assessed by analytical hplc and the amino acid sequence confirmed by mass spectrometry analysis. This peptide was coupled to KLH prior to immunization into rabbits. New Zealand White rabbits were subcutaneously injected with KLH-coupled immunizing peptide every 4 weeks for 4 months. The sera from each animal was applied onto an agarose column to which the immunogen peptide was thio-linked. Antibody was eluted from the column with 0.1 M glycine, pH 2.5. Subsequently, the antibody solution was neutralized to pH 7.0 with saturated Tris.This antibody was also subject to negative purification over phosphotyrosine-agarose.
Antibody Amount:	25 µg
Antibody Concentration:	1 mg/ml
Lot Number:	141024
Storage Buffer:	Phosphate buffered saline (PBS) pH7.4, 0.05% Thimerasol
Storage Conditions and Stability:	For long term storage, keep frozen at -40°C or lower. Stock solution can be kept at +4°C for more than 3 months. Avoid repeated freeze-thaw cycles.

## AB-PK503 AAK1-pS637 Antibody



Address: 8755 Ash Street, Suite 1 Vancouver, British Columbia, Canada V6P 6T3

Email: info@kinexus.ca Phone: 604-323-2547

Applications	
Product Use:	Western blotting   Antibody microarrays
Antibody Dilution Recommended:	1 µg/ml for immunoblotting
Antibody Species Reactivity:	Human, mouse, rat and many other mammals
Antibody Positive Controls:	Very strong immunoreactivity with immunogen peptide on dot blots.
Detection by Immunoblotting in Cell/Tissue Lysates:	Medium immunoreactivity of a target-sized protein by Western blotting in serum- starved Jurkat cells treated with for 10 minutes with 10% fetal calf serum.
<b>Overall Antibody Specificity:</b>	High selectivity
Antibody Cross Reactivities:	Prominent immunreactivities in FBS-treated Jurkat cells at 75 to 120 KDa range.

This product is for in vitro research use only and is not intended for use in humans or animals.