AB-PK679 Lck-pY192 Antibody

Phosphosite-specific polyclonal antibody for monitoring the phosphorylation of human protein-tyrosine kinase Lck



Address: 8755 Ash Street, Suite 1 Vancouver, British Columbia,

Canada V6P 6T3

Email: info@kinexus.ca Phone: 604-323-2547

Tar	\sim 1	_	$\mathbf{r} \mathbf{a}$	\sim 1	\sim
I GI	90		10	<u>. UII</u>	

Name Long:	Lymphocyte-specific protein-tyrosine kinase; Proto-oncogene tyrosine-protein kinase LCK
Alias:	LSK; LSK-T; p56-LCK; pp58Lck; RP4-675E8.4; LSK (T-cell specific protein-tyrosine kinase; lck tyrosine kinase; membrane associated protein tyrosine kinase; proto-oncogene LCK; put.ptk; YT16; ENSG00000182866
UniProt ID:	P06239
Sequence Predicted Mass (KDa):	61.190 (539 AA; P06239-3); 58.001 (509 AA; P06239); 40.866 (363 AA; P06239-2)
Observed SDS-PAGE Mass (KDa):	50-58

Immunogen

Antibody Immunogen Source:	Human Lck sequence peptide Cat. No.: PE-04AKN95	
Antibody Immunogen Sequence:	GGF(pY)ISP(bA)C (bA) = beta-alanine	
Location in Target:	Corresponds to amino acid residues G189 to P195; In the SH2 domain	
Peptide Type:	For phosphosite-specific recognition of target.	
Target Phosphosite:	Tyr-192	

Production

Antibody Host Species:	Rabbit	
Antibody Type:	Polyclonal	
Antibody Ig Isotype Clone Lot:	Immunoglobulin G	
Production Method:	The immunizing peptide was produced by solid phase synthesis on a multipep peptide synthesizer and purified by reverse-phase hplc chromatography. Purity was assessed by analytical hplc and the amino acid sequence confirmed by mass spectrometry analysis. This peptide was coupled to KLH prior to immunization into rabbits. New Zealand White rabbits were subcutaneously injected with KLH-coupled immunizing peptide every 4 weeks for 4 months. The sera from each animal was applied onto an agarose column to which the immunogen peptide was thio-linked. Antibody was eluted from the column with 0.1 M glycine, pH 2.5. Subsequently, the antibody solution was neutralized to pH 7.0 with saturated Tris. This antibody was also subject to negative purification over phosphotyrosine-agarose.	
Antibody Amount:	25 μg	
Antibody Concentration:	1 mg/ml	
Lot Number:	141204	
Storage Buffer:	Phosphate buffered saline (PBS) pH7.4, 0.05% Thimerasol	
Storage Conditions and Stability:	For long term storage, keep frozen at -40°C or lower. Stock solution can be kept at +4°C for more than 3 months. Avoid repeated freeze-thaw cycles.	

AB-PK679 Lck-pY192 Antibody



Address: 8755 Ash Street, Suite 1 Vancouver, British Columbia,

Canada V6P 6T3

Email: info@kinexus.ca Phone: 604-323-2547

Applications

Product Use:	Western blotting Antibody microarrays
Antibody Dilution Recommended:	2 μg/ml for immunoblotting
Antibody Species Reactivity:	Human, mouse, rat and many other mammals; Phosphosite is highly conserved in mammals
Antibody Positive Controls:	Strong immunoreactivity with immunogen peptide on dot blots.
Detection by Immunoblotting in Cell/Tissue Lysates:	Very weak immunoreactivity of a target-sized protein by Western blotting in Jurkat cells.
Overall Antibody Specificity:	Very high selectivity
Antibody Cross Reactivities:	No significant cross-reactivities in HeLa and Jurkat cells.

This product is for in vitro research use only and is not intended for use in humans or animals.