AB-PK774 PKCz-pS262+Y263 Antibody

Phosphosite-specific polyclonal antibody for monitoring the phosphorylation of human protein-serine/threonine kinase PKCz (PRKCZ)



Address: 8755 Ash Street, Suite 1 Vancouver, British Columbia, Canada V6P 6T3

Email: info@kinexus.ca Phone: 604-323-2547

Name Long:	Protein-serine kinase C zeta
Alias:	Kinase PKC-zeta; KPCZ; NPKC-zeta; PKC2; PKC-zeta; PKMzeta; PRKCZ; Protein kinase C zeta; Protein kinase M zeta; CCDS37.1; Q05513; ENSG00000067606
UniProt ID:	Q05513
Sequence Predicted Mass (KDa):	67.660 (592 AA; Q05513); 56.136 (488 AA; Q05513-3); 46.622 (409 AA; Q05513-2)
Observed SDS-PAGE Mass (KDa):	73-78
Immunogen	
Antibody Immunogen Source:	Human PKCz (PRKCZ) sequence peptide Cat. No.: PE-04ARQ99
Antibody Immunogen Sequence:	IGRG(pS)(pY)AKVL(bA)C (bA) = beta-alanine
Location in Target:	Corresponds to amino acid residues I258 to L267; In the kinase catalytic subdomain I region
Peptide Type:	For phosphosite-specific recognition of target.
Target Phosphosite:	Ser-262+Tyr-263
Production Antibody Host Species:	Rabbit
Antibody Type:	Polyclonal
Antibody Ig Isotype Clone Lot:	Immunoglobulin G
Production Method:	The immunizing peptide was produced by solid phase synthesis on a multipep peptide synthesizer and purified by reverse-phase hplc chromatography. Purity was assessed by analytical hplc and the amino acid sequence confirmed by mass spectrometry analysis. This peptide was coupled to KLH prior to immunization into rabbits. New Zealand White rabbits were subcutaneously injected with KLH-coupled immunizing peptide every 4 weeks for 4 months. The sera from each animal was applied onto an agarose column to which the immunogen peptide was thio-linked. Antibody was eluted from the column with 0.1 M glycine, pH 2.5. Subsequently, the antibody solution was neutralized to pH 7.0 with saturated Tris. This antibody was also subject to negative purification over phosphotyrosine-agarose.
	25 µg
Antibody Amount:	25 µg
	0.75 mg/ml
Antibody Amount: Antibody Concentration: Lot Number: Storage Buffer:	0.75 mg/ml

AB-PK774 PKCz-pS262+Y263 Antibody



Address: 8755 Ash Street, Suite 1 Vancouver, British Columbia, Canada V6P 6T3

Email: info@kinexus.ca Phone: 604-323-2547

Applications	
Product Use:	Western blotting Antibody microarrays
Antibody Dilution Recommended:	2 µg/ml for immunoblotting
Antibody Species Reactivity:	Human, mouse, rat and many other mammals
Antibody Positive Controls:	Strong immunoreactivity with immunogen peptide on dot blots.
Overall Antibody Specificity:	Very high selectivity
Antibody Cross Reactivities:	No significant cross-reactive proteins detected in HeLa cells.

This product is for in vitro research use only and is not intended for use in humans or animals.