

AB-PK805

RSK1-pS380 Antibody

Phosphosite-specific polyclonal antibody for monitoring the phosphorylation of human protein-serine/threonine kinase RSK1 (RPS6KA1, p90RSK)



KINEXUS

Address: 8755 Ash Street, Suite 1
Vancouver, British Columbia,
Canada V6P 6T3

Email: info@kinexus.ca
Phone: 604-323-2547

Target Protein

Name Long:	Ribosomal S6 protein-serine kinase 1; Ribosomal protein S6 kinase alpha 2
Alias:	90 kDa ribosomal protein S6 kinase 1; HU-1; Kinase p90RSK1; KS6A1; KS6AA; MAPKAPK1A; P90RSK1; RPS6KA1; S6K-alpha 1; CCDS284.1; ENSG00000117676
UniProt ID:	Q15418
Sequence Predicted Mass (KDa):	83.932 (744 AA; Q15418-2); 82.723 (735 AA; Q15418); 81.147 (719 AA; Q15418-4); 72.698 (643 AA; Q15418-3)
Observed SDS-PAGE Mass (KDa):	82-92

Immunogen

Antibody Immunogen Source:	Human RSK1 (RPS6KA1, p90RSK) sequence peptide Cat. No.: PE-04AFR99
Antibody Immunogen Sequence:	RGF(pS)FVA(bA)C (bA) = beta-alanine
Location in Target:	Corresponds to amino acid residues R377 to A383; In Pkinase_C domain that follows the first kinase catalytic domain
Peptide Type:	For phosphosite-specific recognition of target.
Target Phosphosite:	Ser-380

Production

Antibody Host Species:	Rabbit
Antibody Type:	Polyclonal
Antibody Ig Isotype Clone Lot:	Immunoglobulin G
Production Method:	The immunizing peptide was produced by solid phase synthesis on a multipеп peptide synthesizer and purified by reverse-phase hplc chromatography. Purity was assessed by analytical hplc and the amino acid sequence confirmed by mass spectrometry analysis. This peptide was coupled to KLH prior to immunization into rabbits. New Zealand White rabbits were subcutaneously injected with KLH-coupled immunizing peptide every 4 weeks for 4 months. The sera from each animal was applied onto an agarose column to which the immunogen peptide was thio-linked. Antibody was eluted from the column with 0.1 M glycine, pH 2.5. Subsequently, the antibody solution was neutralized to pH 7.0 with saturated Tris. This antibody was also subject to negative purification over phosphotyrosine-agarose.
Antibody Amount:	25 µg
Antibody Concentration:	1 mg/ml
Lot Number:	150106
Storage Buffer:	Phosphate buffered saline (PBS) pH7.4, 0.05% Thimerasol
Storage Conditions and Stability:	For long term storage, keep frozen at -40°C or lower. Stock solution can be kept at +4°C for more than 3 months. Avoid repeated freeze-thaw cycles.

AB-PK805

RSK1-pS380 Antibody



KINEXUS

Address: 8755 Ash Street, Suite 1
Vancouver, British Columbia,
Canada V6P 6T3

Email: info@kinexus.ca
Phone: 604-323-2547

Applications

Product Use:	Western blotting Antibody microarrays
Antibody Dilution Recommended:	2 µg/ml for immunoblotting
Antibody Species Reactivity:	Human, mouse, rat and many other mammals
Antibody Positive Controls:	Strong immunoreactivity with immunogen peptide on dot blots.
Detection by Immunoblotting in Cell/Tissue Lysates:	Very strong immunoreactivity of a target-sized protein by Western blotting in HepG2 cells.
Overall Antibody Specificity:	High-very high selectivity
Antibody Cross Reactivities:	Almost no significant cross-reactivities detected in HepG2, except insulin decreases 40 KDa protein.

This product is for in vitro research use only and is not intended for use in humans or animals.

For more information on our products please visit www.kinexusproducts.ca or contact us at 1-866-KINEXUS(546-3987)