LW8382S Sea Star Oocyte GVBD

Whole GVBD-positive, maturing sea star oocyte lysate boiled in SDS-PAGE sample buffer



Address: 8755 Ash Street, Suite 1 Vancouver, British Columbia,

Canada V6P 6T3

Email: info@kinexus.ca Phone: 604-323-2547

| Production | |
|-------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product Name Long: | Sea star (Pisaster ochraceus) oocyte - 1-methyladenine-treated - Whole lysate |
| Production Method: | Oocytes teased from ripe seastar oocyte gonads were resolved from follicle cells by 3 rounds of centrifugation at 2500 rpm for 5 min each time. Lysates were prepared from isolated oocytes that were homogenized by sonication in buffer formulated with 1% Triton X-100, 60 mM β -glycerophosphate, pH 7.2, 20 mM MOPS, 20 mM sodium pyrophosphate, 30 mM sodium fluoride, 5 mM EDTA, 3 mM benzamidine, 2 mM EGTA, 1 mM sodium orthovanadate, 1 mM phenylmethylsulfonylfluoride, 1 mM dithiothreitol, 10 μ M leupeptin, and 5 μ M pepstatin A. Lysates were further diluted in SDS-PAGE sample buffer at a final concentration of 2 mg/ml. |
| Amount: | 200 μg |
| Protein Concentration: | 2 mg/ml |
| Storage Stability: | 1 year at -20°C |

Applications

Lysate Use Description: For testing antibodies by immunoblotting.

This product is for in vitro research use only and is not intended for use in humans or animals.