according to Regulation (EC) No 1907/2006

MOIIN Flex Clear

Revision date: 19.10.2022 Product code: 023623 Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

MOIIN Flex Clear

1.2. Relevant identified uses of the substance or mixture and uses advised against

Uses advised against

pregnant or breastfeeding people should not work with hazardous substances

1.3. Details of the supplier of the safety data sheet

Company name: DMG Digital Enterprises SE

Street: Elbgaustrasse 248
Place: D-22547 Hamburg
Telephone: +49 40 84006-0

Telephone: +49 40 84006-0 Telefax: +49 40 84006-222

e-mail: info@dmg-digital.com

Contact person: A. Brunner

Internet: www.dmg-digital.com
Responsible Department: Quality Management

Further Information

The substance does not require registration according to Regulation (EC) No 1907/2006 [REACH].

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Acute Tox. 4; H302 Acute Tox. 4; H332 Skin Irrit. 2; H315 Skin Sens. 1; H317 Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

(5-Ethyl-1,3-dioxan-5-yl)methyl acrylate 2-[[(Butylamino)carbonyl]oxy]ethyl acrylate

phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

2,2-bis(acryloyloxymethyl)butyl acrylate; trimethylolpropane triacrylate

Signal word: Warning

Pictograms:





Hazard statements

H302+H332 Harmful if swallowed or if inhaled.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

according to Regulation (EC) No 1907/2006

MOIIN Flex Clear					
Revision date: 19.10.2022	Product code: 023623	Page 2 of 9			
P102	Keep out of reach of children.				
P273	Avoid release to the environment.				
P280	Wear protective gloves and eye/face protection.				
P391	Collect spillage.				
P501	Dispose of contents/container to an appropriate recycling or disposal facility.				
Chaoial laballing of cort	alla militaria				

Special labelling of certain mixtures

15 - < 20 % of the mixture consists of ingredient(s) of unknown acute toxicity (dermal).

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (Regulation (EC) No	1272/2008)	•		
66492-51-1	(5-Ethyl-1,3-dioxan-5-yl)methyl acr	ylate		30 - < 35 %	
	266-380-7		01-2119976303-36		
	Skin Irrit. 2, Skin Sens. 1B, Aquatio	Chronic 2; H315 H317 H411			
63225-53-6	2-[[(Butylamino)carbonyl]oxy]ethyl	acrylate		15 - < 20 %	
	264-036-0		01-2120751208-56		
	Acute Tox. 3, Skin Sens. 1A, Aqua	tic Chronic 2; H331 H317 H411			
162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide			1 - < 5 %	
	423-340-5	015-189-00-5			
	Skin Sens. 1A, Aquatic Chronic 4; I				
15625-89-5	2,2-bis(acryloyloxymethyl)butyl acr	ylate; trimethylolpropane triacrylate		1 - < 5 %	
	239-701-3	607-111-00-9	01-2119489896-11		
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 1; H315 H319 H317 H400 H410				

Full text of H and EUH statements: see section 16.

Specific Conc. Limits. M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
66492-51-1	266-380-7	(5-Ethyl-1,3-dioxan-5-yl)methyl acrylate	30 - < 35 %
	dermal: LD50	= >2000 mg/kg; oral: LD50 = >2000 mg/kg	
63225-53-6	264-036-0	2-[[(Butylamino)carbonyl]oxy]ethyl acrylate	15 - < 20 %
		E = 3 mg/l (vapours); inhalation: LC50 = > 0,5 mg/l (dusts or mists); dermal: oral: LD50 = > 2000 mg/kg	
162881-26-7	423-340-5	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	1 - < 5 %
	dermal: LD50	= > 2000 mg/kg; oral: LD50 = > 2000 mg/kg	
15625-89-5	239-701-3	2,2-bis(acryloyloxymethyl)butyl acrylate; trimethylolpropane triacrylate	1 - < 5 %
	dermal: LD50 M chron.; H410	= 5170 mg/kg; oral: LD50 = >5000 mg/kg M acute; H400: M=1 0: M=1	

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Move victim to fresh air. Put victim at rest and keep warm.

according to Regulation (EC) No 1907/2006

MOIIN Flex Clear

Revision date: 19.10.2022 Product code: 023623 Page 3 of 9

After contact with skin

After contact with skin, wash immediately with: Water and soap.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

After ingestion

Call a physician immediately.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water fog. Extinguishing powder. Sand. Foam. Carbon dioxide (CO2).

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

COx, NOx

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Wear suitable protective clothing. Provide adequate ventilation.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Other information

Take up mechanically.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Keep container tightly closed. Wear suitable protective clothing and gloves. Avoid contact with eyes.

Advice on general occupational hygiene

When using do not eat or drink.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

Store only in original container.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

according to Regulation (EC) No 1907/2006

MOIIN Flex Clear Product code: 023623

Page 4 of 9

DNEL/DMEL values

Revision date: 19.10.2022

CAS No	Substance				
DNEL type		Exposure route	Effect	Value	
63225-53-6 2-[[(Butylamino)carbonyl]oxy]ethyl acrylate					
Worker DNEL	, long-term	inhalation	systemic	9,9 mg/m³	
Worker DNEL	, long-term	dermal	systemic	2 mg/kg bw/day	
162881-26-7 phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide					
Worker DNEL	, long-term	inhalation	systemic	21 mg/m³	
Worker DNEL, long-term		dermal	systemic	3,3 mg/kg bw/day	

PNEC values

CAS No	Substance	
Environmental	compartment	Value
63225-53-6	2-[[(Butylamino)carbonyl]oxy]ethyl acrylate	·
Freshwater	•	0,003 mg/l
Marine water		0 mg/l
Freshwater se	diment	0,024 mg/kg
Marine sedime	ent	0,002 mg/kg
Micro-organisms in sewage treatment plants (STP)		3,54 mg/kg
Soil		0,003 mg/kg
162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	·
Freshwater		0,001 mg/l
Freshwater (in	termittent releases)	0,001 mg/l
Marine water		0,001 mg/l
Freshwater sediment (0,712 mg/kg
Marine sediment		0,712 mg/kg
Micro-organisms in sewage treatment plants (STP)		1 mg/l
Soil 20 mg/kg		20 mg/kg

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls



Appropriate engineering controls

Ensure adequate ventilation of the storage area.

Individual protection measures, such as personal protective equipment

Eye/face protection

Tightly sealed safety glasses.

Hand protection

Tested protective gloves are to be worn: Suitable material: NBR (Nitrile rubber).

Respiratory protection

The following must be prevented: inhalation.

according to Regulation (EC) No 1907/2006

MOIIN Flex Clear

Revision date: 19.10.2022 Product code: 023623 Page 5 of 9

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: colourless
Odour: characteristic

Test method

Changes in the physical state

Melting point/freezing point:

Boiling point or initial boiling point and

not determined

boiling range:

Sublimation point: not determined Softening point: not determined Pour point: not determined

point of decomposition: not determined estim.

Flash point: > 93 °C

Lower explosion limits: not determined

Upper explosion limits: not determined

pH-Value: not determined

Water solubility: not determined

(at 20 °C)

Vapour pressure: not determined

Density: not determined

Relative vapour density: > 1

SECTION 10: Stability and reactivity

10.4. Conditions to avoid

Light. heat.

Decompostion takes place from temperatures above: 200 °C

Decomposition under formation of: Acrylate.

10.5. Incompatible materials

Keep away from strong acids, leachates, heavy metal salts and reducing materials.

10.6. Hazardous decomposition products

In case of fire may be liberated: Gas / vapours, irritant. (Acrylate., pungent)

Further information

Substances sensitive to light.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Harmful if swallowed.

Harmful if inhaled.

ATEmix (oral, rat): > 1824 mg/kg

ATEmix calculated

ATE (inhalation vapour) 15,87 mg/l; ATE (inhalation dust/mist) 2,646 mg/l

according to Regulation (EC) No 1907/2006

MOIIN Flex Clear

Revision date: 19.10.2022 Product code: 023623 Page 6 of 9

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
66492-51-1	(5-Ethyl-1,3-dioxan-5-yl)r	methyl acryla	ite				
	oral	LD50 mg/kg	>2000	Rat	supplier SDS/ ECHA	OECD 423	
	dermal	LD50 mg/kg	>2000	Rat	supplier SDS/ ECHA	OECD 402	
63225-53-6	2-[[(Butylamino)carbonyl]	oxy]ethyl ac	rylate				
	oral	LD50 mg/kg	> 2000	Rat	supplier SDS		
	dermal	Data lackin	ng				
	inhalation vapour	ATE	3 mg/l				
	inhalation dust/mist	LC50 mg/l	> 0,5	Rat	supplier SDS		
162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide						
	oral	LD50 mg/kg	> 2000	Rat	supplier SDS		
	dermal	LD50 mg/kg	> 2000	Rat	supplier SDS		
15625-89-5	2,2-bis(acryloyloxymethy	l)butyl acryla	ate; trimethylo	olpropane triacrylate			
	oral	LD50 mg/kg	>5000	Rat	ECHA		
	dermal	LD50 mg/kg	5170	Rabbit	ECHA		

Irritation and corrosivity

Causes skin irritation.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Frequently or prolonged contact with skin may cause dermal irritation.

Irritant effect on the eye:

Sensitising effects

May cause an allergic skin reaction. ((5-Ethyl-1,3-dioxan-5-yl)methyl acrylate; 2-

[[(Butylamino)carbonyl]oxy]ethyl acrylate; phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide;

2,2-bis(acryloyloxymethyl)butyl acrylate; trimethylolpropane triacrylate)

May cause sensitization by skin contact.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

Contains Methacrylic esters.: May produce an allergic reaction.

SECTION 12: Ecological information

12.1. Toxicity

Preparation not tested.

according to Regulation (EC) No 1907/2006

MOIIN Flex Clear

Revision date: 19.10.2022 Product code: 023623 Page 7 of 9

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
66492-51-1	(5-Ethyl-1,3-dioxan-5-yl)r	nethyl acryla	ite				
	Acute fish toxicity	LC50	4 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)	supplier SDS/ ECHA	OECD 203
	Acute algae toxicity	ErC50	34 mg/l		Desmodesmus subspicatus	supplier SDS/ ECHA	OECD 201
	Acute crustacea toxicity	EC50	20 mg/l	48 h	Daphnia magna (Big water flea)	supplier SDS/ ECHA	OECD 202
	Acute bacteria toxicity	(EC50 mg/l)	>1000	3 h	Activated sludge	supplier SDS	
3225-53-6	2-[[(Butylamino)carbonyl	oxy]ethyl ac	rylate				
	Acute fish toxicity	LC50 mg/l	2,52	96 h	Danio rerio (zebrafish)	supplier SDS	
	Acute algae toxicity	ErC50 mg/l	5,98	72 h	Desmodesmus subspicatus	supplier SDS	
	Acute crustacea toxicity	EC50 mg/l	18,6	48 h	Daphnia magna (Big water flea)	supplier SDS	
	Acute bacteria toxicity	(EC50 mg/l)	305	3 h		ECHA	OECD 209
162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide						
	Acute fish toxicity	LC50 mg/l	> 0,090	96 h	B.Danio rerio (zebrafish)	supplier SDS	
	Acute algae toxicity	ErC50 mg/l	> 0,260	72 h	Desmodesmus subspicatus	supplier SDS	
	Acute crustacea toxicity	EC50 mg/l	> 1,175	48 h	Daphnia magna (Big water flea)	supplier SDS	
	Crustacea toxicity	NOEC mg/l	0,008	21 d	Daphnia magna (Big water flea)		
	Acute bacteria toxicity	(EC50 mg/l)	> 100	3 h	Activated sludge	supplier SDS	
15625-89-5	2,2-bis(acryloyloxymethy	l)butyl acryla	ite; trimethylo	olpropane	e triacrylate		
	Acute fish toxicity	LC50 mg/l	0,87	96 h	Leuciscus idus (golden orfe)	ECHA	OECD 203
	Acute algae toxicity	ErC50 mg/l	18,8	72 h	Scenedesmus subspicatus	ECHA	
	Acute crustacea toxicity	EC50 mg/l	19,9	48 h		ECHA	
	Algae toxicity	NOEC	1,9 mg/l	3 d	Scenedesmus subspicatus	ECHA	

12.2. Persistence and degradability

Preparation not tested.

according to Regulation (EC) No 1907/2006

MOIIN Flex Clear Revision date: 19.10.2022 Product code: 023623 Page 8 of 9

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
66492-51-1	(5-Ethyl-1,3-dioxan-5-yl)methyl acrylate			
		28%	28	
	Not readily biodegradable (according to OECD criteria)			
63225-53-6	2-[[(Butylamino)carbonyl]oxy]ethyl acrylate			
	OECD 301F	15 %	28	
	Not readily biodegradable (according to OECD criteria)			
162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide			
	OECD 301B	1 %	28	
	Not readily biodegradable (according to OECD criteria)			

12.3. Bioaccumulative potential

Preparation not tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
66492-51-1	(5-Ethyl-1,3-dioxan-5-yl)methyl acrylate	1,9
63225-53-6	2-[[(Butylamino)carbonyl]oxy]ethyl acrylate	1,82
162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	5,8
15625-89-5	2,2-bis(acryloyloxymethyl)butyl acrylate; trimethylolpropane triacrylate	1,75

BCF

CAS No	Chemical name	BCF	Species	Source
162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl) -phosphine oxide		Cyprinus carpio (Common Carp)	

12.4. Mobility in soil

Preparation not tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. Preparation not tested.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Preparation not tested.

Further information

Do not allow to enter into surface water or drains. Leakage into the environment must be prevented.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Can be burnt together with household waste in compliance with official regulations in contact with approved waste disposal companies and with authorities in charge.

Paste: Carry out a burning of harzardous waste according to official regulations.

List of Wastes Code - residues/unused products

according to Regulation (EC) No 1907/2006

MOIIN Flex Clear

Revision date: 19.10.2022 Product code: 023623 Page 9 of 9

180106 WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH

(EXCEPT KITCHEN AND RESTAURANT WASTES NOT ARISING FROM IMMEDIATE HEALTH

CARE); wastes from natal care, diagnosis, treatment or prevention of disease in humans;

chemicals consisting of or containing hazardous substances; hazardous waste

SECTION 14: Transport information

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes



Other applicable information

No dangerous good in sense of these transport regulations.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

National regulatory information

Water hazard class (D): 2 - obviously hazardous to water

SECTION 16: Other information

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Acute Tox. 4; H302	On basis of test data
Acute Tox. 4; H332	Calculation method
Skin Irrit. 2; H315	Calculation method
Skin Sens. 1; H317	Calculation method
Aquatic Chronic 2; H411	Calculation method

Relevant H and EUH statements (number and full text)

	,
H302	Harmful if swallowed.
H302+H332	Harmful if swallowed or if inhaled.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

Further Information

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)