OZARKÉ

INSTRUCTION MANUAL

OZARKÉ

Thank you for shopping with Ozarké, we really appreciate your business. Our goal is to provide an excellent customer service before, during and after delivery. We've included a guide on how to install this light, should you require additional assistance please feel free to email us at info@ozarke.com and one of our customer service reps will reach out to assist you.

Before you get started:

When working with electrical wiring, follow these safety instructions to prevent injury or damage:

1. Turn off the power: Before starting any work, turn off the power to the area you will be working in.
2. Use appropriate tools: Only use tools designed for electrical work and in good condition.
3. Wear protective gear: Wear safety glasses, gloves, and other protective gear as necessary.
4. Test for power: Use a non-contact voltage tester to check for electrical current before touching any wires.
5. Avoid wet conditions: Do not work with electrical wiring in wet or damp conditions.
6. Keep a safe distance: Stay away from exposed wires or electrical components.
7. Seek professional help: Consult a qualified electrician if you are unsure about any aspect of electrical wiring or encounter any problems.

WARNING!

1. Do not use the power supply beyond the specified range (100-240V,50Hz).
2. Avoid scratching the surface and wires of the lamp during installation.
3. Do not install the lamp outdoors.
4. The lamp should not be close to corrosive chemical objects or gases.
   It should not be washed with water. It can only be wiped with a clean soft cloth.

Installation Instructions

CEILING

1



Draw the drilling position on the ceiling, using the hanging board as a reference.

CEILING

2



Second, the lamps and lanterns hanging plate is fixed on the wall by the self-tapping screws.

CEILING

3



Be careful with electricity!

Third, the lamp is connected by three connection station power lines. Pay attention to connecting the power line pole and wire.

CEILING

4



Be careful with your hands!

Fourth, fix the lamp ceiling plate onto the hanging plate, and then peel off the protective film from the lights' stainless steel.

5