

OZARKÉ

INSTRUCTION MANUAL

OZARKÉ

Thank you for shopping with Ozarké, we really appreciate your business. Our goal is to provide an excellent customer service before, during and after delivery. We've included a guide on how to install this light, should you require additional assistance please feel free to email us at info@ozarke.com and one of our customer service reps will reach out to assist you.

Before you get started:

When working with electrical wiring, follow these safety instructions to prevent injury or damage:

1. Turn off the power: Before starting any work, turn off the power to the area you will be working in.
2. Use appropriate tools: Only use tools designed for electrical work and in good condition.
3. Wear protective gear: Wear safety glasses, gloves, and other protective gear as necessary.
4. Test for power: Use a non-contact voltage tester to check for electrical current before touching any wires.
5. Avoid wet conditions: Do not work with electrical wiring in wet or damp conditions.
6. Keep a safe distance: Stay away from exposed wires or electrical components.
7. Seek professional help: Consult a qualified electrician if you are unsure about any aspect of electrical wiring or encounter any problems.



WARNING!

1. Do not use the power supply beyond the specified range (100-240V,50Hz).
2. Avoid scratching the surface and wires of the lamp during installation.
3. Do not install the lamp outdoors.
4. The lamp should not be close to corrosive chemical objects or gases.
It should not be washed with water. It can only be wiped with a clean soft cloth.


Installation Instructions

Installation instructions for pendant lamps

This instruction is for reference only.
Actual products are based on physical objects.



Solid wall



After opening the packaging, please carefully inspect the contents by comparing them to the provided drawings. If there are any discrepancies, please contact customer service promptly.

INSTALLATION STEP 1

	1	Mark the hole position for the hanging plate on top of the cement.
	2	Drill a hole in the cement ceiling to match the size of the expansion screw, and then insert the expansion screw into the hole, leaving the M6 threads exposed.
	3	Remove the nut, attach the hanging plate to the expansion screw, place a washer, and secure the hanging plate to the ceiling using the nut. Ensure that the connection between the hanging plate and the expansion screw can support the weight of the lamp body.

INSTALLATION NOTES

1	Suitable for power supply voltages between 110V to 240V at 50Hz/60Hz, with a maximum lamp power of 60W.
2	Please wear gloves during installation to prevent scratching the lamps and wires.
3	Do not install on wet ceiling. The installation environment should be ventilated and dry.
4	The lamp should not be cleaned with water, acid, or gas; only use a clean, soft cloth to wipe it.
5	It should be installed by a professional electrician.
6	When cleaning lamps and changing bulbs, the power supply should be cut off.

INSTALLATION STEP 2

1	Install the lamp parts as shown in the right picture.
2	For the wiring method, connect the wires of the same color for each lamp head, and then connect them separately to the zero and live wires.
3	When installing, handle the glass with care, as it is fragile.
4	After the lamp body is installed, check whether it is locked on the ceiling.
5	Cut off the power supply when installing or replacing the light source.