














Dell EMC PowerEdge Rack Servers



Quick Reference Guide

Dell EMC PowerEdge rack servers help you build a modern infrastructure that minimizes IT challenges and drives business success. Choose from a complete portfolio of 1, 2, and 4-socket rack servers to deliver high core density for your traditional applications, virtualization, and cloud-native workloads. Enhanced memory speeds, faster NVMe storage options,¹ and BIOS tuning allows you to match performance to your workload for ultimate efficiency.

15th generation of PowerEdge Servers

Rack Server	R750	R750xa	R650	R7525	R6525	R7515	R6515	R750xs	R650xs	R450	R550	XR11	XR12
													
Key attributes	Outstanding performance for the most demanding workloads	Highly intensive GPU workloads	High scalability, optimized workload performance	Powerful performance and flexibility	Dense virtualization	Powerful performance and scalability	High density compute	Purpose-built 2U server for growing scale-out solutions	Purpose-built, full performance 1U server for dense, fast growing scale-out solutions	Value and density-focused, built for general purpose IT	Versatile, value-optimized, virtualization-ready, built for general purpose IT	Edge-centric, short depth and rugged with reverse mounting options	Edge-centric, short depth and rugged with reverse mounting options
Target workloads	Database and analytics, HPC, traditional corporate IT, VDI, AI, or ML environments	AI, ML or DL training or inferencing, HPC, and virtualization environments	Mixed workload standardization, database and analytics, HFT, traditional corporate IT, VDI, HPC, AI, or ML environments	All flash SDS, VDI, and data analytics	HPC, Dense VDI, and Virtualization	SDS, Virtualization, and Data Analytics	Virtualization, HCI and NFV	Virtualization, medium VM density or VDI, and scale-out database workloads	Virtualization, cloud, scale-out database and highperformance compute workloads	Small IT infrastructure, light VM, small business specific workloads	Small IT infrastructure, light VM density, small business specific workloads	Telco/5G (MEC, CDN, vRAN), Military, Retail (Analytics - video surveillance/POS/IOT aggregation)	Telco/5G (MEC, CDN, vRAN), Military, Retail (Analytics - video surveillance/POS/IOT aggregation)
Type of processor	2 x 3 rd Generation Intel® Xeon® Scalable processors; up to 40 cores per processor			2 x 2 nd or 3 rd Generation AMD EPYC™ processors; up to 64 cores per processor		1 x 2 nd or 3 rd Generation AMD EPYC™ processor; up to 64 cores per processor		2 x 3 rd Generation Intel® Xeon® Scalable processors; up to 32 cores per processor		2 x 3 rd Generation Intel® Xeon® Scalable processors; up to 24 cores per processor		1 x 3 rd Generation Intel® Xeon® Scalable processors; up to 36 cores per processor	
Memory (DDR4 DIMM slots & max)	32 (8 TB)		32 (4 TB)			16 (2 TB)		16 (1 TB)		8 (1 TB)		8 (1 TB)	
Disk drives up to:	8 x 2.5" 16 x 2.5" 24 x 2.5" 12 x 3.5" 2 x 2.5" or 4 x 2.5" (rear)	6 x 2.5" 8 x 2.5"	4 x 3.5" 8 x 2.5" 10 x 2.5" 2 x 2.5" (rear)	26 x 2.5" 12 x 3.5"	12 x 2.5" 4 x 3.5"	24 x 2.5" 12 x 3.5"	8 x 2.5" 4 x 3.5"	8 x 2.5" 16 x 2.5" 24 x 2.5" 12 x 3.5" 8 x 3.5"	4 x 3.5" 8 x 2.5" 10 x 2.5" 2 x 2.5" (rear)	4 x 3.5" 8 x 2.5"	16 x 2.5" 8 x 2.5" 8 x 3.5"	4 x 2.5"	6 x 2.5"
NVMe drives up to:	24	8	12	24	12	24	10	8	10	N/A		4	6
Gen4 PCIe slots up to:	8	8	3	8	3	2	1	5	3	2	3	3	5
Gen3 PCIe slots up to:	N/A		3	N/A		2	1	1	N/A		1	N/A	
Accelerator support up to:	2 x 300 W DW or 4 x 150 W SW or 6 x 75 W SW	4 x 150 W SW or 4 x 300 W DW 2 x 75 W SW	3 x 75 W SW	3 x 300 W DW or 6 x 75 W SW	3 x SW	4 x SW; 1 x DW; 1 x FPGA	1 x SW	N/A		N/A		2 x 75 W SW	2 x 75 W or 150 W SW 2 x 300 W DW
Rack height (U)	2	2	1	2	1	2	1	2	1	1	2	1	2
Integrated security	TPM 1.2/2.0 FIPS, CC-TCG certified, TPM 2.0 China NationZ, Cryptographically Signed Firmware, Chassis Intrusion Alert, and Secure Boot being standard security on all racks. Integrated security features such as Silicon Root of Trust, System Lockdown (requires iDRAC9 Enterprise or Datacenter), and System Erase on all racks												

Dell EMC PowerEdge Rack Servers

Quick Reference Guide

14th generation of PowerEdge Servers

Rack Server	R940	R940xa	R840	R740xd	R740	R740xd2	R640	R540	R440	R340	R240
Key attributes	Powerful performance	Extreme acceleration	Turbocharge data analytics	Scalable storage performance	Optimal application performance	Enterprise content server	Performance and density	Balanced and adaptable	Scale-out computing	Accelerate business growth	Compute made simple
Target workloads	In-memory databases	GPU database acceleration and machine learning	Data-intensive workloads, HFT, and dense virtualization	SDS, service providers, and big data servers	VDI and cloud workloads	Media streaming and SDS	Dense scale-out data center computing and storage	Mail messaging and virtualization	HPC, web tech, and scale-out infrastructure	ROBO productivity and data-intensive applications	Small business and service provider workloads
Type of processor	4 x 2 nd Generation Intel® Xeon® Scalable processors			2 x 2 nd Generation Intel® Xeon® Scalable processors						1 x Intel Xeon E-2200, Intel Core i3®, Intel Pentium®, or Intel Celeron® processor	
Memory (DDR4 DIMM slots & max)	48 (15.36 TB)			24 (7.68 TB)		16 (1 TB)	24 (7.68 TB)	16 (1 TB)		4 (64 GB)	
Disk drives up to:	24 x 2.5"	32 x 2.5"	26 x 2.5"	32 x 2.5" 18 x 3.5"	16 x 2.5" 8 x 3.5"	26 x 3.5" 16 x 3.5" + 10 x 2.5" ²	12 x 2.5" 4 x 3.5"	14 x 3.5"	10 x 2.5" 4 x 3.5"	8 x 2.5" 4 x 3.5"	4 x 2.5" ² 4 x 3.5"
NVMe drives up to:	12	4	24	N/A		10	N/A		4	N/A	
Gen4 PCIe slots up to:	N/A										
Gen3 PCIe slots up to:	13	12	6	8		5	3	5	2	2	
Accelerator support up to:	N/A	4 x DW GPUs or 4 x DW or 8 x SW FPGAs	2 x DW GPUs or 2 x SW or DW FPGAs	3 x DW or 6 x SW GPUs or 3 x DW or 4 x SW FPGAs		N/A	1 x SW GPU or 1 x SW FPGA	N/A			
Rack height (U)	3	4	2				1	2	1	1	
Integrated security	TPM 1.2/2.0 FIPS, CC-TCG certified, TPM 2.0 China NationZ, Cryptographically Signed Firmware, Chassis Intrusion Alert, and Secure Boot being standard security on all racks. Integrated security features such as Silicon Root of Trust, System Lockdown (requires iDRAC9 Enterprise or Datacenter), and System Erase on all racks										

¹ Not all features are available on all platforms.

² Drives use hybrid carrier to fit in 3.5" drive bay. (For the R740xd2 - a hybrid configuration is available with up to 10 2.5" SSDs)



"We'll save 35 percent on a five-year TCO with the Dell EMC VDI solution. The PowerEdge rack servers were ready to go out of the box for hosting our storage requirements. We saved 30 percent compared to a standalone SAN."

- Bruce Salisbury IT Director, Capital Area Human Services



"We can deploy our PowerEdge servers in minutes because iDRAC is always on and integrates with Dell EMC OpenManage..."

- Aldo Armiento, Chief Technology Officer, Immobiliare.it



"Dell EMC PowerEdge servers are the foundation of the work we do here. They provide the automation, the security, the flexibility, and the reliability to make sure that we can continue to focus on what we do best as a company."

- Ryan Garipey Co-founder and Chief Technology Officer, OTTO Motors

Dell EMC Solutions

When you buy a Dell EMC server, you get more than just hardware. You get access to IT solutions end-to-end. Dell and EMC bring together industry-leading expertise into a common platform to help you transform your data center. Dell EMC can deliver PowerEdge technology at any level of integration – from a best-in-breed platform, to a pre-integrated fully turnkey hybrid cloud implementation or any step in-between. Combining the PowerEdge server infrastructure with Dell Services and Financial Solutions allows you to modernize your data center faster, more affordably and with less risk.

Dell EMC Services



To fully implement a modern infrastructure, organizations require reliable, comprehensive IT services to drive IT transformations, accelerate adoption of new technologies and maximize productivity.

Architect: Get started with our IT Transformation Workshop to accelerate your transformation to becoming an agile business partner and broker of services to the business.

Implement: The ProDeploy Enterprise Suite helps you get more out of your new technology starting day one. Trust Dell EMC experts to lead deployments from basic hardware installations through planning, configuration and complex integrations.

Manage: The ProSupport Enterprise Suite ensures 24x7 access to senior ProSupport engineers along with automated proactive and predictive service enabled by SupportAssist. Our personalized service and preventative measures help you get ahead of problems before they happen.



[Learn more](#) about
Dell EMC server solutions



[Contact](#)
a Dell EMC Expert



[View more resources](#)



Dell EMC Data Center Infrastructure

Dell EMC Data Center Infrastructure (DCI) simplifies and manages critical infrastructure in and around the data center serving the needs of your business. A complete portfolio of racks, power and cooling solutions lets you scale as your data center needs grow.

OpenManage Systems Management

Increase the productivity, reliability and cost effectiveness of your Dell EMC PowerEdge servers while making your IT operations more efficient as well. Designed for use by today's IT Professionals, the Dell EMC OpenManage Enterprise console simplifies, intelligently automates and unifies infrastructure management tasks. Though primarily designed to monitor, configure and update tower, rack and modular PowerEdge servers, OpenManage Enterprise also provides end-to-end infrastructure monitoring capabilities for Dell EMC storage and networking devices plus third-party hardware too. Add OpenManage Mobile to enable your IT Pros to receive and take action on both Dell EMC and third-party hardware events anytime, anywhere. OpenManage Integrations enables both hardware and software infrastructure management without leaving third party consoles such as VMware vCenter and Microsoft System Center.

