



# 7770

## Flexible chassis design

Put max power behind your purpose with a scalable 17.3" mobile workstation.

# FHD IR Camera, Windows Hello compliance, Integrated Camera Shutter, Proximity, Contextual Privacy and Ambient Light Sensors





### Advanced Thermals

User Selectable Thermals Tables (USTT)
Dual Opposing Output (DOO) fan with
liquid polymer blades
Dual intake venting
Thermal insulated material, GORE™



Up to 240W adapter

Up to 93Whr battery

#### **Dell Optimizer for Precision**

ExpressSign-in
ExpressConnect
ExpressCharge
ExpressDischarge
ExpressResponse
Intelligent Audio
Reporting & Analytics

#### Sustainability

EPEAT Gold Registered 100% recycled plastics & cardboard contained in packaging

# 7770





### Intelligent performance

Intel® Core™ i5-i9, 16 core (8P + 8E) (55W), up to next gen 16GB NVIDIA RTX A5500, (4) M.2 slots Gen 4 SSD (16TB)/RAID 10 support, up to 128GB of DDR5 4800MHz CAMM, (2) Thunderbolt 4, (1) USB 3.2 Gen Type A and (1) Type C ...

Dell Optimizer for Precision



### Immersive productivity and design

Pro 2.5 keyboard, large click pad, camera shutter, proximity and ambient light sensors, chassis intrusion sensor

. . .

Up to UHD HDR400 display 99% DCI-P3, 500nits, PremierColor, ComfortView Plus

. . .

Intel WiFi 6E 6GHz/BT5.2/vPro, 5G LTE WWAN



# Mission critical reliability and security

ISV Certifications

. . .

Long life battery option

• • •

MIL-STD tested

• • •

ECC and RMT Pro options

. . .

Advanced thermals (vapor chambers, DOO fans, GORE™)



# 7770

Dell Optimizer for Precision We make it intelligent. You make it yours.

Dell Optimizer revolutionizes the way you work by fueling the world's most intelligent PCs\*.

It is the only Al-based optimization software that learns and responds to the way you work and designed to automatically improve application performance, battery run-time, audio settings and privacy – all in the background\*\* while you're working.

Personalized performance made for hybrid work





#### Power to the creators

Dell Optimizer for Precision empowers high-end users with ExpressResponse<sup>6</sup> for performance optimization of storage heavy apps. If you're a Precision user, you also have an exclusive Analytics feature for workload and system insights that help create personalized performance. You can also generate reports within Analytics to get system diagnostics and productivity gains.



#### Intelligent privacy anywhere

Privacy and security are a major concern – help keep sensitive data private with the world's most comprehensive suite of Intelligent Privacy features¹. Onlooker detection lets you texturize or turn on Safe Screen when an intruder is detected and Look Away Detect darkens the PC screen based on user behavior.



### Extended power

ExpressCharge analyzes your power usage habits to improve PC battery utilization. It extends run times and charges your system faster when you need a boost in power.



#### Enhanced audio

Intelligent Audio delivers audio and mic enhancements and reduces background noise so you can fully engage in meetings with confidence, wherever you collaborate. Neural noise cancellation enables advanced artificial intelligent techniques to distinguish human speech from any unwanted noise.



#### Faster sign-in

Get to work faster with ExpressSign-in² – the proximity sensor detects your presence to wake on approach before Windows Hello logs you in via facial recognition.



### Unmatched connectivity

Optimized for the best connectivity, ExpressConnect<sup>3</sup> provides the world's first simultaneous multi-network connection for faster data and video downloads<sup>4</sup>. It also enables joining the best network<sup>5</sup> available and prioritizes traffic for conferencing apps, wherever you work.



### Improved performance

ExpressResponse<sup>6</sup> analyzes how you use your preferred apps<sup>7</sup> to boost performance.



### Simplified manageability

Elevate work experience with an easy-to-manage application that provides a seamless experience for both end-users and IT decision makers. Set up individual features and modules from Dell Optimizer that fit your work environment with the modular installation feature. Deployment updates and optimization of multiple PCs remotely can be done simultaneously via centralized management.



### RECOMMENDED ACCESSORIES



Dell UltraSharp 38 Curved USB-C Hub Monitor - U3821DW

Experience clarity, productivity and connectivity on this 37.5" ultrawide WQHD+ curved hub monitor with 95% DCI-P3 color and integrated speakers.



Dell UltraSharp 32 HDR PremierColor Monitor - UP3221Q

Create phenomenal 4K HDR content on the world's first professional monitor with 2K mini-LED direct backlit dimming zones.\*



#### Dell Premier Multi-Device Wireless Keyboard and Mouse - KM7321W

Multi-task seamlessly across 3 devices with this premium full-size keyboard and sculpted mouse combo featuring programmable shortcuts and 36 months battery life.



#### Dell Performance Dock - WD19DCS

Dell's most powerful dock\* delivers the ultimate productivity experience. Charge your system faster, support up to three displays and connect to your peripherals via a single cable with dual USB-C connectors.



Dell Premier Wireless ANC Headset - WL7022

Collaborate with ease anywhere with this Teams certified wireless headset which offers active noise cancellation and smart sensors that automatically mute and unmute your call.



Dell Pro Backpack 17 -PO1720P - PO1720P - FY20 Pro Backpack

Protect your notebook and accessories with this lightweight backpack that is made with shock-absorbing EVA foam.



#### Dell UltraSharp Webcam -Acadia Webcam - WB7022

Elevate your video conferencing experience with the world's best image quality 4K webcam that optimizes your visuals with a large 4K Sony STARVIS™ CMOS sensor and Al Auto-Framing.



#### HTC VIVE Cosmos 3D VR Headset - MFG 99HARL000-00 Dell part AA809644

Dive into virtual reality experiences with this HTC VIVE Cosmos 3-D virtual reality headset. A simple design eliminates the need for a base station, while the flip-up display lets you quickly escape to answer calls and texts.



Dell USB-C Mobile Adapter - DA310

Compact and portable 7-in-1 USB-C mobile adapter provides superb video, data connectivity and up to 90W power pass-through to your PC.



ACCESSORIE

REATIVE

#### Wacom Cintiq Pro 24 Creative Pen Display Touch - DTH-2420

Enhance your creative process with the Wacom Cintiq Pro 24. Featuring world-class color performance on one of Wacom's largest 4K screens.



# 3Dconnexion SpaceMouse Pro Wireless - 3DX-700075

SpaceMouse® Pro Wireless offers professional 3D navigation, advanced ergonomic design, reliable connectivity with a high performance Universal Receiver and much more with up to two months of battery life.

### Precision workstations

Dell Precision fixed and mobile workstations are designed with the environment in mind, using sustainable materials in our products and packaging wherever possible.







### Design

# 1st

Workstations made with reclaimed carbon fiber and renewable bioplastic<sup>9</sup>.

## Sustainable Materials

# up to 61%

Recycled plastic in fixed workstations and up to 21% in mobile workstations<sup>10</sup>. Oceanbound plastic is also used in the components of select Precisions<sup>11</sup>.

### **Packaging Innovation**

# 100%

Precision mobile workstations ship in packaging made from 100% recycled or renewable materials and is 100% recyclable<sup>12</sup>.

## **ECOLABELS**

# 35+

EPEAT registered products<sup>13</sup>



# 0.8

ENERGY STAR® throughout the portfolio

→ ENERGY STAR®

# PRECISION 7770

#### FEATURE TECHNICAL SPECIFICATION

MODEL NUMBER Precision 7770

PROCESSOR OPTIONS<sup>14</sup>

12th Generation Intel® Core™ i5-12600HX vPro®, 18MB cache, 16 threads, 12 cores (4 P cores & 8 E cores) P cores 2.50GHz to 4.60GHz, E cores 1.80GHz to 3.30GHz, 55W

12th Generation Intel® Core™ i7-12850HX vPro®, 25MB cache, 24 threads, 16 cores (8 P cores & 8 E cores) P cores 2.10GHz to 4.80GHz, E cores 1.50GHz to 3.40GHz, 55W

12th Generation Intel® Core™ i9-12950HX vPro®, 30MB cache, 24 threads, 16 cores (8 P cores & 8 E cores) P cores 2.30GHz to 5.00GHz, E cores 1.70GHz to 3.60GHz, 55W

OPERATING SYSTEM<sup>14</sup>

Windows 10 Home, 64-bit Windows 10 Professional, 64-bit Windows 10 Enterprise, 64-bit Windows 10 Pro Education, 64-bit Windows 10 Pro China, 64-bit Windows 11 Pro, 64-bit with DGR7 Windows 11 Pro National Education, 64-bit Windows 11 Home, 64-bit with DGR7 RedHat Enterprise Linux 8.6 Ubuntu<sup>®</sup> Linux<sup>®</sup> 20.04 (64-bit)

MEMORY OPTIONS14,18,22

16GB, 1  $\times$  16GB, DDR5, 4800MHz, non-ECC, CAMM module 32GB, 1  $\times$  32GB, DDR5, 4800MHz, non-ECC, CAMM module 64GB, 1  $\times$  64GB, DDR5, 4800MHz, non-ECC, CAMM module 128GB, 1 x 128GB, DDR5, 3600MHz, non-ECC, CAMM module 8GB, 1 x 8GB, DDR5, 4800MHz, non-ECC, SODIMM 16GB, 1 x 16GB, DDR5, 4800MHz, ECC, SODIMM 16GB, 2 x 8GB, DDR5, 4800MHz, non-ECC, SODIMM 32GB, 2 x 16GB, DDR5, 4800MHz, ECC, SODIMM 32GB, 2 x 16GB, DDR5, 4800MHz, non-ECC, SODIMM 64GB,  $2 \times 32$ GB, DDR5, 4800MHz, non-ECC, SODIMM

Note: CAMM memory meets the standard of dual channel even exceeds it, even though it is not in a standard 2x memory chip/slot/module format. DDR4 has two 64-bit channels (dual channel) but CAMM with DDR5 has four 32-bit channels (guad channel).

PRIMARY HARD DRIVE 14, 20

M.2 2230, 256GB, PCIe NVMe Gen4 x4, Class 35 SSD M.2 2280, 512GB, PCIe NVMe Gen4 x4, Class 40 SSD M.2 2280, 1TB, PCIe NVMe Gen4 x4, Class 40 SSD M.2 2280, 2TB, PCIe NVMe Gen4 x4, Class 40 SSD M.2 2280, 4TB, PCIe NVMe Gen4 x4, Class 40 SSD M.2 2280, 512GB, PCle NVMe Gen3 x4, Class 40 SSD, self-encrypting drive M.2 2280, 1TB, PCle NVMe Gen3 x4, Class 40 SSD,

self-encrypting drive M.2 2280, 512GB, PCle NVMe Gen4 x4, Class 40 SSD, self-

encrypting drive M.2 2280, 1TB, PCIe NVMe Gen4 x4, Class 40 SSD, self-

encrypting drive

GRAPHICS

Integrated: Intel® UHD Graphics

Discrete: (optional)

NVIDIA® RTX A1000, 4GB, GDDR6 NVIDIA® RTX A3000, 12GB, GDDR6 NVIDIA® RTX A4500, 16GB, GDDR6 NVIDIA® RTX A5500, 16GB, GDDR6

DISPLAY OPTIONS14

17.3-inch, FHD 1920 x 1080, 60Hz, anti-glare, non-touch, 99%DCIP3, 500 nits, wide-viewing angle 17.3-inch, UHD 3840 x 2160, 120Hz, anti-glare, non-touch, 99%

DCIP3, 500 nits, wide-viewing angle, WLED

CASE COLOR Aluminum Titan Grev

PRODUCTIVITY SOFTWARE<sup>14</sup>

Dell Support Assist DDRE (Dell Developed Recovery Environment) Dell Optimizer for Precision Dell Support Cente Intel® WiFi Direct

SECURITY SOFTWARE<sup>14</sup>

Dell Client Command Suite Optional Dell Data Security and Management Software

Dell BIOS Verification

Optional Dell Endpoint Security and Management Software

VMware Carbon Black Endpoint Standard

VMware Carbon Black Endpoint Standard + Secureworks Threat Detection and Response

Dell Encryption Enterprise Dell Encryption Personal

Carbonite VMware Workspace ONE

Absolute® Endpoint Visibility and Control

Netskope

Dell Supply Chain Defense

#### FEATURE TECHNICAL SPECIFICATION

WARRANTY<sup>20, 21</sup>

3-year hardware service with on-site/in-home service after remote diagnosis

4-year hardware service with on-site/in-home service after remote

diagnosis (Upsell) 5-year hardware service with on-site/in-home service after remote

diagnosis (Upsell) 3-year ProSupport with Next Business Day on-site service (Upsell) 4-year ProSupport with Next Business Day on-site service (Upsell) 5-year ProSupport with Next Business Day on-site service (Upsell) 3-year ProSupport Plus with Next Business Day on-site service (Upsell)

4-year ProSupport Plus with Next Business Day on-site service (Upsell) 5-year ProSupport Plus with Next Business Day on-site service (Upsell)

**ACCIDENTAL DAMAGE SERVICES** 

3-year Accidental Damage Service 4-year Accidental Damage Service 5-year Accidental Damage Service

**PORTS** 

(2) ThunderBolt™ 4 ports with (USB Type-C™) USB 3.2 Gen 2 Type-C port with DP-alt mode USB 3.2 Gen 1 port with PowerShare USB 3.2 Gen 1 port HDMI 2.0a port (UMA)/1 HDMI 2.1 port (DGPU)

RJ-45 Ethernet port

Headset (headphone and microphone combo) port

SmartCard Reader SLOTS

Nano SIM-card slot, 4FF (internal) SD-card slot

Wedge-shaped lock slot

**DIMENSIONS** Height: 1.13in. (28.50mm)

Height (rear): 1.06in. (26.70mm) Height (front): 1.03in. (25.95mm) Width: 15.67in. (398.00mm) Depth: 10.44in. (265.02mm) Weight: 6.65lb (3.01kg)

**CAMERA** 

1080p at 30fps, FHD, RGB, with Omni-directional digital Microphone

1080p at 30fps, FHD, IR, with Omni-directional digital Microphone +

AUDIO & SPEAKERS<sup>14</sup>

Stereo speakers with Dialog,  $2W \times 4 = 8W$  total

**WIRELESS** Wireless

Intel® AX211, 2x2 MIMO, 2400Mbps, 2.40GHz/5GHz/6GHz, Wi-Fi 6E (WiFi 802.11ax), Bluetooth® 5.2

Mobile broadband:

Qualcomm SDX55 5G, Up to 3Gbps, 7x20MHz

6-cell, 83WHr, Lithium-ion, ExpressCharge™ 2.0 **BATTERY** 

6-cell, 93WHr, Lithium-ion, ExpressCharge™ and ExpressChargeBoost

POWER OPTIONS<sup>14</sup>

SFF 180W, 7.40mm SFF 240W, 7.40mm

REGULATORY<sup>19, 22</sup>

Product Safety, EMC and Environmental Datasheets:

https://www.dell.com/learn/us/en/uscorp1/product-info-datasheetssafety-emc-environmental

Dell Regulatory Compliance Home Page:

https://www.dell.com/learn/us/en/uscorp1/regulatory-

compliance?s=corp

Dell and the Environment:

https://corporate.delltechnologies.com/en-us/social-impact/ advancing-sustainability/sustainable-supply-chain/environment.htm

# PRECISION 7770

#### FEATURE TECHNICAL SPECIFICATION

CHIPSET Intel® WM690

INTEL RESPONSIVENESS Intel® Rapid Storage Technology TECHNOLOGIES

HARDWARE SECURITY

Trusted Platform Module (TPM) 2.0 discrete

FIPS 140-2 certification for TPM TCG Certification for TPM (Trusted Computing Group)

Contacted Smart Card and Control Vault 3 Contactless Smart Card, NFC, and ControlVault 3

SED SSD NVMe, SSD and HDD (Opal and non-Opal) per SDL

Finger Print Reader in Power Button tied to Control vault 3 SED (Opal 2.0 only - PCle Interface)

Chassis Intrusion Detection

Battery Removal Detection RPMC SPI flash

SPI Flash Tamper Detection / Prevention Shunt Circuit

DOCKING Dell Performance Dock - WD19DCS

(SOLD SEPARATELY)

MULTIMEDIA Dell Premier Wireless ANC Headset - WL7022

Dell Mobile Adapter Speakerphone - MH3021P HTC VIVE Cosmos 3D VR Headset - MFG 99HARL000-00 Dell part AA809644

RECOMMENDED ACCESSORIES

(SOLD SEPARATELY)

Dell Premier Multi-Device Wireless Keyboard and Mouse - KM7321W

Dell 7-in-1 USB-C Multiport Adapter - DA310 Dell Pro Hybrid Briefcase Backpack 15 - PO1521HB

Dell UltraSharp 32 HDR PremierColor Monitor - UP3221Q Dell UltraSharp 38 Curved USB-C HUB Monitor - U3821DW 3Dconnexion SpaceMouse Wireless - 3DX-700066

Wacom Cintiq Pro 24 Creative Pen Display Touch - DTH-2420

INPUT Optional 10-Finger Touch Display
Large Clickpad - no buttons
Spill Resistant Non-Backlit Keyboard
Spill Resistant Backlit Keyboard

SENSORS

Ambient Light Sensor

Windows Auto Brightness

Accelerometer

Adaptive Thermal Performance (Lap vs. Desk mode) requires Accelerometer (NOTE: This is for thermal only.)

Sensor Hub

Proximity for SAR compliance (for the WWAN module) Near Field Proximity Sensor

SYSTEMS MANAGEMENT

BIOS complies to Dell SMBIOS implementation spec (DSIS) SW and Drivers MUP/DUP compliant per spec Agile S01310

Dell Power Manager (DPM)
Dell Command | Configure Version 4.0
Dell Command | Monitor 10.0

Dell Command | Update 3.0

Dell Command | Update Catalog (DCUC)

Dell Command | Deploy (DCP)

Dell Command | Integration Suite for System Center 5.0 (DCIS) with vPro® Dell Command | Intel® vPro®™ Out of Band (DCIV) Dell Command | PowerShell Provider 2.0

Dell Command | Deploy Driver Pack Catalog 1.0

- \* Based on internal analysis, April 2021. Dell Optimizer available in 2020 devices, not available in OptiPlex 3000 series, Latitude 3310 2-in-1 and Latitude Chromebook Enterprise. Feature availability and functionality varies by model.
- 1 Based on Dell internal analysis of competitive PC performance software and applications. September 2021. Intelligent Privacy is available on select Dell systems and devices.
- 2 Available on Latitude 9000 and select 7000 series; Precision mobile workstations 7000 and select 5000 series. See product details for availability.
- 3 ExpressConnect available with Dell Optimizer software version 2.0 and onwards. Download the latest at https://www.dell.com/support/home.
- 4 Disclaimer: Simultaneous multi-network connection (or Connection based teaming) is a new connectivity feature under ExpressConnect. It simultaneously sends and receives data and video traffic using two or more wired or wireless connections. Based on Dell internal analysis.
- 5 Best network selection based on signal strength, channel congestion, router type and others. Network suggestions based on user credentials.
- 6 ExpressResponse must be enabled in the Applications feature. DO learns how user uses the selected application(s) over several hours. Based on Dell testing using Sysmark 2018 benchmark on a Latitude system running productivity applications; and using performance evaluation benchmarks on Precision mobile workstations running ISV applications, March 2020. Improvement will vary based on product configuration, use, application and other factors
- 7 User must input preferred apps first in order for them to be analyzed.
- 9 Based on Dell analysis, Jan 2021. 21% bioplastics in LCD coverlid.
- 10 Based on internal analysis, April 2022
- 11 Ocean-bound plastic used in the fan and fan housing (13%) on Precision 3260 CFF and the fan housing (28%) on Precision mobile workstations 3570 & 3571.
- 12 New packaging is made with up to 95% recycled content and up to 22% renewable content in the form of FSC paper fibers. Material make up varies by product and size. Excludes optional items added to order and included in box. Paper packaging materials can be recycled via municipal recycling, where available. System bag is made from recycled plastic and can be recycled along with other thin plastics.
- 13 EPEAT registered where applicable. EPEAT registration varies by country. See www.epeat.net for registration status by country.
- 14 Offering may vary by region. Some items may be available after product introduction. For complete details, refer to the Technical Guidebook published on www.dell.com/support.
- 15 System Memory and Graphics: Significant system memory may be used to support graphics, depending on system memory size and other factors.
- 16 4GB or Greater System Memory Capability: A 64-bit operating system is required to support 4GB or more of system memory.
- 17 Storage Option:GB means 1 billion bytes andTB equals 1 trillion bytes; actual capacity varies with preloaded material and operating environment and will be less.
- 18 Computrace: Not a Dell offer. Certain conditions apply. For full details, see terms and conditions at www.lojackforlaptops.com.
- 19 Please refer to www.epeat.net for specific country registration rating and participation.
- 20 Limited Hardware Warranty: For copy of Ltd Hardware Warranty, write Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see www.dell.com/warranty.
- 21 On-site service after Remote Diagnosis: Remote Diagnosis is determination by online/phone technician of cause of issue; may involve customer access to inside of system and multiple or extended sessions. If issue is covered by Limited Hardware Warranty (www.dell.com/warranty) and not resolved remotely, technician and/or part will be dispatched, usually within 1 business day following completion of Remote Diagnosis. Availability varies. Other conditions apply.
- 22 For complete listing of declarations and certifications, refer to the Dell Regulatory and Environmental Datasheet found in the Manuals section of Product Support information www.dell.com/support/home/us/en/19.

