

MANI PLASTIC AR-4L	DESIGN: WELLINGLUDWIK	959				
	Description : chair with armrests with chromed or painted steel frame and shell in polypropilene.					
	Use: indoor- outdoor					
	KG 5,4 12,8 A 0,27 B 0,32 A 4 B	ф ¹				
	80,5 45 60 53 66					
END USE	Seating for outdoor furnishings suitable to fit into bars, restaurants, public spaces but also perfect to furnish residential spaces.					
COMPONENTS	The frame is composed of metal tubes, round section, Ø16 mm, chromium plated or powder coated with polyester varnish of the following colours: black (RAL9005), white (RAL9016); or liquid painting, brass and copper. For outdoor use, frame first cataphoretically-treated and then powder coated. (The finishings must be considered as simil-RAL).					
	The shell is made of polypropylene (PP), injection-moulded, available with the following colours: white, black, dove, graphite, olive, raspberry and powder blue.					
	Stackability buffers are made of plastic material (EVA), neutral coloured.					
	Available linking device (art.978) for conference room, to be matched with plastic carter (art.977).					
	The glide plugs are made of plastic material black coloured or transparent. On request glide plugs with felted surface, tilt glide plugs with plastic slide base or felted slide base available.					
	Trolley (art.712) can transport up to 8 chairs, plastic version.					
	Packaging is made of corrugated double wave cardboard box and protective elements. It contains 4 pcs disassembled (4 shells + 4 frames) or 2 pcs assembled (2 shells + 2 frames).					
REQUIREMENTS	REACH : is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC).					
ORDINARY CLEANING AND MAINTENANCE	Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges.					
	Before stocking during invernal period, for outdoor frame, clean metal parts (frame surfaces, screws) with neutral detergents diluited with warm water or simply water, then treat these components with vaseline oil in case wear is heavy. Keep chairs in a dry and sheltered place. In case the product is placed in highly corrosive environments, wash weekly with water and dry with a soft rag.					
EXTRAORDINARY MAINTENANCE	Supplier suggested personnel only.					
PRECAUTIONS FOR USE	The chair must be used with its four legs resting on the floor at all times. Do not sit on the back. Do not stand on the chair.					
	Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre.					
	Please keep away from any heating source. The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult.					
	Arrmet srl is not liable for any damage that may result from the product misuse.					
ECOLOGY	Harmful substances This product is not toxic nor hazardous to human health, animals or environment.					
	Waste disposal					
	Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point. This products can be easily disassembled, facilitating disposal.					
WARRANTY	inis products can be easily disassembled, facilitating disposal. 24 + 2 months as referred to in 99/44/CE European directive.					

This product datasheet comply with Italian regulation (D.Lgs oth September 2005, n. 206 "Codice del Consumo"), on the subject of consumer information and implementation tool.



MANI CUSHION AR-4L	DESIGN: WELLINGLUDWIK 972				
	Description : chair with armrests with chromed or painted steel frame and shell in polypropilene with fixed cushion.				
	Use: indoor				
	6,2 14,4 A 0,27 B 0,32 A 2 B 2 B				
	H 80,5 H 46 H 60 H 53 H 65 ■ 30 ■ 0,50 H 6				
END USE	Seating suitable to furnish different areas: bars, restaurants, public spaces, libraries, conference rooms, waiting rooms but also perfect to fit into residential spaces.				
COMPONENTS	The frame is composed of metal tubes, round section, Ø16 mm, chromium plated or powder coated with polyester varnish of the following colours: black (RAL9005), white (RAL9016); or liquid painting, brass and copper. (The finishings must be considered as simil-RAL). The shell is made of polypropylene (PP), injection-moulded, available with the following colours: white, black, dove, graphite, olive, raspberry and powder blue. Fixed cushion is composed of a plastic shell, padded with cfc-free polyurethane foam and upholstered with fabric chosen by customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam.				
	Available linking device (art.978) for conference room, to be matched with plastic carter (art.977). The glide plugs are made of plastic material black coloured or transparent. On request glide plugs with felted surface, tilt glide plugs with plastic slide base or felted slide base available. Trolley (art.712) can transport up to 6 chairs, upholstered version. Packaging is made of corrugated double wave cardboard box and protective elements. It contains 2 pcs				
REQUIREMENTS	disassembled (2 shells + 2 frames) or 2 pcs assembled (2 shells + 2 frames). Fabrics, simil-leather and leather as "Materials" folder, downloadable from website. REACH: is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC).				
ORDINARY CLEANING AND MAINTENANCE	Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges.				
EXTRAORDINARY MAINTENANCE	Supplier suggested personnel only.				
PRECAUTIONS FOR USE	The chair must be used with its four legs resting on the floor at all times. Do not sit on the back. Do not stand on the chair. Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre. Please keep away from any heating source. The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult.				
	Arrmet srl is not liable for any damage that may result from the product misuse.				
	Harmful substances This product is not toxic nor hazardous to human health, animals or environment.				
ECOLOGY	Waste disposal Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point. This products can be easily disassembled, facilitating disposal.				
WARRANTY	24 + 2 months as referred to in 99/44/CE European directive.				



MANI DUO AR-4L	DESIGN: WELLINGLUDWIK 966					
	Description : chair with armrests with chromed or painted steel frame, shell in polypropilene and padded countershell.					
	Use: indoor					
	6,8 18,6 ^ 17,6 ° 0,27 °					
	80,5 46 60 53 65 \$\mathbb{g}\$ 55 \$\mathbb{g}\$ 0,80 \mathbb{g}\$ 6					
END USE	Seating suitable to furnish different areas: bars, restaurants, public spaces, libraries, conference rooms, waiting rooms but also perfect to fit into residential spaces.					
COMPONENTS	The frame is composed of metal tubes, round section, Ø16 mm, chromium plated or powder coated with polyester varnish of the following colours: black (RAL9005), white (RAL9016); or liquid painting, brass and copper. (The finishings must be considered as simil-RAL).					
	The shell is made of polypropylene (PP), injection-moulded, available with the following colours: white, black, dove, graphite, olive, raspberry and powder blue.					
	The front shell is composed of a plastic shell, padded with cfc-free polyurethane foam and upholstered with fabric chosen by customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam.					
	Available linking device (art.978) for conference room, to be matched with plastic carter (art.977).					
	The glide plugs are made of plastic material black coloured or transparent. On request glide plugs with felted surface, tilt glide plugs with plastic slide base or felted slide base available.					
	Trolley (art.712) can transport up to 6 chairs, upholstered version.					
	Packaging is made of corrugated double wave cardboard box and protective elements. It contains 2 pcs disassembled (2 shells + 2 frames) or 2 pcs assembled (2 shells + 2 frames).					
	Fabrics, simil-leather and leather as "Materials" folder, downloadable from website.					
REQUIREMENTS	REACH : is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC).					
ORDINARY CLEANING AND MAINTENANCE	Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges.					
EXTRAORDINARY MAINTENANCE	Supplier suggested personnel only.					
	The chair must be used with its four legs resting on the floor at all times. Do not sit on the back.					
	Do not stand on the chair. Check periodically that the screws are correctly tightened.					
PRECAUTIONS FOR USE	Be careful not to sit off the seating centre. Please keep away from any heating source.					
	The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult.					
	Arrmet srl is not liable for any damage that may result from the product misuse.					
	Harmful substances This product is not toxic nor hazardous to human health, animals or environment.					
ECOLOGY	Waste disposal Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point. This products can be easily disassembled, facilitating disposal.					
WARRANTY	24 + 2 months as referred to in 99/44/CE European directive.					

This product datasheet comply with Italian regulation (DLgs 6th September 2005, n. 206 "Codice del Consumo"), on the subject of consumer information and implementation tool.



MANI FABRIC AR-4L	DESIGN: WELLINGLUDWIK		959			
	Description : chair with armrests with chromed or painted steel frame and she	ell in padded polypro	pilene.			
	Use: indoor					
	6 14 A 0,27 D 0,32 A 0,27 D	2 A 2 D	Ф			
	80,5 46 60 53 65 27	1,60	h· j			
END USE	Seating suitable to furnish different areas: bars, restaurants, public spaces, libraries, conference rooms, waiting rooms but also perfect to fit into residential spaces.					
COMPONENTS	The frame is composed of metal tubes, round section, Ø16 mm, chromium plated or powder coated with polyester varnish of the following colours: black (RAL9005), white (RAL9016); or liquid painting, brass and copper. (The finishings must be considered as simil-RAL).					
	The shell is made of polypropylene (PP), injection-moulded, padded with cfc-free polyurethane foam and upholstered with fabric chosen by customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam.					
	For versione with cushion (art.972), front shell (art.966) and shell fully upholstered (art.959), plastic carter (art.977) allows stackability in upholstered version.					
	Available linking device (art.978) for conference room, to be matched with plastic carter (art.977).					
	The glide plugs are made of plastic material black coloured or transparent. On request glide plugs with felted surface, tilt glide plugs with plastic slide base or felted slide base available.					
	Trolley (art.978) can transport up to 6 chairs, upholstered version.					
	Packaging is made of corrugated double wave cardboard box and protective elements. It contains 2 pcs disassembled (2 shells + 2 frames) or 2 pcs assembled (2 shells + 2 frames).					
	Fabrics, simil-leather and leather as "Materials" folder, downloadable from website.					
REQUIREMENTS	REACH : is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any "substance of very high concern" (SVHC).					
ORDINARY CLEANING AND MAINTENANCE	Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges.					
EXTRAORDINARY MAINTENANCE	Supplier suggested personnel only.					
PRECAUTIONS FOR USE	The chair must be used with its four legs resting on the floor at all times. Do not sit on the back. Do not stand on the chair.					
	Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre.					
	Please keep away from any heating source. The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult.					
	Arrmet srl is not liable for any damage that may result from the product misuse.					
	Harmful substances					
	This product is not toxic nor hazardous to human health, animals or environment.					
ECOLOGY	Waste disposal Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point.					
	This products can be easily disassembled, facilitating disposal.					



SYMBOLS



VI INVITIAMO A LEGGERE LE NOTE, CONTENGONO INFORMAZIONI IMPORTANTI

PLEASE READ CAREFULLY THE NOTES, WHICH CONTAIN IMPORTANT INFORMATION