

2021/2022



224-500-8545



EXTERIOR DOORS





PREMIUM WITH THERMO FRAME





Door leaf thickness



Anti-burglary class RC2**



Acoustic insulation 31dB*







TERMO warm frame (extra payment)



Door leaf with a seal, filled with polyurethane foam and glulam frame



Three 3D adjustable



Decorative hinge caps



Adjustable pressure for 3-point lock system



Adjustable latch bolt



3 anti-breach bolts



Upper bolt (hook)



Additional upper lock with WILKA® knob cylinder (single key system)



3-point lock with main lock and WILKA® cylinder (single key system)



Prime, Tahoma, Manitoba Lower bolt (hook) or Magnus handle







Insulating brush



PVC/ALU threshold with



Drip guard (inswing doors)



Windstoper (seal preventing potential drafts in threshold section)



Installation kit

A GOOD DOOR IS NOT JUST MODERN DESIGN. EXPLORE THE TRAITS OF A GOOD DOOR!



DOOR LEAF FILLED WITH PUR FOAM GLUED LAMINATED TIMBER INNER FRAME

The stability and longevity of our doors is not an accident. Above all, it is an appropriately designed construction supported by thought through technological process as well as high quality components.

doors are produced with the use of polyurethane foam by a method of flooding, which consists of filling the inside of the door with a carefully chosen, optimal reagent. Using powerful presses in which the doors remain until the inner space is completely filled and solidified, we produce for You doors fulfilling the highest standards.

Next element that stabilises the construction is a glued laminated timber inner frame additionally strengthened by finger-jointing, which is a construction part of the inside of door leaf. Using PUR foam flooding and glulam frame minimises the possibility of warping, favourably influencing the stability of entire constructions for years to come.

COMPLETE DOORS ADJUSTMENT

Doors are supposed to function for years to come. Therefore, for optimal comfort of use, we must have a full range of adjustment.

3D Hinges. We equip our doors with 3d hinges that allows for smooth adjustment in all three dimensions, ensuring comfortable and easy adjusting without the need of removing the leaf from the door frame.

Espagnolette. Multi-point lock as a uniform and permanently interconnected system. Lock face plate runs the full length of door. This solution adds extra stability and airtightness while also simplifying adjustment possibilities and creating a sublime visual effect.

Lock adjustment. As standard we offer You a system of coupling plates that allows easy adjustments in all bolt locking points. Ensuring an optimal set of adjustments for the current season and Your preferences.





GLAZING WITH WARM EDGE SPACER BARS

As standard, each glazing used in doors is equipped with a warm edge spacer bar in between individual panes of glass substantially improving thermal parameters of the sealed glazing unit. Using such a solution dramatically limits the effect of a heat bridge of glass simultaneously minimising the possibility of condensation gathering on the side parts of the glazing.



SUBTHRESHOLD EXTENSION

In order for Your exterior door to be Your joy for years to come, it should be equipped with a special construction that eliminates any heat-bridges (freezing underneath the door) as well as ensures stability and longevity of the installation.

The element that should be incorporated into each door package is a subthreshold extension. It is mounted underneath the door threshold guaranteeing stable placement of the whole installation. This has a substantial influence on durability and longevity of the installation while also eliminating a heat-bridge effect where inner flooring and outer concrete slab meets. In our offer You will find such extensions made with PVC and Klinaryt (hardened expanded polystyrene).

ADDITIONAL GLAZING: P4 ANTI-BURGLARY GLASS AND ONF-WAY MIRROR

One-way mirror glazing allows the best reflection factor from the outside while keeping the visibility from the inside. One-way mirror is available for almost every model of doors.

P4 anti-burglary glass is an option allowing for a very high resistance against burglary attempts while simultaneously keeping the visual aesthetics intact. Glazing set contains 3 glass panes, one of which (P4 glass) is actually two panes, 4 mm thick each, held together by 4 layers of foil.




MAINTANANCE AND USAGE OF THE DOORS

In order for the INOX stainless steel elements to remain a decoration accessory, it is recommended to regularly conserve them with a cleaning agent dedicated to those types of surfaces (available in our offer). Using the recommended cleaning fluid allows to avoid discolouration and rust stains. Dirt and residue remaining for too long on the surface of stainless steel may lead to rust, corrosion or tarnishing of that surface.

Over time and due to atmospheric conditions protective foil starts vulcanising, making it harder to remove later on. Therefore, after finished installation it should be removed from doors and INOX elements. As part of maintenance doors should be washed with a soft cloth and a neutral washing agent. It will provide durability and appropriate look for long years to come. Details of maintenance can be found in the guarantee card.




| AVAILABLE COLOURS | A | | 44 | | - | 121 | | | AA | AAA | | A |
|----------------------|---|----------------|---------------|--------------|-------|--------|----------|------------|-----------------|-------------------------|-------|----------------|
| | ANTHRACITE STRUCTURE PLAIN SAPPHIRE ANTHRACITE ANTHRACITE | SILVER GRAY | GOLDEN OAK | SWAMP OAK | WENGE | WALNUT | MAHOGANY | WINCHESTER | BLEACHED OAK | WOODEC OAK TURNER | WHITE | MATTE BLACK |



PED 40 PED 40 A






PED 39 A PED 39 B





PED 38 A






PED 37 PED 37 A









PED 35







place of the glass. The colour of the Diamond glazing muntin depends on the colour of the selected fittings.












place of the glass. The colour of the Diamond glazing muntin depends on the colour of the selected fittings.




PED 32 PED 32 A PED 32 B




PED 31 PED 31 A



PED 30




PED 29 PED 29A





Glazings


No glazing available for this door.






Glazings

No glazing available for this door.










PED 26G PED 26G



PED 26H








PED 25C



PED 24



PED 23 PED 23A



⟨ 90° ⟨ 45°

⟨ 90° ⟨ 45°

⟨ 90°

P8

Х3

Price given individually

Price given individually

Price given individually

X4

PED 22 PED 22A PED 22B








PED 21 PED 21A










PED 19A PED 19B








Doors without glazing feature embossing.





















Doors without glazing feature embossing.






Glazings


No glazing available for this door.




Glazings

No glazing available for this door.






PED 12 PED 12A PED 12B



PED 12C









Additional information

In the door without glazing, there is an embossing in place of the glass. The colour of the Diamond glazing muntin depends on the colour of the selected fittings.




PED 10





In the door without glazing, there is an embossing in place of the glass. The colour of the Diamond glazing muntin depends on the colour of the selected fittings.











Doors without glazing feature embossing.















In the door without glazing, there is an embossing in place of the glass. The colour of the Diamond glazing muntin depends on the colour of the selected fittings.









WINCHEST

GOLD OAI WALNU

MAHOGA

WENGE

NAMP OAK ANTHRAC SAPPHIE

CITE IRE AN

PLAIN INTHRACITE STRUCTURE ANTHRACITE




PED 5





Additional information


In the door without glazing, there is an embossing in place of the glass. The colour of the Diamond glazing muntin depends on the colour of the selected fittings.







In the door without glazing, there is an embossing in place of the glass. The colour of the Diamond glazing muntin depends on the colour of the selected fittings.







Additional information

In the door without glazing, there is an embossing in place of the glass. The colour of the Diamond glazing muntin depends on the colour of the selected fittings.



PED 2






Additional information

In the door without glazing, there is an embossing in place of the glass. The colour of the Diamond glazing muntin depends on the colour of the selected fittings.









Glazings

No glazing available for this door.

CAMELEON DOORS

in a colour from Your dreams from RAL palette!



Possibility of manufacturing **CAMELEON** doors with or without embossing or glazing (only designs with stainless steel INOX and BLACK frame).





LEARN MORE

Starting price of the **CAMELEON** door is the base price for a given model with standard accessories. **Caution - increased wait time for the door. List of available colors after consulting the sales department.**

FXTRA PAYMENT

| Promount | Property Priced individually | Priced

CAMELEON NORMAL doors feature standard accessories from NORMAL series with the difference that CAMELEON NORMAL are fit with only one lock (only main lock). CAMELEON PREMIUM doors feature standard accessories from PREMIUM series. CAMELEON OPTIMUM doors feature standard accessories from OPTIMUM series. Doors with glazing possible only with the designs featuring INOX and BLACK frame. CAMELEON TERMO PRESIGE LUX doors feature standard accessories from TERMO PRESIGE LUX series. Doors with glazing possible only with the designs featuring INOX and BLACK frame.


Available sizes (width of door leaf) 80N 80 90N 90 1001



FUTURE INOX is a door collection representing a completely unique design.

Subtle decorative frame flush to the door leaf as well as the possibility of mixing and matching two different colors separated from one another are the newest design proposal for doors.

This design solution was unavailable until now for this product type.











DESIGN

















PED FI03b





ALUMINIUM DOORS FUTURE INOX










ALUMINIUM DOORS FUTURE INOX



ALUMINIUM DOORS FUTURE INOX













The width of the decorative elements is illustrative and may vary depending on the door line and the width of the door leaf.

| OPTIONALLY AVAILABLE DOOR HEIGHT | | | | | |
|----------------------------------|---|--|--|--|--|
| 2110 - 2400 | Every 1 cm. | | | | |
| | Doors are available in a standard height and optionally (extra payment) in sizes above. | | | | |
| SIDE PANELS AND PASSIVE LEAVES | | | | | |

Unavailable for Future INOX series.







| | PRICING | ; | | |
|----------------------|----------|---------|------------|----------|
| DOOR TYPE | GLAZING | FI09A | FI09B | FI09C |
| ₽ Premium | ~ | Price g | iven indiv | ridually |
| 丹 Optimum | ~ | Price g | iven indiv | ridually |
| ↑ Termo Prestige Lux | ~ | Price g | iven indiv | ridually |

PED Fi09B

PED Fi09C









The width of the decorative elements is illustrative and may vary depending on the door line and the width of the door leaf.

OPTIONALLY AVAILABLE DOOR HEIGHT

Doors are available in the standard height option only.

SIDE PANELS AND PASSIVE LEAVES

Unavailable for Future INOX series.


















The width of the decorative elements is illustrative and may vary depending on the door line and the width of the door leaf.



Unavailable for Future INOX series.



DISCOVER A NEW

DIMENSION OF GLASS DESIGN



External doors from GLASS DESIGN collection is the newest design proposal where glazing from the outside and frames from the inside are both flush to the door leaf giving an outstanding effect.

New technology used for GLASS DESIGN series allows to mount the glazing without the need of using a glazing frame from the outer side.




Glazing used in GLASS DESIGN series have a unique one-way mirror Black of a very high reflection factor. This unique visual effect underlines the extraordinary look of the entire door.



PED GD01A








| | PRICING | |
|-----------------------------|----------|--------------------------|
| DOOR TYPE | GLAZING | GD01A GD01A GD01A |
| ₽ Premium | ~ | Price given individually |
| 丹 Optimum | ~ | Price given individually |
| 丹 Termo Prestige Lux | ~ | Price given individually |

PED GD01B PED GD01C











AVAILABLE SIZES
(WIDTH OF DOOR LEAF)












| PRICING | | | |
|-----------------------|----------|---------------|---------------|
| DOOR TYPE | GLAZING | GD 02A | GD 02B |
| ₽ Premium | ~ | Price given i | individually |
| 丹 Optimum | ~ | Price given i | individually |
| Termo Prestige Lux | ~ | Price given i | individually |

PED GD02B


























SIDE PANELS AND PASSIVE LEAVES
Unavailable for Glass Design series.

OPTIONALLY AVAILABLE DOOR HEIGHT

2110 - 2400 Every 1 cm.


Doors are available in a standard height and optionally (extra payment) in sizes above.

EXPLORE OPTIONAL ACCESORIES


Double-leaf doors have the standard equipment of the PREMIUM series, they can be used both with "9" and "11" frames as well as TERMO (additional payment dedicated for frame Termo).

In the models shown it is possible to order a passive wing in the full version without embossing, pressed or with glazzing.


In the door with the TERMO door frame it is possible to order the upper and side snails (additional payment applies). The passive leaf is an opening element.



 \triangle Colours available only for Premium line with Termo Frame. Colours are not available for glazed doors with PCV frame. \triangle \triangle Bleached Oak colour available only for Termo Prestige Lux, Optimum with Termo frame and Premium with Termo frame. \triangle \triangle \triangle Colour Woodec Oak Turner unavailable for doors with PVC frames.



DOUBLE EXTERNAL PREMIUM DOORS CONSTRUCTION




| | AVAILABLE | SIZES | ΩF | DOUBLE | DOORS |
|----|-----------|-------|----|--------|--------|
| ~~ | AVAILADLL | JIZLJ | UF | DOODLL | 000113 |

| SET WIDTH | ACTIVE LEAF WIDTH | PASSIVE LEAF WIDTH |
|-----------|-------------------|--------------------|
| 110 | 80 | 30 |
| 100 | 90 | 30 |
| 120 | 80 | 40 |
| | 80 | 50 |
| 130 | 90 | 40 |
| | 100 | 30 |
| | 80 | 60 |
| 140 | 90 | 50 |
| | 100 | 40 |
| 450 | 90 | 60 |
| 150 | 100 | 50 |
| 160 | 100 | 60 |

Sidelights available only with TERMO frame.

When using TERMO frame it is possible to connect with one-leaf doors, two-leaf doors and doors with passive side panels. Made with warm aluminium TERMO profile. Available in all colours. Every sidelight comes with three glass pane unit. Prices include installation kit.

There is a possibility of manufacturing sidelights and top lights in non-standard dimensions (in between those shown in table below). Cost of sidelight with non-standard dimensions varies.



WORTH KNOWING

It is good to choose the right sidelight as early as during design phase. It will allow to reduce installation costs.



EXTERIOR DOOR WITH PASSIVE PLAIN SIDE LEAF

EXPLORE OPTIONAL ACCESORIES


Doors with passive plain side leaf contain the PREMIUM series standard equipment and are always available with TERMO frames (extra charge to the TERMO frame according to the rates). Passive plain side leaf may be present on one side or both sides of main door leaf. Both TERMO door frame and passive plain side leaf frame are combined in the same way as with sidelights and transoms.

Passive plain side door leaf available in width 30, 40, 50 and 60. Availability depends on door line.

AVAILABILITY OF THE FOLLOWING WIDTHS ONLY FOR PREMIUM LINES. FOR OPTIMAL AND THERMO PRESTIGE LUX LINES, AVAILABLE WIDTHS AFTER CONSULTATION WITH THE SALES DEPARTMENT.







Passive plain side leaf width e.g. 40 cm means that the side leaf with frame has on the outer side total width 40 cm.

| AVAILABLE SIZES OF PASSIVE PLAIN SIDE LEAF | | | |
|--|------------|----------------------------------|--|
| SET WIDTH | LEAF WIDTH | PASSIVE PLAIN SIDE LEAF WIDTH | |
| 1525 | 80 | 30 + 30 | |
| 1625 | 90 | 30 + 30 | |
| 1725 | 80 | 40 + 40 | |
| 1/25 | 100 | 30 + 30 | |
| 1825 | 90 | 40 + 40 | |
| 1925 | 100 | 40 + 40 | |
| 1925 | 80 | 50 + 50 | |
| | ETC. | | |


Passive plain side leaf width e.g. 40 cm means that the side leaf with frame has on the outer side total width 40 cm.

| AVAILABLE SIZES OF PASSIVE PLAIN SIDE LEAF | | | |
|--|------------|----------------------------------|--|
| SET WIDTH | LEAF WIDTH | PASSIVE PLAIN SIDE LEAF WIDTH | |
| 1761 | 80 | 40 + 40 | |
| 1861 | 90 | 40 + 40 | |
| 1961 - | 100 | 40 + 40 | |
| 1961 | 800 | 50 + 50 | |
| | ETC. | | |


Passive plain side leaf width e.g. 40 cm means that the side leaf with frame has on the outer side total width 40 cm.

| AVAILABLE SIZES OF PASSIVE PLAIN SIDE LEAF | | | |
|--|------------|----------------------------------|--|
| SET WIDTH | LEAF WIDTH | PASSIVE PLAIN SIDE LEAF WIDTH | |
| 1783 | 80 | 40 + 40 | |
| 1883 | 90 | 40 + 40 | |
| 1983 | 80 | 50 + 50 | |
| ETC. | | | |

DETAILED FEATURES OF PREMIUM TERMO DOORS ON PAGE 9



DETAILED FEATURES OF OPTIMUM TERMO DOORS ON PAGE 7



DETAILED FEATURES OF TERMO PRESTIGE LUX DOORS ON PAGE 6



WAY OF OPENING DOORS WITH PULL-HANDLE



espagnolette.

electric strike.

STANDARD ACCESSORIES INCLUDED IN THE PRICE OF DOORS


| NAME AND DESC | RIPTION | | | | |
|--------------------------|--|--------------------------|--------------------------|--------------------------|--|
| , , , | Handle Prime Available colours: Old Gold / INOX (stainless steel) | Pri | Price given individually | | |
| ++ | Handle Tahoma Available colours: Old Gold / INOX (stainless steel) | Pri | ce given individu | ally | |
| , , , , | Handle Manitoba Available colours: INOX (stainless steel) / Old Gold / Titan | Pri | ce given individu | ally | |
| • • • • | Handle Magnus Available colours: INOX (stainless steel) / Old Gold / Titan | Pri | ce given individu | ally | |
| | Cylinder (30/45) / Cylinder-Knob (30/45) Single key system | Price given individually | - | - | |
| WILKA SCHARSSTECHIN | Cylinder WILKA (30/45) / Cylinder-Knob (30/45) Single key system. 5 keys included. | Price given individually | - | - | |
| WILKA SCHLIESTTEHNIK | Cylinder WILKA (50/50) / Cylinder-Knob (50/50) Single key system. 5 keys included. | - | Price given individually | - | |
| WILKA onlitestreening | Cylinder-Knob or double-sided Cylinder WILKA (55/55) Single key system. 3 keys included. | - | - | Price given individually | |
| 49 | Aluminum threshold with a seal | Price given individually | - | - | |
| Har | PCV threshold with a seal Dedicated for frame Termo | Price given individually | - | - | |
| 31 | Aluminum threshold with a seal Dedicated for frame Termo | Price given individually | - | - | |
| | Aluminum threshold | - | Price given individually | - | |
| | Warm threshold with thermal PCV/ALU barrier Dedicated for frame Termo | - | Price given | individually | |
| V | Steel door frame 11 | Price given individually | | - | |
| V | Aluminum door frame Termo | - | Price given individually | - | |

ACCESSORIES FOR AN ADDITIONAL CHARGE

| NAME AND DESCI | RIPTION | | | |
|--------------------------|---|--------------------------|--------------------------|--------------------------|
| 2.40m | Doors higher than standard height Maximum height with frame (Hc) up to 2400 mm. Only available with Termo frame. Applies to single-wing doors and doors with transoms. Premium doors surcharge applies. | Pri | ce given individu | ally |
| | Hidden hinges (set) Set contains 2 pcs. If the doors is higher than 2200mm - 3 pcs. are equired. | - | - | Price given individually |
| 162 | Installation set for hidden hinges Reusable set required to install doors equipped with hidden hinges. | - | - | Price given individually |
| | Insulated frame Termo Premium Doors | Price given individually | - | - |
| P. I. | Insulated frame Termo Optimum Doors | - | Price given individually | - |
| | Handle Manitoba Colour: Black | Pri | ce given individu | ally |
| | Handle Magnus Colour: Black | Pri | ce given individu | ally |
| 0 0 | Handle Prestige class C (without anti-drill) Colours: Titan, Old Gold, INOX (stainless steel) | Price given individually | | |
| 1 | Handle Prestige class C (without anti-drill) Colours: Titan, Old Gold, INOX (stainless steel) | Price given individually | | ally |
| | Handle Prestige class C (anti-drill) Colour: Black | Price given individually | | ally |
| + | Handle Magnus class C (anti-drill) Colours: Old Gold, INOX (stainless steel) | Pri | ce given individu | ally |
| | Handle-knob class C Colours: Old Gold, INOX (stainless steel) | Price given individually | - | - |
| 9 9 | C class insert (anti-drill, for double-sided handrails) Colour: INOX | Pri | ce given individu | ally |
| • • | C class insert (anti-drill, for double-sided handrails) Colour: Black | Pri | ce given individu | ally |
| | Handle-Cylinder Colours: Titan, Old Gold, INOX (stainless steel) | Pri | ce given individu | ally |
| WILKA' SCHLIESSTECHNIK | Cylinder (30/45) + Cylinder-Knob (30/45) Wilka class C Single key system. 5 keys included. | Price given individually | - | - |
| WILKA | Cylinder (50/50) + Cylinder-Knob (50/50) Wilka class C Single key system. 5 keys included. | - | Price given individually | - |
| WILKA SCHLIESSTECHNIK | Cylinder-Knob or double-sided Cylinder Wilka class C Single key system. 3 keys included. | - | - | Price given individually |
| WILKA SCHLIESTECHNIK | Wilka Black Cylinder Single key system. One cylinder or set of cylinders depending on the door series. | Pri | ce given individu | ally |
| WILKA' SCHLIESTECHNIK | Wilka Black Cylinder class C Single key system. One cylinder or set of cylinders depending on the door series. | Price given individually | | ally |
| investlåck | Investlock cylinder class C Contains 5 investor keys plus 2 construction keys. Single lock or set of locks depending on door series. | Pri | ce given individu | ally |

ACCESSORIES FOR AN ADDITIONAL CHARGE

| NAME AND DESCRIPT | ION | | |
|-------------------|---|---------------------------------------|--------------------------|
| | Round handrail Alfa 60 cm Mounting angle: 45° or 90° Colour: INOX (stainless steel) | Price given individually ¹ | Price given individually |
| | Round handrail Alfa 120 cm Mounting angle: 45° or 90° Colour: INOX (stainless steel) | Price given individually | |
| | Round handrail Alfa 150 cm Mounting angle: 45° or 90° Colour: INOX (stainless steel) | Price given individually | |
| | Round handrail Alfa 150 cm with button Mounting angle: 45° or 90° Colour: INOX (stainless steel) It requires the use of an electric lock and power supply or an automatic espagnolette (available only for the Termo Prestige Lux line) | Price given individual | ly |
| - | Round handrail Alfa 120 cm Mounting angle: 45° or 90° Colour: Black | Price given individual | ly |
| - | Round handrail Alfa 150 cm Mounting angle: 45° or 90° Colour: Black | Price given individual | ly |
| | Round handrail Alfa 150 cm with button Mounting angle: 45° or 90° Colour: Black It requires the use of an electric lock and power supply or an automatic espagnolette (available only for the Termo Prestige Lux line) | Price given individual | ly |
| T | Rectangular handrail Beta 120 cm Mounting angle: 45° or 90° Colour: INOX (stainless steel) | Price given individually | |
| 1 | Rectangular handrail Beta 150 cm Mounting angle: 45° or 90° Colour: INOX (stainless steel) | Price given individually | |
| | Rectangular handrail Beta 150 cm with button Mounting angle: 45° or 90° Colour: INOX (stainless steel) It requires the use of an electric lock and power supply or an automatic espagnolette (available only for the Termo Prestige Lux line) | Price given individually | |
| TE | Square pull handle Beta 150 cm with fingerprint reader Mounting angle: 90°. Colour: INOX (stainless steel). More information: page 65. | - More informat | ion: page 65 |
| - | Rectangular handrail Beta 120 cm Mounting angle: 45° or 90° Colour: Black | Price given individual | ly |
| 7 | Rectangular handrail Beta 150 cm Mounting angle: 45° or 90° Colour: Black | Price given individual | ly |
| TIE | Rectangular handrail Beta 150 cm with button Mounting angle: 45° or 90° Colour: Black It requires the use of an electric lock and power supply or an automatic espagnolette (available only for the Termo Prestige Lux line) | Price given individual | ly |
| | Pull handle (arc) Omega 150 cm Dedicated to designs: 36, 38 Colour: INOX | Price given individual | ly |
| | Pull handle (arc) Gamma 60 cm Dedicated to designs: 31 Colour: INOX | Price given individual | ly |
| | Pull handle (arc) Gamma 150 cm Dedicated to designs: 31 Colour: INOX | Price given individual | ly |
| - | Pull handle (arc) Sigma 90 cm Dedicated to designs: 21 A, 23 A Colour: INOX | Price given individual | ly |
| | Pull handle (arc) Sigma 150 cm Dedicated to designs: 21 A, 23 A Colour: INOX | Price given individual | ly |





529 N Wolf Rd. Wheeling, IL 60090 (224) 500-8545 info@powereurodoors.com

VISIT US AT POWEREURODOORS.COM