## P P P D U C T S





Founded in the heart of lakes country, Minnesota, where we still call home, PolyDock Products tested the limits of what a floating dock could be.

Each year, our team at PolyDock Products strives to improve our products to deliver PolyDock customers a world-class dock, unlike anything else on the water. Our products are handcrafted by skilled men and women who take pride in building docks and ports. Products that allow you to make enjoyable lifelong memories with family and friends for years to come.

Our league of professional and experienced dealers will assist you with your dream waterfront, using PolyDock Products.

We look forward to welcoming you into our family or congratulating you on another PolyDock purchase.

TABLE OF CONTENTS				
PolyDock	6			
Dock Accessories	8			
ShorePort	12			
HydroPort Series	14			
Kayak Launches	18			
Ramps & Gangways	20			
Dock Connectors	22			
Anchoring Options	24			
Specifications	27			

#### WHY CHOOSE POLYDOCK PRODUCTS?

WhenyouchooseaPolyDockfloatingdocksystem, yougetadocksystem that canenhanceyourshoreline's appearance. Its integral brick patterned surface fits well with nearly any water front property and contributes to the overall stability of the dock system. PolyDock is designed to require minimal maintenance, so your dock not only looks great but savestime as well. Spend more time enjoying the water front and less time and moneystaining, painting, and replacing dock boards.

#### **PREMIUM STABILITY**

ThesecrettoPolyDock'sstrengthandstabilityistheconnectorsthatallowtheentiredocksystemtoactinunison. WhenyouwalkonaPolyDockdocksystem,you'llnotice that the whole layout feels very firm and rigid.

#### EASY TO OWN

Thankstominimalmaintenancerequirements, you'llquicklydiscoverhoweasyPolyDockandShorePortownership is—nomorereplacingwarpedboardsorfrayedliftcables.





#### EASY ON YOUR FEET

Thesafe, slip-resistant, attractive designs of PolyDock and ShorePortaree asyony our feet and designed to look great while complimenting nearly any water front environment.

#### EASY INSTALLATION

Whether you are installing PolyDock by yourself or having it installed, PolyDock Product susceasy to follow instructions. A typical dock system can be installed in just a few hours by a couple of people.

#### GREAT DURABILITY

We'vebeenmanufacturingrotationallyMoldedPolyDock andShorePortsince1998, and manyofthose firstdock sections and ShorePorts are still in use today.

#### ENDLESSVERSATILITY

With PolyDock Products, you can create nearly any layoutforaperfectresidential,commercial,ormunicipal waterfront environment.



## POLYDOCK MODULAR FLOATING DOCKS







## **BETTER WITH EVERY STEP**

#### FIRM WALKING SURFACE

The attractive herringbone brick pattern is supported underneathbyhundredsofkiss-offsthatcreateanincredibly firm, non-spongy walking surface.

#### **PREMIUM STABILITY**

PolyDockofferssuperiorstabilitythatyou'llfeelthroughoutthe entiredocksystem.You'llinstantlynoticethateachpartofthe PolyDocksystemworksinunison,fromthedocksectionstothe connectors,tothepipebracketstoprovidesuperiorstability.

#### EASY TO OWN

APolyDocksystemprovidesyouwithminimalmaintenance, so you'llneverneedtopaint, stainorreplacewarpeddockboards again. And because it's afloating dock, you won't need to adjust your dock height due to continually changing water levels.

Available in Tan and Gray

#### CONFIGURATION EXAMPLES



## POLYDOCK ACCESSORIES QUICKLY CUSTOMIZE YOUR POLYDOCK

## THE INDUSTRY'S MOST ACCESSORIES

Add, remove, or reconfigurey our dock accessories at a moment's notice with PolyDock's easy to use Accessory Connectors. Lightweight a luminum connectors and brackets provide superiors trength and durability, while stainless steel and brass hardware won'trust or corrode. When you choose a PolyDock floating dock system, you'llen joy the convenience of being able to quickly and easily reconfigurey our dock accessories.

#### LADDERS

GetinandoutofthewaterquicklywithPivotingLadders.Ourladdercan bemountedanywherealongthedockframetoaccommodateyourdock andslipsetup.Averticalpivotingactionandlockingpinallowyouto fliptheladderupwhenyou'renotusingit.Atthesametime,standard handrailsonthestepsprovidesafe,stableusageandentry.All-aluminum construction means hassle-free ownership.

#### KASHTON DOCK FURNITURE

**OFF-DECK** 

OurKashtonfurnitureoffersasimpleyetversatiledesignandanallaluminumconstructionforagenuinelyuniquedockfurnitureexperience. Theswivelrockermechanismprovidescomfortandfunctioninall climates.Availableinfivefabricoptions(chairsandumbrellacoordinate), yougetfurniturethatmatchesyourwaterfrontspace'suniquestyle. Kashtonfurnitureisavailableasaset(twochairs,table,andumbrella)or individual pieces.









#### DUAL STAND-UP PADDLEBOARD RACK

The PolyDockstand-uppaddleboardrack offers easy installation and seamless protection for ourpaddleboards. Its simple, intuitive design makes your paddleboard more accessible, meaning you'll have more time to use them and less hassle storing.



#### WATERSPORTS RACK

Add the Paddle Sports Rack to easily store yourkayak, paddleboard, or canoe on the dock so it will be ready for the water when you are. The Paddle Sports Rack is constructed of aluminum and keeps your gear up and off the pier to maximize your dock space.



#### STANDARD DOCK FURNITURE OFF-DECK

Featuringslopedarmrests, premiumquality fabricslings, and all-aluminum construction, our Standard Furniture offers a more economical option withouts acrificing quality or comfort. Complete with an ivory frame, beige fabricsling, mesh table, and tan umbrella.





#### **POWER PEDESTAL MOUNT**

Addtheconvenienceandfunctionalityof powerpedestalstoyourdocksystemormarinawiththePowerPedestalMountBrackets fromPolyDockProducts.ThePowerPedestal MountconnectstothesideofPolyDockfora top mount pedestal installation.



#### **DOCK BUMPERS**

Verticaldockbumpersinstalleasily,andcan bequicklyadjustedupordowntoprovide youwiththeperfectlevelofprotectionfor yourwatercraft.Anadapterkitisavailableto allowyoutoinstallthedockbumpershorizontally if desired. *Available colors include: Blue, White, Tan, and Black.* 



#### LAKEVIEW BENCH

**OFF-DECK** 

TheLakeviewbenchisanexcellentaddition toyourPolyDocksystem.Theyfeatureanaluminumframeandanergonomic,rotationally moldedseatandbackrestforcomfort.Optionalarmrestswithcupholdersareavailable for additional convenience.



**DOCK CLEAT** 



HANDRAIL Various Lengths Available



FLAG POLE



## **SHOREPORT** DRIVE-ON PWC PLATFORM

## ADVENTURE IS MERELY A FEW STEPS AWAY.

#### FASTER LOADING AND LAUNCHING

ShorePort is built to get you on and off of the water faster than a traditionalstanding,PWClift.Pushofftolaunch,anddriveontoload.With ShorePort, your next adventure is only a few steps away.

#### EASIER TO OWN

ShorePorthasfewermovingpartsthanatraditionalPWCliftandfewer rollersthanotherdrive-onPWCstorageplatforms.Fewercomponents makeShorePorteasiertomaintain;plus,theShorePortdesignhasbeen in use for nearly two decades, so its durability is time-tested.

CAPACITY	LENGTH	WIDTH	WEIGHT
1,150lbs-1,450lbs*	138″	58″	260 lbs

Twomid-sectionrollersareadjustabletoaccommodatevirtually anyPWCorjetskihullstylewhiletherearrollermakesforeasy transitions from the water to storage on the ShorePort.

#### AvailableinTanorGray

## HYDROPORT® SERIES FAST, CONVENIENT ACCESS TO THE WATER

#### PEACE OF MIND ALL THE TIME

Easyon–Easyoffmeansquickeraccesstothewater.Nomoretrailering. No more boat ramps. No more hull cleaning. It's that easy.

#### SAFE AND SECURE EXTENDED STORAGE

TheHydroPort's exclusive bowbumpers lows your craft's forward motion and provides a softrest for the keel. Plus, the molded-intie-down offers an easy solution for extended out-of-the-water PWC storage.

#### **MULTIPLE ANCHORAGE AND CONNECTION OPTIONS**

Builtfortoday's larger PWC units, the Hydro Ports utilizes a front-or side-mount connection for free-standing, standing dock and floating dock applications. Stainless steel roller axles for increased strength and compatibility with fresh, brackish, and saltwater.

#### AVAILABLE IN THREE COLORS:

## HYDROPORT® SERIES

File:

Test

EPIC

EN EN

200



The HP EPIC<sup>™</sup> has the widest anti-skid walkways in our HydroPortSeriesfleetofports.Thelatestentrydesignhas themostcomfortableloadandlaunchofanyPWCdocking platformonthemarket.Ouranti-slipwalkingsurfaceprovides the safest access around your craft.The HydroPortEPIC accommodatestheincreaseinsizeandcapacityoftoday's PWCs.TheEPICprovidesstableaccess,easycleaning,fast covering,detersintakefowlingassociatedwithmarinegrowth, and protects your PWC against rough waters.





The HydroPort Extreme is a marine foam-filledportforincreasedstrength. It'sfullyroller-supportedwidthand placement are easily adjustable to accommodatedifferentPWCmodels. Ourexclusive"airpillow"bowstopand flatanti-skidwalkingsurfacesprovide easy loading and launching.




## KAYAK LAUNCH FOR SHOREPORT

THE BEST WAY TO LOAD AND LAUNCH YOUR KAYAK OR CANOE

## Turn your dock system into a true "home base" for all of your adventures with the Kayak Launch for ShorePort from PolyDock Products.


#### **STAND ALONE KAYAK LAUNCH**

The Standalone Kayak Launch is designed to allow for a standalonekayakorcanoelaunchsystem.Requiringonlya ShorePort,theKayaklaunchrails,andtheproperanchorage optionssuchaspipebrackets,chainguides,orstiffarmsfor installation.Additionaldocksectionscanalsobeaddedtoallow for more dock space and improved stability.



### POLYDOCK KAYAK LAUNCH

The PolyDock Kayak Launch is designed to allow a parallel connection to the 10'side of a PolyDock floating dock section. A perfect layout for those interested increating additional dock space. This version requires a 4x10 or 5x10 PolyDock section, Shore Port, the kayak launch rails, and proper anchorage options such a spipe brackets, chain guides, or stiff arms.



## **RAMPS & GANGWAYS** A TRANSITION FOR EVERY SHORELINE

#### **WIDE SELECTIONS**

Choose from a widerange of ramps and gang ways available invarious widths and lengths to accommodate nearly any application. Gang ways feature handrails for safety and strength. Ramps are available in two styles and multiple sizes – 4'x 4', 4'x 8', and 6'x 8' to fit your transition requirements.

#### MAXIMUM DURABILITY

We'vebeenweldingaluminumforover40years, soourdurability and experience is unmatched. Ramps and gangways from PolyDock Products are constructed of high-quality aluminum. They are precision welded to provide you with an attractive and long-lasting transition between your shore and your dock system. Decking choices vary by product and include Cedar, Glacier, and Aluminum tread panels.

#### **EASY CONNECTIONS**

AllPolyDockrampsandgangwayscanbeinstalledusinghingesand rollerstoallowyourramporgangwaytohingeattheshore, atthedock. AllPolyDockrampandgangwayconnectionsfeaturedurablestainless steelandbrassmountinghardwareforeasy installation and durability.

#### **IO PREMIUM DECKING OPTIONS**

Withtendifferentdeckingoptionstochooseyoucancreatea completelyunqiuesystemtomatchyourhomeorcabin.Visit PolyDockProducts.com to learn more.

Forspecifications on ramps and gangways, see page 27

## DOCK CONNECTORS STRENGTH. SIMPLICITY. FLEXIBILITY.

#### **COMPLETE DOCK STABILITY**

The PolyDock Products Dock Connectors are an integral part of the PolyDock Products Dock Stability System. The length of each dock section and the PolyDock Connectors's trength act to distribute wave energy throughout the entire dock system. The seconnectors give you a firm, flat deck surface that remains incredibly stable in a wide range of weather and wave conditions.

#### **TOP AND BOTTOM COMPOSITE MATERIAL**

The top and bottom of the PolyDock Connector are manufactured from high-density polyethylene. Each Connector spans the full length or width top rovide a more durable and secure connection and improved dock system stability.

#### **COMPOSITE CONNECTOR RODS**

EachPolyDockConnectorusesultra-durablecompositeconnectorrodstosecure thetopandbottompiecesoftheConnectortogether.Thecompositeconnector rods are designed to be incredibly durable and remain tight .

#### **CONNECTOR HARDWARE**

Inadditiontothecompositerods, all connector hardware is corrosion-resistant stainless steel. It provides an easy to install and long-lasting dock to dock connection system.

DiagramofPolyDockdocksystemEnergyTransfer(representedbythearrows) in reaction to wave action (represented by the blue line).

## ANCHORING OPTIONS SIMPLE. QUICK. DURABLE.



PipeAugers: Allowsanchorage pipetobe Large Pipe Bracket: Holds dock system augeredintothelake, river, or ocean bottom. Fits 2" I.D. pipe. Pipe sold separately.



and Shore Ports in place when used with 2" schedule40galvanizedpipe(soldseparately). Allowsthesystemtoremaininplacewhile adjusting for water fluctuation.



HeavyDutyPipeBracketWithChainGuide: Allowsanchorageofthedockindeepwateror firm lake bottoms.



LightDutyPipeBracket:Alightdutypipe bracketperfectforsmalldocklayoutsincalm waters such as farm ponds.



ShorePortRearPipeBracket:Attachestothe rearoftheShorePorttoprovideadditional stabilitytosingleormultipleShorePortinstallations.



StandOffBracket(Pair):Providesadditional PileHoops:Availablein8",10",and12"sizesto supportforconnectingPolyDockorShorePort offset from standing docks.

fitawiderangeofpilinginstallations.Includes

roller system for smooth operation.



HeavyDutyStiffArm:Anchoryourdockor ShorePorttoaseawall,deck,postorother abutmentonshore.Galvanizedpipesold separately.



ShorePorttoaseawall, deck, postorother dock system with chains affixed to deadabutment on shore. Perfect for light duty, weights. Perfect for deep and firm water front calmwaterinstallations.Galvanizedpipesold locations.Connectswith6"AccessoryConnecseparately.



Light Duty Stiff Arm: Anchoryour dock or Chain Anchor Plate: Allowsyou to anchoryour tor, sold separately.



Flexi-Hinge(Pair):Flexibleattachmentfor connectingShorePorttotraditionalwoodor metalfloatingdocks.Forperpendicular,or front mount only.



Flexi-Hinge Parallel Mount: Used for attachingaShorePortalongsideatraditional woodormetalfloatingdock.Forparallel mount only.

## **DESIGN YOUR DOCK**

#### POLYDOCK SECTION SIZES AND SPECIFICATIONS

SIZE	ACTUAL WIDTH	ACTUAL LENGTH	ACTUAL HEIGHT	ACTUAL SQ. FOOTAGE	WEIGHT	CAPACITY
3 x 10	36.4″	123.7″	16.0″	31.27 sq/ft	200 lbs	1,875 lbs
4хб	50.9″	72.7″	16.0″	25.70 sq/ft	160 lbs	1,550 lbs
4 x 10	50.9″	123.7″	16.0″	43.72 sq/ft	295 lbs	2,600 lbs
5 x 10	65.5″	123.7″	16.0″	56.27 sq/ft	340 lbs	3,345 lbs
6 x 8	72.7″	101.7″	16.0″	51.34 sq/ft	330 lbs	3,075 lbs
4'Corner	50.5″	50.5″	16.0″	8.85 sq/ft	70 lbs	525 lbs

#### STANDARD RAMP SIZES AND SPECIFICATIONS

WIDTH	LENGTH	WEIGHT	
4'	4′	22 lbs	
4′	8′	42 lbs	

Allstandardrampsincludepianohingesatoneendtoallowbolting,ormountingtoseawalls, decks and shore-side platforms.

Mounting hardware not included. Ramp roller kits are available, sold separately. Handrails not available on ramps.

#### SHOREPORT+HYDROPORTSIZESANDSPECIFICATIONS

MODEL	WIDTH	LENGTH	WEIGHT	CAPACITY
SHOREPORT	58″	138″	260 lbs.	1,150 lbs 1,450 lbs.*
HP EPIC	70″	162″	445 lbs.	2,000 lbs.
HP EXTREME	58″	162″	390 lbs.	1,625 lbs.

\*Standardcapacityis1,150lbs.additionalcapacityprovidedbysupplementalflotationin100lb increments up to 1,450 lbs.

#### GANGWAY SIZES AND SPECIFICATIONS

WIDTH	LENGTH	HEIGHT WITH HANDRAIL	WEIGHT
4′	16′	36″	240 lbs
4′	20′	36″	300 lbs
4′	24′	36″	360 lbs

AdditionalGangwaysizesavailablein1incrementsforwidth(3'-6') and4 increments for length. Please contact PolyDock Products for pricing, availability and lead times.

 $\label{eq:algorithm} All Gangways include handrails. Hinges, rollers, and other accessories sold separately.$ 

#### PREMIUM RAMP SIZES AND SPECIFICATIONS

WIDTH	LENGTH	WEIGHT	
4′	4′	20 lbs	
4′	8′	40 lbs	
6′	6′	60 lbs	

AllPremiumrampsrequirerampconnectionkits, soldseparately. Ramprollerkits are available, sold separately.

Handrails not available on ramps.

#### 27

# P R O D U C T S

VISIT US ONLINE:





A DIVISION OF WATERFRONT BRANDS