

1.1. Product (material) name:	1. IDE	NTIFICATION O	F THE MATERIAL AND SUPPLIER		
1.3. Recommended use:	1.1. Product (material) name:		Pure Olive Oil Strip Wax		
1.4. Supplier: 1.5. Addres: 1.6. Phone: 1.6. Phone: 1.6. Phone: 1.7. Fax: 1.6. Phone: 1.9. Emergency Contacts: 1.9. Emerg	1.2. Other names:		Hydrocarbon Resin Based Professional Hair Removal Wax		
1.5. Address: 1.48-150 Victoria St, North Geelong, Victoria, 3215, Australia (1.6. Phone: (3) 5227 4999 (3) 5227 4999 (3) 5227 4999 (3) 5227 4999 (3) 5227 4999 (3) 5227 4999 (3) 5227 4999 (3) 5227 4999 (3) 5227 4999 (3) 5227 4999 (3) 5227 4999 (3) 5227 4995 (3) 5227 4999 (3) 5227 4	1.3. Recommended use:		Removal of unwanted body hair		
1.6. Phone: (03) 5227 4999 1.7. Fax: (03) 5227 4950 1.8. Email: info@caronlab.com.au 1.9. Emergency Contacts: Pejasons Information Centre (Australia) 13 11 26 2.1. Hazard classification: Non-hazardous according to NOHSC criteria. 2.2. Risk phrase(s): Not applicable 2.3. Safety phrase(s): Not applicable 3. INGREDIENTS Ingredients: CAS number: Concentration: Colophonium 94581-16-5 Canola Oil 120962-03-0 10-30% Cera Alba 806-40-4 10% Clea Europeae (Olive) Fruit Oil 8001-25-0 10% Parfum (Parfum) N/A 13% Cl 61555 128-80-0 11% Cl 47000 803-22-3 10-30% Cl 47000 803-22-3	1.4. Supplier:		Caronlab Australia Pty Ltd		
1.7. Fax: 1,03 5227 4950 1.8. Email: 160@caronalab.com.au 1.9. Emergency Contacts: 2. HAZARDS IDENTIFICATION 2.1. Hazard classification: Non-hazardous according to NOHSC criteria. 2.2. Risk phrase(s): Not applicable 3. Softey phrase(s): Not applicable 3. Softey phrase(s): Not applicable 3. Softey phrase(s): Not applicable 3. NOREDIENTS 10 120% 10 120% 2.0. Risk phrase(s): Concentration: 2.0. Risk phrase(s): Not applicable 3. NOREDIENTS 10 10 120% 2.0. Risk phrase(s): Concentration: 2.0. Risk phrase(s): Not applicable 3. NOREDIENTS 10 10 10 10 10 2.0. Risk phrase(s): Not applicable 3. NOREDIENTS 1.0. Risk phrase(s): Not applicable 3. NOREDIENTS NOREDIENTS 1.0. Risk phrase(s): Nore applicable 3. NOREDIENTS 3. Risk phrase(s): Nore applicable 3. NOREDIENTS 3. Risk phrase(s): Nore applicable 3. NOREDIENTS 3. Risk phrase(s): Nore applicable 3. Risk phrase(s): Risk phrase(s): Nore applicable 3. Ri					
1.8. Email: info@caronlab.com.au 1.9. Emergency Contacts: Poisons information Centre (Australia) 13 11 26 2.1. Hazard classification: Non-hazardous according to NOHSC criteria. 2.2. Risk phrase(s): Not applicable 3. INGREDIENTS Ingredients: CAS number: Concentration: Octophonium 9481-16-5 Canola Oil 120962-03-0 10-30% Cera Alba 8006-04 < 10% Close Europaea (Olive) Fruit Oil 8001-25-0 10% Close Europaea (Olive) Fruit Oil 8001-25-0 10% Clase E			, ,		
1.9. Emergency Contacts: Poisons Information Centure (Australia) 13 11 26					
2.1. Hazard classification: Non-hazardous according to NOHSC criteria.					
2.1. Hazard classification: 2.2. Risk phrase(s): Not applicable Not possible Not applicable Not possible Not possible Not applicable Not possible Not possible Not applicable Not possible Not possible Not applicable Not applicable Not possible Not possible Not possib	1.9. Emergency Contacts:	2 114745			
2.2. Risk phrase(s): 2.3. Safety phrase(s) SINOREDIENTS Ingredients: CAS number: SINOREDIENTS Ingredients: CAS number: Canola Oil 120962-03-0 10-30% Cera Alba 8006-40-4 Olea Europaea (Olive) Fruit Oil 8001-25-0 161555 128-80-0 1476 Cl47000 8003-22-3 Alpha-isomethyl Ionone, Eugenol, Benzyl Salicylate, Citronellol, Geraniol, Hexyl Cinnamal & Linalool are present as allergens in the Fragrance (Parfum) only (concentration is pm). Alpha-isomethyl Ionone, Eugenol, Benzyl Salicylate, Citronellol, Geraniol, Hexyl Cinnamal & Linalool are present as allergens in the Fragrance (Parfum) only (concentration is pm). Alpha-isomethyl Ionone, Eugenol, Benzyl Salicylate, Citronellol, Geraniol, Hexyl Cinnamal & Linalool are present as allergens in the Fragrance (Parfum) only (concentration is pm). Finse mouth out with water. Do not attempt to induce vomiting unless directed to do so by a physician. Never give anything by mouth to an unconscious person. If large quantities are swallowed, seek medical advice immediately. Eye: Flush with water for 15 minutes including under eyelids. If person is wearing contact lenses, remove them prior to flushing. Seek medical advice if discomfort persists. Skin: Alpha-isomethyl Ionone, Eugenol, Benzyl Salicylate, Citronellol, Geraniol, Hexyl Cinnamal & Linalool are present as allergens in the Fragrance (Parfum) only (concentration is pm). Eye: Flush with water for 15 minutes including under eyelids. If person is wearing contact lenses, remove them prior to flushing. Seek medical advice immediately. Eye: Flush with water for 15 minutes including under eyelids. If person is wearing contact lenses, remove them prior to flushing. Seek medical advice if discomfort persists. If directions for use not followed correctly and applied to not this may cause burns in which case flush with or immerse in cold water. Seek medical attention for burns. Inhalation: Fractional Flushing Flushing eyes and skin. Notes to physician Fractional Flushing eyes and skin. Notes to physician Fractional Flushing	2.4 Hanned algorifications	2. HAZAR			
Not applicable SINGEDIENTS Ingredients: CAS number: Concentration: Colophonium 94581-16-5 > 60% Concentration: Colophonium 94581-16-5 > 60% Concentration: Concentration: 2005c-03-0 100-30% Concentration: 2005c-03-0 100-30% Concentration: 2005c-03-0 100-30% Concentration: 2005c-03-0			=		
S. INGREDIENTS CAS number: Concentration: Colophonium 94581-16-5 > 66%			, ,		
Ingredients: CAS number: Concentration: Colophonium 94581-16-5 >-60%					
Colphonium 94581-16-5	Ingradiants				
Cera Alba 8006-40-4 10-30% Cera Alba 8006-40-4 10% Cera Alba 8006-40-4 10% Cera Alba 8001-25-0 10% Parfum (Parfum) N/A 15% Cl 47500 8003-22-3 15% Cl 47000 8003-22-3 15% Cl 48003-22-3 15% Cl 47000 8003-22-3 15% Cl 48003-22-3 15% Cl 47000 8003-22-3 15% Cl 48003-22-3 15% Cl 480					
Cera Alba 8006-40-4 < 10% Close Clos					
Olea Europaea (Olive) Fruit Oil 8001-25-0 <10% Class					
Parfum (Parfum) CI 61565 128-80-0 147000 8003-22-3 Alpha-Isomethyl Ionone, Eugenol, Benzyl Salicylate, Citronellol, Geraniol, Hexyl Cinnamal & Linalool are present as allergens in the Fragrance (Parfum) only (concentration is pmp). **TRINE** AID **MEASURES** 4.1. Description of necessary first aid measures Ingestion: Rinse mouth out with water. Do not attempt to induce vomiting unless directed to do so by a physician. Never give anything by mouth to an unconscious person. If large quantities are swallowed, seek medical advice immediately. Eye: Flush with water for 15 minutes including under eyelids. If person is wearing contact lenses, remove them prior to flushing. Seek medical advice immediately. Skin: Al Aya Cause temporary local redness after application. Discontinue use if irritation occurs, seek medical attention if discomfort persists. If directions for use not followed orrectly and applied too hot this may cause burns in which case flush with or immerse in cold water. Seek medical attention for burns. Inhalation: If respiratory symptoms develop whilst using molten material remove patient from area of exposure into fresh air. If symptoms persist, seek medical advice. 4.2. Medical Attention And Special Treatment First Aid Facilities: A source of clean water should be available in the work area for flushing eyes and skin. Notes to physician Treat symptoms develop whilst using molten material remove patient from area of exposure into fresh air. If symptoms persist, seek medical advice. 4.2. Medical Attention And Special Treatment First Aid Facilities: A source of clean water should be available in the work area for flushing eyes and skin. Notes to physician Treat symptoms persist, seek medical advice. 4.5. First FIHTING MEASURES 5.1. Flammable properties 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.					
CI 61565 128-80-0 41% (CI 47000 8003-22-3 <1% (CI 47000 8003-22-3)					
CI 47000 803-22-3 < 1% Alpha-Isomethyl Ionone, Eugenol, Benzyl Salicylate, Citronellol, Geraniol, Hexyl Cinnamal & Linalool are present as allergens in the Fragrance (Parfum) only (concentration is ppm). 4. FIRST AID MEASURES 4.1. Description of necessary first aid measures Ingestion: Rinse mouth out with water. Do not attempt to induce vomiting unless directed to do so by a physician. Never give anything by mouth to an unconscious person. If large quantities are swallowed, seek medical advice immediately. Eye: Flush with water for 15 minutes including under eyelids. If person is wearing contact lenses, remove them prior to flushing. Seek medical advice if discomfort persists. May cause temporary local redness after application. Discontinue use if irritation occurs, seek medical attention if discomfort persists. If directions for use not followed correctly and applied too hot this may cause burns in which case flush with or immerse in cold water. Seek medical attention for burns. If respiratory symptoms develop whilst using molten material remove patient from area of exposure into fresh air. If symptoms persist, seek medical advice. 4.2. Medical Attention And Special Treatment First Aid Facilities: A source of clean water should be available in the work area for flushing eyes and skin. Notes to physician Treat symptomatically 5.1. Flammable properties 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus. Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6.4. ACIDENTAL RELEASE MEASURES 6.1. Personal precautions					
Alpha-isomethyl lonone, Eugenol, Benzyl Salicylate, Citronellol, Geraniol, Hexyl Cinnamal & Linalool are present as allergens in the Fragrance (Parfum) only (concentration is ppm). 4. FIRST AID MEASURES 4.1. Description of necessary first aid measures Ingestion: Rinse mouth out with water. Do not attempt to induce vomiting unless directed to do so by a physician. Never give anything by mouth to an unconscious person. If large quantities are swallowed, seek medical advice immediately. Eye: Flush with water for 15 minutes including under eyelids. If person is wearing contact lenses, remove them prior to flushing. Seek medical advice if discomfort persists. Skin: May cause temporary local redness after application. Discontinue use it irritation occurs, seek medical attention if discomfort persists. If directions for use not followed correctly and applied too hot this may cause burns in which case flush with or immerse in cold water. Seek medical attention for burns. Inhalation: If respiratory symptoms develop whilst using molten material remove patient from area of exposure into fresh air. If symptoms persists, seek medical advice in Symptoms persists, seek medical advice in Symptoms persists, seek medical attention for burns. First Aid Facilities: A source of clean water should be available in the work area for flushing eyes and skin. Notes to physician Treat symptomatically 5. FIRE FIGHTING MEASURES 5.1. Flammable properties 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible.					
A FIRST AID MEASURES	Alaba tanashadan Sarand Banad Galindah Cibaradlal Canadid Mand Cibarad Quindad and an acceptant				
4.1. Description of necessary first aid measures Ingestion: Rinse mouth out with water. Do not attempt to induce vomiting unless directed to do so by a physician. Never give anything by mouth to an unconscious person. If large quantities are swallowed, seek medical advice immediately. Eye:					
A.1. Description of necessary first aid measures	anergens in the reagrance (rarrain) only				
Rinse mouth out with water. Do not attempt to induce vomiting unless directed to do so by a physician. Never give anything by mouth to an unconscious person. If large quantities are swallowed, seek medical advice immediately. Eye: Flush with water for 15 minutes including under eyelids. If person is wearing contact lenses, remove them prior to flushing. Seek medical advice if discomfort persists. Skin: May cause temporary local redness after application. Discontinue use if irritation occurs, seek medical attention if discomfort persists. If directions for use not followed correctly and applied too hot this may cause burns in which case flush with or immerse in cold water. Seek medical attention for burns. Inhalation: If respiratory symptoms develop whist using molten material remove patient from area of exposure into fresh air. If symptoms persist, seek medical advice. 4.2. Medical Attention And Special Treatment First Aid Facilities: A source of clean water should be available in the work area for flushing eyes and skin. Notes to physician Treat symptomatically 5.1. Flammable properties 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6.4. Personal precautions None known	4.1. Description of necessary first aid me				
unless directed to do so by a physician. Never give anything by mouth to an unconscious person. If large quantities are swallowed, seek medical advice immediately. Eye: Flush with water for 15 minutes including under eyelids. If person is wearing contact lenses, remove them prior to flushing. Seek medical advice if discomfort persists. Skin: May cause temporary local redness after application. Discontinue use if irritation occurs, seek medical attention if discomfort persists. If directions for use not followed correctly and applied too hot this may cause burns in which case flush with or immerse in cold water. Seek medical attention for burns. Inhalation: If respiratory symptoms develop whilst using molten material remove patient from area of exposure into fresh air. If symptoms persist, seek medical advice. 4.2. Medical Attention And Special Treatment First Aid Facilities: A source of clean water should be available in the work area for flushing eyes and skin. Notes to physician Treat symptomatically 5.1. Flammable properties 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus 6.1. Personal precautions None known			Rinse mouth out with water. Do not attempt to induce vomiting		
mouth to an unconscious person. If large quantities are swallowed, seek medical advice immediately. Eye: Flush with water for 15 minutes including under eyelids. If person is wearing contact lenses, remove them prior to flushing. Seek medical advice if discomfort persists. Skin: May cause temporary local redness after application. Discontinue use if irritation occurs, seek medical attention if discomfort persists. If directions for use not followed correctly and applied too hot this may cause burns in which case flush with or immerse in cold water. Seek medical attention for burns. Inhalation: If respiratory symptoms develop whilst using molten material remove patient from area of exposure into fresh air. If symptoms persist, seek medical advice. 4.2. Medical Attention And Special Treatment First Aid Facilities: A source of clean water should be available in the work area for flushing eyes and skin. Notes to physician Teat symptomatically 5. FIRE FIGHTING MEASURES 5.1. Flammable properties 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6.1. Personal precautions None known	860				
Eye: Flush with water for 15 minutes including under eyelids. If person is wearing contact lenses, remove them prior to flushing. Seek medical advice if discomfort persists. Skin: May cause temporary local redness after application. Discontinue use if irritation occurs, seek medical attention if discomfort persists. If directions for use not followed correctly and applied too hot this may cause burns in which case flush with or immerse in cold water. Seek medical attention for burns. Inhalation: If respiratory symptoms develop whilst using molten material remove patient from area of exposure into fresh air. If symptoms persist, seek medical advice. 4.2. Medical Attention And Special Treatment First Aid Facilities: A source of clean water should be available in the work area for flushing eyes and skin. Notes to physician Treat symptomatically 5. FIRE FINTING MEASURES 5.1. Flammable properties 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6.1. Personal precautions None known					
Flush with water for 15 minutes including under eyelids. If person is wearing contact lenses, remove them prior to flushing. Seek medical advice if discomfort persists. Skin: May cause temporary local redness after application. Discontinue use if irritation occurs, seek medical attention if discomfort persists. If directions for use not followed correctly and applied too hot this may cause burns in which case flush with or immerse in cold water. Seek medical attention for burns. Inhalation: If respiratory symptoms develop whilst using molten material remove patient from area of exposure into fresh air. If symptoms persist, seek medical advice. 4.2. Medical Attention And Special Treatment First Aid Facilities: A source of clean water should be available in the work area for flushing eyes and skin. Notes to physician Treat symptomatically 5. FIRE FIGHTING MEASURES 5.1. Flammable properties 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6. ACCIDENTAL RELEASE MEASURES 6.1. Personal precautions					
person is wearing contact lenses, remove them prior to flushing. Seek medical advice if discomfort persists. Skin: May cause temporary local redness after application. Discontinue use if irritation occurs, seek medical attention if discomfort persists. If directions for use not followed correctly and applied too hot this may cause burns in which case flush with or immerse in cold water. Seek medical attention for burns. If respiratory symptoms develop whilst using molten material remove patient from area of exposure into fresh air. If symptoms persist, seek medical advice. 4.2. Medical Attention And Special Treatment First Aid Facilities: A source of clean water should be available in the work area for flushing eyes and skin. Notes to physician Treat symptomatically 5.1. Flammable properties 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus 6.1. Personal precautions None known	Eye:				
Seek medical advice if discomfort persists. Skin: May cause temporary local redness after application. Discontinue use if irritation occurs, seek medical attention if discomfort persists. If directions for use not followed correctly and applied too hot this may cause burns in which case flush with or immerse in cold water. Seek medical attention for burns. Inhalation: If respiratory symptoms develop whilst using molten material remove patient from area of exposure into fresh air. If symptoms persist, seek medical advice. 4.2. Medical Attention And Special Treatment First Aid Facilities: A source of clean water should be available in the work area for flushing eyes and skin. Notes to physician Treat symptomatically 5.1. FIRE FIGHTING MEASURES 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus 6.4. ACCIDENTX—RELEASE MEASURES 6.1. Personal precautions	,				
Discontinue use if irritation occurs, seek medical attention if discomfort persists. If directions for use not followed correctly and applied too hot this may cause burns in which case flush with or immerse in cold water. Seek medical attention for burns. Inhalation: If respiratory symptoms develop whilst using molten material remove patient from area of exposure into fresh air. If symptoms persist, seek medical advice. 4.2. Medical Attention And Special Treatment First Aid Facilities: A source of clean water should be available in the work area for flushing eyes and skin. Notes to physician Treat symptomatically 5. FIRE FIFTING MEASURES 5.1. Flammable properties 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6.1. Personal precautions None known					
discomfort persists. If directions for use not followed correctly and applied too hot this may cause burns in which case flush with or immerse in cold water. Seek medical attention for burns. Inhalation: If respiratory symptoms develop whilst using molten material remove patient from area of exposure into fresh air. If symptoms persist, seek medical advice. 4.2. Medical Attention And Special Treatment First Aid Facilities: A source of clean water should be available in the work area for flushing eyes and skin. Notes to physician Treat symptomatically 5.1. FIRE FIGHTING MEASURES 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6.1. Personal precautions None known	Skin:		May cause temporary local redness after application.		
and applied too hot this may cause burns in which case flush with or immerse in cold water. Seek medical attention for burns. Inhalation: If respiratory symptoms develop whilst using molten material remove patient from area of exposure into fresh air. If symptoms persist, seek medical advice. 4.2. Medical Attention And Special Treatment First Aid Facilities: A source of clean water should be available in the work area for flushing eyes and skin. Notes to physician Treat symptomatically 5.1. Flammable properties 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6. ACCIDENTAT RELEASE MEASURES None known			Discontinue use if irritation occurs, seek medical attention if		
Inhalation: Inhalation: If respiratory symptoms develop whilst using molten material remove patient from area of exposure into fresh air. If symptoms persist, seek medical advice. 4.2. Medical Attention And Special Treatment First Aid Facilities: A source of clean water should be available in the work area for flushing eyes and skin. Notes to physician Treat symptomatically 5.1. Flammable properties 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6. ACCIDENTX RELEASE MEASURES None known			discomfort persists. If directions for use not followed correctly		
Inhalation: If respiratory symptoms develop whilst using molten material remove patient from area of exposure into fresh air. If symptoms persist, seek medical advice. 4.2. Medical Attention And Special Treatment First Aid Facilities: A source of clean water should be available in the work area for flushing eyes and skin. Notes to physician Treat symptomatically 5. FIRE FIGHTING MEASURES 5.1. Flammable properties 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6. ACCIDENTAL RELEASE MEASURES None known			and applied too hot this may cause burns in which case flush		
remove patient from area of exposure into fresh air. If symptoms persist, seek medical advice. 4.2. Medical Attention And Special Treatment First Aid Facilities: A source of clean water should be available in the work area for flushing eyes and skin. Notes to physician Treat symptomatically 5.FIRE FIGHTING MEASURES 5.1. Flammable properties 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6.1. Personal precautions None known					
4.2. Medical Attention And Special Treatment First Aid Facilities:	Inhalation:				
4.2. Medical Attention And Special Treatment First Aid Facilities: A source of clean water should be available in the work area for flushing eyes and skin. Notes to physician Treat symptomatically 5. FIRE FIGHTING MEASURES 5.1. Flammable properties 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6. ACCIDENTAL RELEASE MEASURES 6.1. Personal precautions None known					
First Aid Facilities: A source of clean water should be available in the work area for flushing eyes and skin. Notes to physician Treat symptomatically 5.1. FIRE FIGHTING MEASURES 5.2. Suitable properties 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6.4. Personal precautions None known			symptoms persist, seek medical advice.		
Substitute Flushing eyes and skin.					
Treat symptomatically	FIRST AID FACILITIES:				
5.1. Flammable properties 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6. ACCIDENTAL RELEASE MEASURES 6.1. Personal precautions None known	Nata ta abusisian				
5.1. Flammable properties 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6. ACCIDENTAL RELEASE MEASURES 6.1. Personal precautions None known					
5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6. ACCIDENTAL RELEASE MEASURES 6.1. Personal precautions None known					
not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6. ACCIDENTAL RELEASE MEASURES 6.1. Personal precautions None known	·		Dry chemical carbon dioxide foam or water may be used Do		
cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6. ACCIDENTAL RELEASE MEASURES 6.1. Personal precautions None known	5.2. Suitable extiliguishing media:				
5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6. ACCIDENTAL RELEASE MEASURES 6.1. Personal precautions None known					
5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6. ACCIDENTAL RELEASE MEASURES 6.1. Personal precautions None known					
combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6. ACCIDENTAL RELEASE MEASURES 6.1. Personal precautions None known	5.3 Hazards from combustion products:				
apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6. ACCIDENTAL RELEASE MEASURES 6.1. Personal precautions None known	oleazaras irom combastion products.				
5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6. ACCIDENTAL RELEASE MEASURES 6.1. Personal precautions None known					
should wear full protective clothing including self contained breathing apparatus. 6. ACCIDENTAL RELEASE MEASURES 6.1. Personal precautions None known	5.4. Protective equipment for firefighters:				
breathing apparatus. 6. ACCIDENTAL RELEASE MEASURES 6.1. Personal precautions None known					
6. ACCIDENTAL RELEASE MEASURES 6.1. Personal precautions None known					
		6. ACCIDENTA			
6.2. Environmental precautions Do not discharge into lakes, streams, ponds or public waters.	6.1. Personal precautions		None known		
			Do not discharge into lakes, streams, ponds or public waters.		

Date issued: 19/08/2019

SAFETY DATA SHEET

	Adules suthavities if the anadust has a section of distance		
	Advise authorities if the product has penetrated drains, sewers		
6.3. Methods for containment	and water pipes. Not applicable		
6.4. Methods for cleaning	Remains in a semi mobile liquid form under normal conditions,		
0.4. Methous for cleaning	pick up or sweep spilled product. If molten, allow to cool and		
	scrape up.		
7. HANDI	LING AND STORAGE		
7.1. Handling	Avoid contact with eyes.		
3	Observe precautions found on label. Wash face and hands		
	thoroughly with soap and water after use and before eating.		
7.2. Storage	Store containers upright and closed.		
	Keep out of reach of children.		
	Store in a cool, dry preferably below 30°C		
	ROLS/PERSONAL PROTECTION		
8.1. National exposure standards	None allocated		
8.2. Biological limit values	None allocated		
8.3. Engineering controls	General ventilation normally adequate		
8.4. Personal protective equipment	Gloves may be used to minimise contact.		
	ID CHEMICAL PROPERTIES		
9.1. Appearance: 9.2. Odour:	Translucent green resin Resembling olive oil		
9.3. Vapour Pressure:	Not available		
9.4. Vapour density:	Not available		
9.5. Softening point:	16 +/- 2°C		
9.6. Melting point:	40 +/- 5 °C		
9.7. Solubility in water:	Insoluble		
9.8. Specific gravity:	1.00 – 1.04 g/mL		
9.9. Flammable materials information:			
flash point and method of detecting flash point;	Not applicable		
upper and lower flammable (explosive) limits in air;	Not determined		
and			
ignition temperature.	Not determined		
9.10. Viscosity at room temperature:	Semi-mobile liquid		
9.11. Percent volatile:	Not available		
10. STABILITY AND REACTIVITY			
10.1. Chemical Stability:	Stable under normal condition. May react with strong oxidising		
40.2 Canditions to avaid	agents		
10.2. Conditions to avoid:	Do not mix with other chemicals. Keep away from moisture.		
	Avoid storage temperature exceeding 50 °C		
10.3. Incompatible materials:	oxidisers		
10.4. Hazardous decomposition products:	Combustion may yield large amounts of oxides of carbon,		
	smoke, incomplete combustion products, flammable		
	hydrocarbons.		
10.5. Hazardous reactions:	None known		
11. TOXICOLOGICAL INFORMATION			
11.1. Likely routes of exposure:	Skin, eyes, inhaled.		
11.2. Health effects from the likely routes of exposure:			
11.2.1. Acute	No specific toxicological data is available.		
Ingestion:	Product may induce nausea.		
Eye:	May cause abrasive irritation to the eyes if they come into		
	contact with the product.		
Skin:	Not expected to be an irritant but may cause temporary local		
lubalatian.	redness after application.		
Inhalation:	When heated, the vapour/fumes given off may cause respiratory		
11 2 2 Chronic	tract irritation.		
11.2.2. Chronic 11.3. Other Information:	No long term effects are known. None		
	12. ECOLOGICAL INFORMATION		
12.1. Ecotoxicity:	Not expected to be harmful to aquatic or terrestrial organisms.		
12.1. Ecotoxicity. 12.2. Persistence and degradability:	Expected to be persistent.		
12.2. I CISISTETICE and degradability.	Expected to be persistent.		

Date issued: 19/08/2019



12.3. Mobility:	Expected to partition to sediment and wastewater solids. Minimally volatile.			
13. DISPOSAL CONSIDERATIONS				
13.1. Disposal methods and containers:	Dispose the waste as a non-hazardous organic solid according to local and state regulations. Contact relevant authority for details. No special considerations for containers.			
14. TRANSPORT INFORMATION				
14.1. UN Number:	Not applicable			
14.2. UN Proper Shipping Name:	Not applicable			
14.3. Class and subsidiary risk:	Not applicable			
14.4. Packing Group:	Not applicable			
14.5. Special precautions for user:	Not applicable			
14.6. Hazchem Code:	Not applicable			
15. REGULATORY INFORMATION				
15.1. Regulatory Status:	Not applicable			
16. OTHER INFORMATION				
16.1. Document Information:	Document Issued 19/08/2019 Replaces 14/09/17			
16.2. Additional Information:	The information contained in this MSDS is, to the best of Caron Laboratories' knowledge and belief, accurate and reliable as of the date issued. The information is provided without any warranty, expressed or implied regarding its correctness or accuracy. Similarly, no warranty expressed or implied shall be created or inferred regarding the product described in this MSDS and Caron Laboratories Pty Ltd will not assume liability for any loss or damage arising out of the use of this information. It is the user's responsibility to satisfy itself that the product is suitable for its intended use			

Date issued: 19/08/2019