

1.1. Product (material) name: 1.2. Other names: 1.3. Recommended use: 1.4. Supplier: 1.5. Address: 1.6. Phone: 1.6. Phone: 1.6. Phone: 1.7. Fax: 1.8. Final: 1.9. Emergency Contacts: 2. HAZAROS IDENTIFICATION 2.1. Hazard classification: 2.1. Hazard classification: 2.2. Risk phrase(s): 2.3. Safety phrase(s): 2.3. Safety phrase(s): 2.4. RAZAROS IDENTIFICATION 2.3. Safety phrase(s): 2.4. RAZAROS IDENTIFICATION 2.3. Safety phrase(s): 2.4. RAZAROS IDENTIFICATION 2.5. Safety phrase(s): 2.5. Non-hazardous according to NOHSC criteria. 2.6. Risk phrase(s): 2.6. Non-hazardous according to NOHSC criteria. 2.7. Risk phrase(s): 2.8. Rose Researdous according to NOHSC criteria. 2.9. Risk phrase(s): 2.8. Non-hazardous according to NOHSC criteria. 2.9. Risk phrase(s): 2.9. Risk phrase(s): 2.9. Non-hazardous according to NOHSC criteria. 2.9. Risk phrase(s): 2.9. Risk phrase(s): 2.9. Non-hazardous according to NOHSC criteria. 2.9. Risk phrase(s): 2.9. Risk phrase(s): 2.9. Non-hazardous according to NOHSC criteria. 2.9. Risk phrase(s): 2.9. Risk phrase(s): 2.9. Non-hazardous according to NOHSC criteria. 2.9. Risk phrase(s): 2.9. Non-paradrous according to NOHSC criteria. 2.9. Risk phrase(s): 2.9. Non-paradrous according to NOHSC criteria. 2.9. Risk phrase(s): 2.9. Non-paradrous according to NOHSC criteria. 2.9. Risk phrase(s): 2.9. Non-paradrous according to NOHSC criteria. 2.9. Risk phrase(s): 2.9. Non-paradrous according to NOHSC criteria. 2.9. Risk phrase(s): 2.9. Non-paradrous according to NOHSC criteria. 2.9. Risk phrase(s): 2.9. Concentration: 2.9. Risk phrase(s): 2.9. Concentration	1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER				
1.3. Recommended use:	1.1. Product (material) name:		Brilliance Bead Wax		
1.4. Supplier: Caroniab Australia Pty Ltd 1.6. Phone: (3) 5227 4999 1.7. Fav: (3) 5227 4990 1.8. Email: Infe@econnlab.com.au 1.9. Emergency Contacts: Poisons Info@econnlab.com.au 1.9. Emergency Contacts: Non-Pazardous according to NOHSC criteria. 1.9. Supplicable 1.9. Supplica			Hydrocarbon Resin Based Professional Hair Removal Wax		
1.5. Address:	1.3. Recommended use:		Removal of unwanted body hair		
1.6. Phone: 1.7. Fax: 1.03) 5227 4959 1.8. Email: 1.6. personal precautions 1.9. Emergency Contacts: Poisons Information Centre (Australia) 13 11 26 2.1. Hazard classification: Non-hazardous according to NOHSC criteria. 2.1. Hazard classification: Non-hazardous according to NOHSC criteria. Non-hazardous according to NOHSC cri	1.4. Supplier:		Caronlab Australia Pty Ltd		
1.7 Fax: 1,03 5227 4950 info@caronlab.com.au Poisons Information Centre (Australia) 13 11 26 1.8 Emails: info@caronlab.com.au Poisons Information Centre (Australia) 13 11 26 1.8 Emails: Info@caronlab.com.au Poisons Information Centre (Australia) 13 11 26 1.8 Emails: Info@caronlab.com.au Poisons Information Centre (Australia) 13 11 26 1.8 Emails: Info@caronlab.com.au Poisons Information Centre (Australia) 13 11 26 1.8 Emails: Info@caronlab.com.au Info@caronlab.com	1.5. Address:		148-150 Victoria St, North Geelong, Victoria, 3215, Australia		
1.8. Email:					
Poisons Information Centre (Australia) 13 11 26	1.7. Fax:		·		
2.1. Hazard classification: Non-hazardous according to NOHSC criteria.	1.8. Email:				
2.1 Risk phrase(s): Non-hazardous according to NOHSC criteria. 2.2 Risk phrase(s): Not applicable 3.3 Safety phrase(s): Not applicable Ingredient s: CA5 number: Concentration: Polycyclopentadiene 68132-00-3	1.9. Emergency Contacts:				
2.2. Risk phrase(s): Not applicable 2.3. Safety phrase(s) SINOREDIENTS Ingredient s: CAS number: Concentration: Polycyclopentadiene 6132-00-3	24 11 11 15	2. HAZAR			
Not applicable SINGREDIENTS Ingredient s: CAS number: Concentration: SINGREDIENTS Concentration: Section S					
S. INGREDIENTS CAS number: Concentration: Polycyclopentadiene 68132-00-3 >60% Paraffin 8002-74-2 10~30% Cera Alba 8006-40-4 1.0% Stearic Acid 57-11-4 1.0% Aluminium Hydroxide 57-11-3 1.0% Aluminium Hydroxide 21645-51-2 1.0% Aluminium Hydroxide 21645-51-2 1.0% Aluminium Hydroxide 21645-51-2 1.0% Aluminium Hydroxide 781-86-9 1.0% Aluminium Hydroxide 781-86-7 1.0% Aluminium Hydroxide 781-86-7 1.0% Aluminium Hydroxide 781-86-7 1.0% Aluminium Hydroxide 781-86-7 1.0% Aluminium Hydroxide 781-86-9 1.0% Aluminium Hydroxid					
Ingredient s: CAS number: Concentration: Polycyclopentadiene	2.3. Safety phrase(s)	2 1			
Polycyclopentadiene 68132-00-3 560% Paraffin 8002-74-2 10-30%	Ingradiants				
Paraffin 8002-74-2 10-30%					
Cera Alba 8006-40-4 C10% Stearic Acid 57-11-4 C10% Palmitic Acid 57-10-3 C10% Parfum N/A C10% Aluminium Hydroxide 21645-51-2 C10% Silica 7631-86-9 C10% C177891 13463-67-7 C10% C17891 T1891 T1891 T1891 C1892 T1892 T1892 C1992 T1893 T1893 C1993 T1893 T1893 C1993 T1893 T1893 T1893 C1993 T1893 T1893 T1893 C1993 T1893 T1893 T1893 T1893 C1993 T1893 T1893 T1893 T1893 T1893 C1993 T1893 T1893 T1893 T1893 T1893 T1893 C1993 T1893 T1893 T1893 T1893 T1893 T1893 T1893 C1993 T1893 T					
Stearic Acid 57-11-4 10%					
Palmitic Acid 57-10-3 < 10% Parlum N/A					
Parfum N/A		-			
Aluminium Hydroxide Silica 7631-86-9 10% 177891 13463-677 - 100% 4.FIRST AID MEASURES 4.1. Description of necessary first aid measures Ingestion: Rinse mouth out with water. Do not attempt to induce vomiting unless directed to do so by a physician. Never give anything by mouth to an unconscious person. If large quantities are swallowed, seek medical advice immediately. Eye: Flush with water for 15 minutes including under eyelids. If person is wearing contact lenses, remove them prior to flushing. Seek medical advice if medical advice in discomfort persists. Skin: May cause temporary local redness after application. Discontinue use if irritation occurs, seek medical attention if discomfort persists. If directions for use not followed correctly and applied too hot this may cause burns in which case flush with or immerse in cold water. Seek medical attention for burns. Inhalation: Inhalation: If respiratory symptoms develop whilst using molten material remove patient from area of exposure into fresh air. If symptoms persists, seek medical advice. 4.2. Medical Attention And Special Treatment First Aid Facilities: A source of clean water should be available in the work area for flushing eyes and skin. Notes to physician Treat symptomatically 5.1. Flammable properties 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective cothing including self contained breathing apparatus. 6.					
Silica 7631-86-9 4.0% (177891 13463-67-7 < 10% ***CHIRST AID MEASURES** 4.1. Description of necessary first aid measures Ingestion: Rinse mouth out with water. Do not attempt to induce vomiting unless directed to do so by a physician. Never give anything by mouth to an unconscious person. If large quantities are swallowed, seek medical advice immediately. Eye: Flush with water for 15 minutes including under eyelids. If person is wearing contact lenses, remove them prior to flushing. Seek medical advice if discomfort persists. Skin: May cause temporary local redness after application. Discontinue use if irritation occurs, seek medical attention if discomfort persists. If directions for use not followed correctly and applied too hot this may cause burns in which case flush with or immerse in cold water. Seek medical attention for burns. Inhalation: If respiratory symptoms develop whilst using molten material remove patient from area of exposure into fresh air. If remove patient from area of exposure into fresh air. If symptoms persist, seek medical advice. 4.2. Medical Attention And Special Treatment First Aid Facilities: A source of clean water should be available in the work area for flushing eyes and skin. Notes to physician S. FIRE FIGHTING MEASURES 5.1. Flammable properties S. FIRE FIGHTING MEASURES 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or othermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective cothing including self contained breathing apparatus 6.2. Erwironnemental precautions None known					
CI 77891 4. FIRST AID MEASURES 4. FIRST AID MEASURES Ingestion: Rinse mouth out with water. Do not attempt to induce vomiting unless directed to do so by a physician. Never give anything by mouth to an unconscious person. If large quantities are swallowed, seek medical advice immediately. Eye: Flush with water for 15 minutes including under eyelids. If person is wearing contact lenses, remove them prior to flushing. Seek medical advice if discomfort persists. Skin: May cause temporary local redness after application. Discontinue use if irritation occurs, seek medical attention if discomfort persists. If directions for use not followed correctly and applied too hot this may cause burns in which case flush with or immerse in cold water. Seek medical attention if or burns, with or immerse in cold water. Seek medical attention if remove patient from area of exposure into fresh air. If symptoms persist, seek medical advice. 4.2. Medical Attention And Special Treatment First Aid Facilities: A source of clean water should be available in the work area for flushing eyes and skin. Notes to physician Treat symptomatically 5.1. Flammable properties 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6.4. Personal precautions On ont discharge into lakes, streams, ponds or public waters.	T				
4.1. Description of necessary first aid measures Ingestion:					
A.1. Description of necessary first aid measures	Ci 77831				
Rinse mouth out with water. Do not attempt to induce vomiting unless directed to do so by a physician. Never give anything by mouth to an unconscious person. If large quantities are swallowed, seek medical advice immediately. Eye: Flush with water for 15 minutes including under eyelids. If person is wearing contact lenses, remove them prior to flushing. Seek medical advice if discomfort persists. Skin: May cause temporary local redness after application. Discontinue use if irritation occurs, seek medical attention if discomfort persists. If directions for use not followed correctly and applied too hot this may cause burns in which case flush with or immerse in cold water. Seek medical attention for burns. Inhalation: If respiratory symptoms develop whilst using molten material remove patient from area of exposure into fresh air. If symptoms persist, seek medical advice. 4.2. Medical Attention And Special Treatment First Aid Facilities: A source of clean water should be available in the work area for flushing eyes and skin. Notes to physician Treat symptomatically 5. FIRE FIGHTING MEASURES 5.1. Flammable properties 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 6.4. Protective equipment for firefighters: Nove exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6.1. Personal precautions On not discharge into lakes, streams, ponds or public waters.	4.1 Description of necessary first aid me		TAID WEASONES		
unless directed to do so by a physician. Never give anything by mouth to an unconscious person. If large quantities are swallowed, seek medical advice immediately. Eye: Flush with water for 15 minutes including under eyelids. If person is wearing contact lenses, remove them prior to flushing. Seek medical advice if discomfort persists. Skin: May cause temporary local redness after application. Discontinue use if irritation occurs, seek medical attention if discomfort persists. If directions for use not followed correctly and applied too hot this may cause burns in which case flush with or immerse in cold water. Seek medical attention for burns. If respiratory symptoms develop whilst using molten material remove patient from area of exposure into fresh air. If symptoms persist, seek medical advice. 4.2. Medical Attention And Special Treatment First Aid Facilities: A source of clean water should be available in the work area for flushing eyes and skin. Notes to physician Treat symptomatically 5.1. Flammable properties 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus. 6.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6.1. Personal precautions On ont discharge into lakes, streams, ponds or public waters.			Rinse mouth out with water. Do not attempt to induce vomiting		
Eye: Eye: Flush with water for 15 minutes including under eyelids. If person is wearing contact lenses, remove them prior to flushing. Seek medical advice immediately. Flush with water for 15 minutes including under eyelids. If person is wearing contact lenses, remove them prior to flushing. Seek medical advice if discomfort persists. Skin: May cause temporary local redness after application. Discontinue use if irritation occurs, seek medical attention if discomfort persists. If directions for use not followed correctly and applied too hot this may cause burns in which case flush with or immerse in cold water. Seek medical attention for burns. Inhalation: If respiratory symptoms develop whilst using molten material remove patient from area of exposure into fresh air. If symptoms persist, seek medical advice. 4.2. Medical Attention And Special Treatment First Aid Facilities: A source of clean water should be available in the work area for flushing eyes and skin. Notes to physician Treat symptomatically 5. FIRE FIGHTING MEASURES 5.1. Flammable properties 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6.1. Personal precautions None known 6.2. Environmental precautions Do not discharge into lakes, streams, ponds or public waters.	ingestion.				
Eye: Flush with water for 15 minutes including under eyelids. If person is wearing contact lenses, remove them prior to flushing. Seek medical advice if discomfort persists. Skin: May cause temporary local redness after application. Discontinue use if irritation occurs, seek medical attention if discomfort persists. If directions for use not followed correctly and applied too hot this may cause burns in which case flush with or immerse in cold water. Seek medical attention for burns. Inhalation: If respiratory symptoms develop whilst using molten material remove patient from area of exposure into fresh air. If symptoms persist, seek medical advice. 4.2. Medical Attention And Special Treatment First Aid Facilities: A source of clean water should be available in the work area for flushing eyes and skin. Notes to physician Treat symptomatically 5.1. Flammable properties 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 6.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6.1. Personal precautions On ont discharge into lakes, streams, ponds or public waters.					
Eye: Flush with water for 15 minutes including under eyelids. If person is wearing contact lenses, remove them prior to flushing. Seek medical advice if discomfort persists. Skin: May cause temporary local redness after application. Discontinue use if irritation occurs, seek medical attention if discomfort persists. If directions for use not followed correctly and applied too hot this may cause burns in which case flush with or immerse in cold water. Seek medical attention for burns. Inhalation: If respiratory symptoms develop whilst using molten material remove patient from area of exposure into fresh air. If symptoms persist, seek medical advice. 4.2. Medical Attention And Special Treatment First Aid Facilities: A source of clean water should be available in the work area for flushing eyes and skin. Notes to physician 5. FIRE FIGHTING MEASURES 5.1. Flammable properties 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6.1. Personal precautions None known Do not discharge into lakes, streams, ponds or public waters.					
person is wearing contact lenses, remove them prior to flushing. Seek medical advice if discomfort persists. Skin: May cause temporary local redness after application. Discontinue use if irritation occurs, seek medical attention if discomfort persists. If directions for use not followed correctly and applied too hot this may cause burns in which case flush with or immerse in cold water. Seek medical attention for burns. If respiratory symptoms develop whilst using molten material remove patient from area of exposure into fresh air. If symptoms persist, seek medical advice. 4.2. Medical Attention And Special Treatment First Aid Facilities: A source of clean water should be available in the work area for flushing eyes and skin. Notes to physician Treat symptomatically 5.1. Flammable properties 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6.1. Personal precautions None known 6.2. Environmental precautions Do not discharge into lakes, streams, ponds or public waters.	Fve:				
Seek medical advice if discomfort persists. Skin: May cause temporary local redness after application. Discontinue use if irritation occurs, seek medical attention if discomfort persists. If directions for use not followed correctly and applied too hot this may cause burns in which case flush with or immerse in cold water. Seek medical attention for burns. Inhalation: If respiratory symptoms develop whilst using molten material remove patient from area of exposure into fresh air. If symptoms persist, seek medical advice. 4.2. Medical Attention And Special Treatment First Aid Facilities: A source of clean water should be available in the work area for flushing eyes and skin. Notes to physician Treat symptomatically 5. FIRE FIGHTING MEASURES 5.1. Flammable properties 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6. ACCIDENTAL RELEASE MEASURES 6.1. Personal precautions Do not discharge into lakes, streams, ponds or public waters.	Lye.				
Skin: May cause temporary local redness after application. Discontinue use if irritation occurs, seek medical attention if discomfort persists. If directions for use not followed correctly and applied too hot this may cause burns in which case flush with or immerse in cold water. Seek medical attention for burns. Inhalation: If respiratory symptoms develop whilst using molten material remove patient from area of exposure into fresh air. If symptoms persist, seek medical advice. 4.2. Medical Attention And Special Treatment First Aid Facilities: A source of clean water should be available in the work area for flushing eyes and skin. Notes to physician Treat symptomatically 5.1. Flammable properties 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6. ACCIDENTAL RELEASE MEASURES 6.1. Personal precautions Do not discharge into lakes, streams, ponds or public waters.					
Discontinue use if irritation occurs, seek medical attention if discomfort persists. If directions for use not followed correctly and applied too hot this may cause burns in which case flush with or immerse in cold water. Seek medical attention for burns. Inhalation: If respiratory symptoms develop whilst using molten material remove patient from area of exposure into fresh air. If symptoms persist, seek medical advice. 4.2. Medical Attention And Special Treatment First Aid Facilities: A source of clean water should be available in the work area for flushing eyes and skin. Notes to physician Treat symptomatically 5. FIRE FIGHTING MEASURES 5.1. Flammable properties 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6. ACCIDENTAL RELEASE MEASURES 6.1. Personal precautions None known 6.2. Environmental precautions Do not discharge into lakes, streams, ponds or public waters.	Skin:		·		
discomfort persists. If directions for use not followed correctly and applied too hot this may cause burns in which case flush with or immerse in cold water. Seek medical attention for burns. Inhalation: If respiratory symptoms develop whilst using molten material remove patient from area of exposure into fresh air. If symptoms persist, seek medical advice. 4.2. Medical Attention And Special Treatment First Aid Facilities: A source of clean water should be available in the work area for flushing eyes and skin. Notes to physician Treat symptomatically 5. FIRE FIGHTING MEASURES 5.1. Flammable properties 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6. ACCIDENTAL RELEASE MEASURES 6.1. Personal precautions Do not discharge into lakes, streams, ponds or public waters.					
and applied too hot this may cause burns in which case flush with or immerse in cold water. Seek medical attention for burns. Inhalation: If respiratory symptoms develop whilst using molten material remove patient from area of exposure into fresh air. If symptoms persist, seek medical advice. 4.2. Medical Attention And Special Treatment First Aid Facilities: A source of clean water should be available in the work area for flushing eyes and skin. Notes to physician 5. FIRE FIGHTING MEASURES 5.1. Flammable properties 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6.1. Personal precautions None known 6.2. Environmental precautions Do not discharge into lakes, streams, ponds or public waters.			· ·		
Inhalation: Inhalation: If respiratory symptoms develop whilst using molten material remove patient from area of exposure into fresh air. If symptoms persist, seek medical advice. 4.2. Medical Attention And Special Treatment First Aid Facilities: A source of clean water should be available in the work area for flushing eyes and skin. Notes to physician Treat symptomatically 5. FIRE FIGHTING MEASURES 5.1. Flammable properties 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6. ACCIDENTAL RELEASE MEASURES 6.1. Personal precautions None known 6.2. Environmental precautions Do not discharge into lakes, streams, ponds or public waters.			The state of the s		
Inhalation: If respiratory symptoms develop whilst using molten material remove patient from area of exposure into fresh air. If symptoms persist, seek medical advice. 4.2. Medical Attention And Special Treatment First Aid Facilities: A source of clean water should be available in the work area for flushing eyes and skin. Notes to physician Treat symptomatically 5. FIRE FIGHTING MEASURES 5.1. Flammable properties 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6. ACCIDENTAL RELEASE MEASURES 6.1. Personal precautions None known Do not discharge into lakes, streams, ponds or public waters.					
remove patient from area of exposure into fresh air. If symptoms persist, seek medical advice. 4.2. Medical Attention And Special Treatment First Aid Facilities: A source of clean water should be available in the work area for flushing eyes and skin. Notes to physician Treat symptomatically 5. FIRE FIGHTING MEASURES 5.1. Flammable properties 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6. ACCIDENTAL RELEASE MEASURES 6.1. Personal precautions None known Do not discharge into lakes, streams, ponds or public waters.	Inhalation:				
symptoms persist, seek medical advice. 4.2. Medical Attention And Special Treatment First Aid Facilities:					
4.2. Medical Attention And Special Treatment First Aid Facilities: A source of clean water should be available in the work area for flushing eyes and skin. Notes to physician Treat symptomatically 5. FIRE FIGHTING MEASURES 5.1. Flammable properties 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6. ACCIDENTAL RELEASE MEASURES 6.1. Personal precautions None known Do not discharge into lakes, streams, ponds or public waters.					
First Aid Facilities: A source of clean water should be available in the work area for flushing eyes and skin. Notes to physician Treat symptomatically 5.FIRE FIGHTING MEASURES 5.1. Flammable properties 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6. ACCIDENTAL RELEASE MEASURES 6.1. Personal precautions Do not discharge into lakes, streams, ponds or public waters.	1 1 1				
Notes to physician 5. FIRE FIGHTING MEASURES 5.1. Flammable properties 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6. ACCIDENTAL RELEASE MEASURES 6.1. Personal precautions None known Do not discharge into lakes, streams, ponds or public waters.			A source of clean water should be available in the work area for		
5.1. Flammable properties 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6. ACCIDENTAL RELEASE MEASURES 6.1. Personal precautions None known Do not discharge into lakes, streams, ponds or public waters.					
5.1. Flammable properties 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6. ACCIDENTAL RELEASE MEASURES 6.1. Personal precautions None known 6.2. Environmental precautions Do not discharge into lakes, streams, ponds or public waters.	Notes to physician		Treat symptomatically		
5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6. ACCIDENTAL RELEASE MEASURES 6.1. Personal precautions None known 6.2. Environmental precautions Do not discharge into lakes, streams, ponds or public waters.	5. FIRE FIGHTING MEASURES				
not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6. ACCIDENTAL RELEASE MEASURES 6.1. Personal precautions None known 6.2. Environmental precautions Do not discharge into lakes, streams, ponds or public waters.					
cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6. ACCIDENTAL RELEASE MEASURES 6.1. Personal precautions None known 6.2. Environmental precautions Do not discharge into lakes, streams, ponds or public waters.	5.2. Suitable extinguishing media:	<u></u>	Dry chemical, carbon dioxide, foam or water may be used. Do		
on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6. ACCIDENTAL RELEASE MEASURES 6.1. Personal precautions None known 6.2. Environmental precautions Do not discharge into lakes, streams, ponds or public waters.					
5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6. ACCIDENTAL RELEASE MEASURES 6.1. Personal precautions None known 6.2. Environmental precautions Do not discharge into lakes, streams, ponds or public waters.			cause spattering and spread the fire. Sand / earth can be used		
combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6. ACCIDENTAL RELEASE MEASURES 6.1. Personal precautions None known 6.2. Environmental precautions Do not discharge into lakes, streams, ponds or public waters.			on small fires.		
apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6. ACCIDENTAL RELEASE MEASURES 6.1. Personal precautions None known 6.2. Environmental precautions Do not discharge into lakes, streams, ponds or public waters.	5.3. Hazards from combustion products:	<u></u>	During a fire irritating and toxic gases maybe produced by		
5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6. ACCIDENTAL RELEASE MEASURES 6.1. Personal precautions None known 6.2. Environmental precautions Do not discharge into lakes, streams, ponds or public waters.			combustion or thermal decomposition. Wear a breathing		
5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6. ACCIDENTAL RELEASE MEASURES 6.1. Personal precautions None known 6.2. Environmental precautions Do not discharge into lakes, streams, ponds or public waters.			apparatus		
breathing apparatus. 6. ACCIDENTAL RELEASE MEASURES 6.1. Personal precautions None known 6.2. Environmental precautions Do not discharge into lakes, streams, ponds or public waters.	5.4. Protective equipment for firefighters:				
breathing apparatus. 6. ACCIDENTAL RELEASE MEASURES 6.1. Personal precautions None known 6.2. Environmental precautions Do not discharge into lakes, streams, ponds or public waters.	-				
6.1. Personal precautions None known 6.2. Environmental precautions Do not discharge into lakes, streams, ponds or public waters.			breathing apparatus.		
6.2. Environmental precautions Do not discharge into lakes, streams, ponds or public waters.		6. ACCIDENT			
	6.1. Personal precautions		None known		
Advise authorities if the product has penetrated drains, sewers	6.2. Environmental precautions				
			Advise authorities if the product has penetrated drains, sewers		



SAFETY DATA SHEET

6.3. Methods for containment	Not applicable		
6.4. Methods for cleaning	Remains in solid form under normal conditions, pick up or sweep spilled product. If molten, allow to cool and scrape up.		
7. HANDLING AND STORAGE			
7.1. Handling	Avoid contact with eyes.		
	Observe precautions found on label. Wash face and hands		
	thoroughly with soap and water after use and before eating.		
7.2. Storage	Store containers upright and closed.		
	Keep out of reach of children.		
	Store in a cool, dry preferably below 30°C		
8. EXPOSURE CONT	ROLS/PERSONAL PROTECTION		
8.1. National exposure standards	None allocated		
8.2. Biological limit values	None allocated		
8.3. Engineering controls	General ventilation normally adequate		
8.4. Personal protective equipment	Gloves may be used to minimise contact.		
9. PHYSICAL AN	D CHEMICAL PROPERTIES		
9.1. Appearance:	Opaque white solids resin		
9.2. Odour:	Synthetic fragrance resembling coconut		
9.3. Vapour Pressure:	Not available		
9.4. Vapour density:	Not available		
9.5. Softening point:	37 +/- 2°C		
9.6. Melting point:	60 +/- 5 °C		
9.7. Solubility in water:	Insoluble		
9.8. Specific gravity:	0.93 – 0.99 g/mL		
9.9. Flammable materials information:	Net coellecte		
flash point and method of detecting flash point;	Not applicable Not determined		
upper and lower flammable (explosive) limits in air; and	Not determined		
ignition temperature.	Not determined		
9.10. Viscosity at room temperature:	Solid		
9 11 Percent volatile	I Not available		
9.11. Percent volatile:	Not available ITY AND REACTIVITY		
10. STABIL	ITY AND REACTIVITY		
	ITY AND REACTIVITY Stable under normal condition. May react with strong oxidising		
10. STABIL	ITY AND REACTIVITY		
10. STABIL 10.1. Chemical Stability:	ITY AND REACTIVITY Stable under normal condition. May react with strong oxidising agents		
10. STABIL 10.1. Chemical Stability:	ITY AND REACTIVITY Stable under normal condition. May react with strong oxidising agents Do not mix with other chemicals.		
10. STABIL 10.1. Chemical Stability:	ITY AND REACTIVITY Stable under normal condition. May react with strong oxidising agents Do not mix with other chemicals. Keep away from moisture.		
10. STABIL 10.1. Chemical Stability: 10.2. Conditions to avoid:	ITY AND REACTIVITY Stable under normal condition. May react with strong oxidising agents Do not mix with other chemicals. Keep away from moisture. Avoid storage temperature exceeding 50 °C		
10. STABIL 10.1. Chemical Stability: 10.2. Conditions to avoid: 10.3. Incompatible materials:	ITY AND REACTIVITY Stable under normal condition. May react with strong oxidising agents Do not mix with other chemicals. Keep away from moisture. Avoid storage temperature exceeding 50 °C oxidisers		
10. STABIL 10.1. Chemical Stability: 10.2. Conditions to avoid: 10.3. Incompatible materials:	ITY AND REACTIVITY Stable under normal condition. May react with strong oxidising agents Do not mix with other chemicals. Keep away from moisture. Avoid storage temperature exceeding 50 °C oxidisers Combustion may yield large amounts of oxides of carbon, smoke, incomplete combustion products, flammable hydrocarbons.		
10.1. Chemical Stability: 10.2. Conditions to avoid: 10.3. Incompatible materials: 10.4. Hazardous decomposition products: 10.5. Hazardous reactions:	ITY AND REACTIVITY Stable under normal condition. May react with strong oxidising agents Do not mix with other chemicals. Keep away from moisture. Avoid storage temperature exceeding 50 °C oxidisers Combustion may yield large amounts of oxides of carbon, smoke, incomplete combustion products, flammable hydrocarbons. None known		
10.1. Chemical Stability: 10.2. Conditions to avoid: 10.3. Incompatible materials: 10.4. Hazardous decomposition products: 10.5. Hazardous reactions:	ITY AND REACTIVITY Stable under normal condition. May react with strong oxidising agents Do not mix with other chemicals. Keep away from moisture. Avoid storage temperature exceeding 50 °C oxidisers Combustion may yield large amounts of oxides of carbon, smoke, incomplete combustion products, flammable hydrocarbons. None known OGICAL INFORMATION		
10.1. Chemical Stability: 10.2. Conditions to avoid: 10.3. Incompatible materials: 10.4. Hazardous decomposition products: 10.5. Hazardous reactions: 11. TOXICOL 11.1. Likely routes of exposure:	ITY AND REACTIVITY Stable under normal condition. May react with strong oxidising agents Do not mix with other chemicals. Keep away from moisture. Avoid storage temperature exceeding 50 °C oxidisers Combustion may yield large amounts of oxides of carbon, smoke, incomplete combustion products, flammable hydrocarbons. None known		
10.1. Chemical Stability: 10.2. Conditions to avoid: 10.3. Incompatible materials: 10.4. Hazardous decomposition products: 10.5. Hazardous reactions: 11. TOXICOL 11.1. Likely routes of exposure: 11.2. Health effects from the likely routes of exposure:	ITY AND REACTIVITY Stable under normal condition. May react with strong oxidising agents Do not mix with other chemicals. Keep away from moisture. Avoid storage temperature exceeding 50 °C oxidisers Combustion may yield large amounts of oxides of carbon, smoke, incomplete combustion products, flammable hydrocarbons. None known OGICAL INFORMATION Skin, eyes, inhaled.		
10.1. Chemical Stability: 10.2. Conditions to avoid: 10.3. Incompatible materials: 10.4. Hazardous decomposition products: 10.5. Hazardous reactions: 11. TOXICOL 11.1. Likely routes of exposure: 11.2. Health effects from the likely routes of exposure: 11.2.1. Acute	ITY AND REACTIVITY Stable under normal condition. May react with strong oxidising agents Do not mix with other chemicals. Keep away from moisture. Avoid storage temperature exceeding 50 °C oxidisers Combustion may yield large amounts of oxides of carbon, smoke, incomplete combustion products, flammable hydrocarbons. None known OGICAL INFORMATION Skin, eyes, inhaled. No specific toxicological data is available.		
10.1. Chemical Stability: 10.2. Conditions to avoid: 10.3. Incompatible materials: 10.4. Hazardous decomposition products: 10.5. Hazardous reactions: 11. TOXICOL 11.1. Likely routes of exposure: 11.2. Health effects from the likely routes of exposure: 11.2.1. Acute Ingestion:	ITY AND REACTIVITY Stable under normal condition. May react with strong oxidising agents Do not mix with other chemicals. Keep away from moisture. Avoid storage temperature exceeding 50 °C oxidisers Combustion may yield large amounts of oxides of carbon, smoke, incomplete combustion products, flammable hydrocarbons. None known OGICAL INFORMATION Skin, eyes, inhaled. No specific toxicological data is available. Product may induce nausea.		
10.1. Chemical Stability: 10.2. Conditions to avoid: 10.3. Incompatible materials: 10.4. Hazardous decomposition products: 10.5. Hazardous reactions: 11. TOXICOL 11.1. Likely routes of exposure: 11.2. Health effects from the likely routes of exposure: 11.2.1. Acute	ITY AND REACTIVITY Stable under normal condition. May react with strong oxidising agents Do not mix with other chemicals. Keep away from moisture. Avoid storage temperature exceeding 50 °C oxidisers Combustion may yield large amounts of oxides of carbon, smoke, incomplete combustion products, flammable hydrocarbons. None known OGICAL INFORMATION Skin, eyes, inhaled. No specific toxicological data is available. Product may induce nausea. May cause abrasive irritation to the eyes if they come into		
10.1. Chemical Stability: 10.2. Conditions to avoid: 10.3. Incompatible materials: 10.4. Hazardous decomposition products: 10.5. Hazardous reactions: 11. TOXICOL 11.1. Likely routes of exposure: 11.2. Health effects from the likely routes of exposure: 11.2.1. Acute Ingestion: Eye:	ITY AND REACTIVITY Stable under normal condition. May react with strong oxidising agents Do not mix with other chemicals. Keep away from moisture. Avoid storage temperature exceeding 50 °C oxidisers Combustion may yield large amounts of oxides of carbon, smoke, incomplete combustion products, flammable hydrocarbons. None known OGICAL INFORMATION Skin, eyes, inhaled. No specific toxicological data is available. Product may induce nausea. May cause abrasive irritation to the eyes if they come into contact with the product.		
10.1. Chemical Stability: 10.2. Conditions to avoid: 10.3. Incompatible materials: 10.4. Hazardous decomposition products: 10.5. Hazardous reactions: 11. TOXICOL 11.1. Likely routes of exposure: 11.2. Health effects from the likely routes of exposure: 11.2.1. Acute Ingestion:	ITY AND REACTIVITY Stable under normal condition. May react with strong oxidising agents Do not mix with other chemicals. Keep away from moisture. Avoid storage temperature exceeding 50 °C oxidisers Combustion may yield large amounts of oxides of carbon, smoke, incomplete combustion products, flammable hydrocarbons. None known OGICAL INFORMATION Skin, eyes, inhaled. No specific toxicological data is available. Product may induce nausea. May cause abrasive irritation to the eyes if they come into contact with the product. Not expected to be an irritant but may cause temporary local		
10.1. Chemical Stability: 10.2. Conditions to avoid: 10.3. Incompatible materials: 10.4. Hazardous decomposition products: 10.5. Hazardous reactions: 11. TOXICOL 11.1. Likely routes of exposure: 11.2. Health effects from the likely routes of exposure: 11.2.1. Acute Ingestion: Eye: Skin:	ITY AND REACTIVITY Stable under normal condition. May react with strong oxidising agents Do not mix with other chemicals. Keep away from moisture. Avoid storage temperature exceeding 50 °C oxidisers Combustion may yield large amounts of oxides of carbon, smoke, incomplete combustion products, flammable hydrocarbons. None known OGICAL INFORMATION Skin, eyes, inhaled. No specific toxicological data is available. Product may induce nausea. May cause abrasive irritation to the eyes if they come into contact with the product. Not expected to be an irritant but may cause temporary local redness after application.		
10.1. Chemical Stability: 10.2. Conditions to avoid: 10.3. Incompatible materials: 10.4. Hazardous decomposition products: 10.5. Hazardous reactions: 11. TOXICOL 11.1. Likely routes of exposure: 11.2. Health effects from the likely routes of exposure: 11.2.1. Acute Ingestion: Eye:	Stable under normal condition. May react with strong oxidising agents Do not mix with other chemicals. Keep away from moisture. Avoid storage temperature exceeding 50 °C oxidisers Combustion may yield large amounts of oxides of carbon, smoke, incomplete combustion products, flammable hydrocarbons. None known OGICAL INFORMATION Skin, eyes, inhaled. No specific toxicological data is available. Product may induce nausea. May cause abrasive irritation to the eyes if they come into contact with the product. Not expected to be an irritant but may cause temporary local redness after application. When heated, the vapour/fumes given off may cause respiratory		
10.1. Chemical Stability: 10.2. Conditions to avoid: 10.3. Incompatible materials: 10.4. Hazardous decomposition products: 10.5. Hazardous reactions: 11. TOXICOL 11.1. Likely routes of exposure: 11.2. Health effects from the likely routes of exposure: 11.2.1. Acute Ingestion: Eye: Skin: Inhalation:	ITY AND REACTIVITY Stable under normal condition. May react with strong oxidising agents Do not mix with other chemicals. Keep away from moisture. Avoid storage temperature exceeding 50 °C oxidisers Combustion may yield large amounts of oxides of carbon, smoke, incomplete combustion products, flammable hydrocarbons. None known OGICAL INFORMATION Skin, eyes, inhaled. No specific toxicological data is available. Product may induce nausea. May cause abrasive irritation to the eyes if they come into contact with the product. Not expected to be an irritant but may cause temporary local redness after application. When heated, the vapour/fumes given off may cause respiratory tract irritation.		
10.1. Chemical Stability: 10.2. Conditions to avoid: 10.3. Incompatible materials: 10.4. Hazardous decomposition products: 10.5. Hazardous reactions: 11. TOXICOL 11.1. Likely routes of exposure: 11.2. Health effects from the likely routes of exposure: 11.2.1. Acute Ingestion: Eye: Skin: Inhalation:	ITY AND REACTIVITY Stable under normal condition. May react with strong oxidising agents Do not mix with other chemicals. Keep away from moisture. Avoid storage temperature exceeding 50 °C oxidisers Combustion may yield large amounts of oxides of carbon, smoke, incomplete combustion products, flammable hydrocarbons. None known OGICAL INFORMATION Skin, eyes, inhaled. No specific toxicological data is available. Product may induce nausea. May cause abrasive irritation to the eyes if they come into contact with the product. Not expected to be an irritant but may cause temporary local redness after application. When heated, the vapour/fumes given off may cause respiratory tract irritation. No long term effects are known.		
10.1. Chemical Stability: 10.2. Conditions to avoid: 10.3. Incompatible materials: 10.4. Hazardous decomposition products: 10.5. Hazardous reactions: 11. TOXICOL 11.1. Likely routes of exposure: 11.2.1. Acute Ingestion: Eye: Skin: Inhalation: 11.2.2. Chronic 11.3. Other Information:	ITY AND REACTIVITY Stable under normal condition. May react with strong oxidising agents Do not mix with other chemicals. Keep away from moisture. Avoid storage temperature exceeding 50 °C oxidisers Combustion may yield large amounts of oxides of carbon, smoke, incomplete combustion products, flammable hydrocarbons. None known OGICAL INFORMATION Skin, eyes, inhaled. No specific toxicological data is available. Product may induce nausea. May cause abrasive irritation to the eyes if they come into contact with the product. Not expected to be an irritant but may cause temporary local redness after application. When heated, the vapour/fumes given off may cause respiratory tract irritation. No long term effects are known.		
10.1. Chemical Stability: 10.2. Conditions to avoid: 10.3. Incompatible materials: 10.4. Hazardous decomposition products: 10.5. Hazardous reactions: 11. TOXICOL 11.1. Likely routes of exposure: 11.2. Health effects from the likely routes of exposure: 11.2.1. Acute Ingestion: Eye: Skin: Inhalation: 11.2.2. Chronic 11.3. Other Information:	Stable under normal condition. May react with strong oxidising agents Do not mix with other chemicals. Keep away from moisture. Avoid storage temperature exceeding 50 °C oxidisers Combustion may yield large amounts of oxides of carbon, smoke, incomplete combustion products, flammable hydrocarbons. None known OGICAL INFORMATION Skin, eyes, inhaled. No specific toxicological data is available. Product may induce nausea. May cause abrasive irritation to the eyes if they come into contact with the product. Not expected to be an irritant but may cause temporary local redness after application. When heated, the vapour/fumes given off may cause respiratory tract irritation. No long term effects are known. None GICAL INFORMATION		
10.1. Chemical Stability: 10.2. Conditions to avoid: 10.3. Incompatible materials: 10.4. Hazardous decomposition products: 10.5. Hazardous reactions: 11. TOXICOL 11.1. Likely routes of exposure: 11.2. Health effects from the likely routes of exposure: 11.2.1. Acute Ingestion: Eye: Skin: Inhalation: 11.2.2. Chronic 11.3. Other Information: 12. ECOLO 12.1. Ecotoxicity:	Stable under normal condition. May react with strong oxidising agents Do not mix with other chemicals. Keep away from moisture. Avoid storage temperature exceeding 50 °C oxidisers Combustion may yield large amounts of oxides of carbon, smoke, incomplete combustion products, flammable hydrocarbons. None known OGICAL INFORMATION Skin, eyes, inhaled. No specific toxicological data is available. Product may induce nausea. May cause abrasive irritation to the eyes if they come into contact with the product. Not expected to be an irritant but may cause temporary local redness after application. When heated, the vapour/fumes given off may cause respiratory tract irritation. No long term effects are known. None GICAL INFORMATION Not expected to be harmful to aquatic or terrestrial organisms.		
10.1. Chemical Stability: 10.2. Conditions to avoid: 10.3. Incompatible materials: 10.4. Hazardous decomposition products: 10.5. Hazardous reactions: 11. TOXICOL 11.1. Likely routes of exposure: 11.2. Health effects from the likely routes of exposure: 11.2.1. Acute Ingestion: Eye: Skin: Inhalation: 11.2.2. Chronic 11.3. Other Information: 12. ECOLO 12.1. Ecotoxicity: 12.2. Persistence and degradability:	Stable under normal condition. May react with strong oxidising agents Do not mix with other chemicals. Keep away from moisture. Avoid storage temperature exceeding 50 °C oxidisers Combustion may yield large amounts of oxides of carbon, smoke, incomplete combustion products, flammable hydrocarbons. None known OGICAL INFORMATION Skin, eyes, inhaled. No specific toxicological data is available. Product may induce nausea. May cause abrasive irritation to the eyes if they come into contact with the product. Not expected to be an irritant but may cause temporary local redness after application. When heated, the vapour/fumes given off may cause respiratory tract irritation. No long term effects are known. None GICAL INFORMATION Not expected to be harmful to aquatic or terrestrial organisms. Expected to be persistent.		
10.1. Chemical Stability: 10.2. Conditions to avoid: 10.3. Incompatible materials: 10.4. Hazardous decomposition products: 10.5. Hazardous reactions: 11. TOXICOL 11.1. Likely routes of exposure: 11.2. Health effects from the likely routes of exposure: 11.2.1. Acute Ingestion: Eye: Skin: Inhalation: 11.2.2. Chronic 11.3. Other Information: 12. ECOLO 12.1. Ecotoxicity:	Stable under normal condition. May react with strong oxidising agents Do not mix with other chemicals. Keep away from moisture. Avoid storage temperature exceeding 50 °C oxidisers Combustion may yield large amounts of oxides of carbon, smoke, incomplete combustion products, flammable hydrocarbons. None known OGICAL INFORMATION Skin, eyes, inhaled. No specific toxicological data is available. Product may induce nausea. May cause abrasive irritation to the eyes if they come into contact with the product. Not expected to be an irritant but may cause temporary local redness after application. When heated, the vapour/fumes given off may cause respiratory tract irritation. No long term effects are known. None GICAL INFORMATION Not expected to be harmful to aquatic or terrestrial organisms.		

Brilliance Bead Wax Date issued: 16/11/2017 Page 2 of 3



13. DISPOSAL CONSIDERATIONS			
13.1. Disposal methods and containers:	Dispose the waste as a non-hazardous organic solid according to		
	local and state regulations.		
	Contact relevant authority for details. No special considerations		
	for containers.		
14. TRANSPORT INFORMATION			
14.1. UN Number:	Not applicable		
14.2. UN Proper Shipping Name:	Not applicable		
14.3. Class and subsidiary risk:	Not applicable		
14.4. Packing Group:	Not applicable		
14.5. Special precautions for user:	Not applicable		
14.6. Hazchem Code:	Not applicable		
15. REGULATORY INFORMATION			
15.1. Regulatory Status:	Not applicable		
16. OTHER INFORMATION			
16.1. Document Information:	Document Issued 16/11/17		
16.2. Additional Information:	The information contained in this MSDS is, to the best of Caron		
	Laboratories' knowledge and belief, accurate and reliable as of		
	the date issued. The information is provided without any		
	warranty, expressed or implied regarding its correctness or		
	accuracy. Similarly, no warranty expressed or implied shall be		
	created or inferred regarding the product described in this MSDS		
	and Caron Laboratories Pty Ltd will not assume liability for any		
	loss or damage arising out of the use of this information. It is the		
	user's responsibility to satisfy itself that the product is suitable		
	for its intended use		

Brilliance Bead Wax Date issued: 16/11/2017 Page **3** of **3**