

	1. IDENTIFICATION O	F THE MATERIAL AND SUPPLIER
1.1. Product (material) name:		Strawberry Crème Hard Wax (Microwavable)
1.2. Other names:		Hydrocarbon Resin Based Professional Hair Removal Wax
1.3. Recommended use:		Removal of unwanted body hair
1.4. Supplier:		Caronlab Australia Pty Ltd
1.5. Address:		148-150 Victoria St, North Geelong, Victoria, 3215, Australia
1.6. Phone:		(03) 5227 4999
1.7. Fax:		·
		(03) 5227 4950
1.8. Email:		info@caronlab.com.au
1.9. Emergency Contacts:	2 114740	Poisons Information Centre (Australia) 13 11 26  DS IDENTIFICATION
2.1 Hazard classification	Z. HAZAK	
2.1. Hazard classification:		Non-hazardous according to NOHSC criteria.
2.2. Risk phrase(s):		Not applicable
2.3. Safety phrase(s)	2.1	Not applicable
		INGREDIENTS
Ingredient s:	CAS number:	Concentration:
Polycyclopentadiene	68132-00-3	>60%
Cera Alba	8006-40-4	10-<30%
Olus Oil	8001-22-47	<10%
Paraffin	8002-74-2	<10%
Parfum	N/A	<1%
Titanium Dioxide	13463-67-7	<1%
CI 21600	85-86-9	<1%
	4. FIRS	T AID MEASURES
4.1. Description of necessary first a	id measures	
Ingestion:		Rinse mouth out with water. Do not attempt to induce vomiting
		unless directed to do so by a physician. Never give anything by
		mouth to an unconscious person. If large quantities are
		swallowed, seek medical advice immediately.
Eye:		Flush with water for 15 minutes including under eyelids. If
Lye.		
		person is wearing contact lenses, remove them prior to flushing.
CI.		Seek medical advice if discomfort persists.
Skin:		May cause temporary local redness after application.
		Discontinue use if irritation occurs, seek medical attention if
		discomfort persists. If directions for use not followed correctly
		and applied too hot this may cause burns in which case flush
		with or immerse in cold water. Seek medical attention for burns
Inhalation:		If respiratory symptoms develop whilst using molten material
		remove patient from area of exposure into fresh air. If
		symptoms persist, seek medical advice.
4.2. Medical Attention And Special	Treatment	
First Aid Facilities:		A source of clean water should be available in the work area for
		flushing eyes and skin.
Notes to physician		Treat symptomatically
Tvotes to physician		
	5. FIRE FI	GHTING MFASURFS
5.1. Flammable properties	5. FIRE FI	GHTING MEASURES
5.1. Flammable properties 5.2 Suitable extinguishing media:	5. FIKE FI	
5.1. Flammable properties 5.2. Suitable extinguishing media:	5. FIRE FI	Dry chemical, carbon dioxide, foam or water may be used. Do
	5. FIRE FI	Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may
	5. FIRE FI	Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used
5.2. Suitable extinguishing media:		Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires.
5.2. Suitable extinguishing media:		Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires.  During a fire irritating and toxic gases maybe produced by
5.2. Suitable extinguishing media:		Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires.  During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing
5.2. Suitable extinguishing media: 5.3. Hazards from combustion prod	ducts:	Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires.  During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus
5.2. Suitable extinguishing media: 5.3. Hazards from combustion prod	ducts:	Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires.  During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus  Move exposed containers from fire areas if possible. Firefighters
5.2. Suitable extinguishing media: 5.3. Hazards from combustion prod	ducts:	Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires.  During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus
5.2. Suitable extinguishing media: 5.3. Hazards from combustion prod	ducts:	Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires.  During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus  Move exposed containers from fire areas if possible. Firefighter
5.2. Suitable extinguishing media: 5.3. Hazards from combustion prod	ducts: ghters:	Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires.  During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus  Move exposed containers from fire areas if possible. Firefighter should wear full protective clothing including self contained
	ducts: ghters:	Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires.  During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus  Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus.
<ul><li>5.2. Suitable extinguishing media:</li><li>5.3. Hazards from combustion prod</li><li>5.4. Protective equipment for firefi</li></ul>	ducts: ghters:	Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires.  During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus  Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus.  AL RELEASE MEASURES
<ul><li>5.2. Suitable extinguishing media:</li><li>5.3. Hazards from combustion prod</li><li>5.4. Protective equipment for firefi</li><li>6.1. Personal precautions</li></ul>	ducts: ghters:	Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires.  During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus  Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus.  AL RELEASE MEASURES  None known  Do not discharge into lakes, streams, ponds or public waters.
<ul><li>5.2. Suitable extinguishing media:</li><li>5.3. Hazards from combustion prod</li><li>5.4. Protective equipment for firefi</li><li>6.1. Personal precautions</li></ul>	ducts: ghters:	Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires.  During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus  Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus.  AL RELEASE MEASURES  None known



6.4. Methods for cleaning	Remains in solid form under normal conditions, pick up or sweep
	spilled product. If molten, allow to cool and scrape up.
	DLING AND STORAGE
7.1. Handling	Avoid contact with eyes.  Observe precautions found on label. Wash face and hands
	thoroughly with soap and water after use and before eating.
7.2. Storage	Store containers upright and closed.
7.2. Storage	Keep out of reach of children.
	Store in a cool, dry preferably below 30°C
8. EXPOSURE CONT	TROLS/PERSONAL PROTECTION
8.1. National exposure standards	None allocated
8.2. Biological limit values	None allocated
8.3. Engineering controls	General ventilation normally adequate
8.4. Personal protective equipment	Gloves may be used to minimise contact.
	ND CHEMICAL PROPERTIES
9.1. Appearance:	Opaque light pink solids resin
9.2. Odour:	Synthetic fragrance resembling strawberry
9.3. Vapour Pressure:	Not available
9.4. Vapour density:	Not available
9.5. Softening point:	37 +/- 2°C
9.6. Melting point:	60 +/- 5 °C
9.7. Solubility in water:	Insoluble
9.8. Specific gravity:	0.94 – 0.99 g/mL
9.9. Flammable materials information:	
flash point and method of detecting flash point;	Not applicable
upper and lower flammable (explosive) limits in air;	Not determined
and	
ignition temperature.	Not determined
9.10. Viscosity at room temperature:	Solid
9.11. Percent volatile:	Not available
	LITY AND REACTIVITY
10.1. Chemical Stability:	Stable under normal condition. May react with strong oxidising
10.2. Conditions to avoid:	agents  Do not mix with other chemicals.
10.2. Conditions to avoid.	Keep away from moisture.
	Avoid storage temperature exceeding 50 °C
10.3. Incompatible materials:	oxidisers
10.4. Hazardous decomposition products:	Combustion may yield large amounts of oxides of carbon,
	smoke, incomplete combustion products, flammable
	hydrocarbons.
10.5. Hazardous reactions:	None known
11. TOXICO	LOGICAL INFORMATION
11.1. Likely routes of exposure:	Skin, eyes, inhaled.
11.2. Health effects from the likely routes of exposure:	
11.2.1. Acute	No specific toxicological data is available.
Ingestion:	Product may induce nausea.
Eye:	May cause abrasive irritation to the eyes if they come into
	contact with the product.
Skin:	Not expected to be an irritant but may cause temporary local
	redness after application.
Inhalation:	When heated, the vapour/fumes given off may cause respiratory
	tract irritation.
11.2.2. Chronic	No long term effects are known.
11.3. Other Information:	None
	OGICAL INFORMATION
12.1. Ecotoxicity:	Not expected to be harmful to aquatic or terrestrial organisms.
12.2. Persistence and degradability:	Expected to be persistent.
12.3. Mobility:	Expected to partition to sediment and wastewater solids.
	Minimally volatile.
	SAL CONSIDERATIONS
13.1. Disposal methods and containers:	Dispose the waste as a non-hazardous organic solid according to



<b></b>		
	local and state regulations.	
	Contact relevant authority for details. No special considerations	
	for containers.	
14. TRANSPORT INFORMATION		
14.1. UN Number:	Not applicable	
14.2. UN Proper Shipping Name:	Not applicable	
14.3. Class and subsidiary risk:	Not applicable	
14.4. Packing Group:	Not applicable	
14.5. Special precautions for user:	Not applicable	
14.6. Hazchem Code:	Not applicable	
1!	5. REGULATORY INFORMATION	
15.1. Regulatory Status:	Not applicable	
	16. OTHER INFORMATION	
16.1. Document Information:	Document Issued 16/11/17	
	Replace 06/09/2012	
16.2. Additional Information:	The information contained in this MSDS is, to the best of Caron	
	Laboratories' knowledge and belief, accurate and reliable as of	
	the date issued. The information is provided without any	
	warranty, expressed or implied regarding its correctness or	
	accuracy. Similarly, no warranty expressed or implied shall be	
	created or inferred regarding the product described in this MSDS	
	and Caron Laboratories Pty Ltd will not assume liability for any	
	loss or damage arising out of the use of this information. It is the	
	user's responsibility to satisfy itself that the product is suitable	
	for its intended use	