

### Replacement Parts List

**NOTE:** If requested color is not available, similar color will be substituted. Prices are subject to change.

Part.....	Cost	Qty	Total Cost
Pad Set .....	\$6.99	___	\$ _____
Instructions .....	\$0.00	___	\$ _____
<b>Merchandise Total.....</b>	<b>\$ _____</b>		

**Shipping and handling:.....\$ \_\_\_\_\_**

Up to \$25.00 .....	\$5.95	\$150.01 to \$200.00 ..	\$11.95
\$25.01 to \$50.00 .....	\$6.95	\$200.01 and up .....	\$13.95
\$50.01 to \$75.00 .....	\$8.95	Outside Continental USA	\$10.00
\$75.01 to \$100.00 .....	\$9.95		
\$100.01 to \$150.00 ..	\$10.95		

**Sales Tax .....** \$ \_\_\_\_\_  
 (Arizona, California, Georgia, Indiana, Missouri, South Carolina, and Texas residents add applicable sales tax.)

**Grand Total .....** \$ \_\_\_\_\_

No shipping and handling on instructions for quantities under 6. Add \$.50 for each instruction over 6, then add applicable shipping and handling.

**Fill Out For Credit Card**

Visa     Mastercard

Card Exp. Date: \_\_\_\_\_

Cardholder's Name: \_\_\_\_\_

Card Number: \_\_\_\_\_

Signature: \_\_\_\_\_



## Top Side Booster

40-100 lbs. (18.1-45.4 kg)  
 43-57 in. (110.1-144.8 cm)  
 and at least 4 years old

### KEEP INSTRUCTIONS FOR FUTURE USE.

Read all instructions before using this child restraint.

**⚠ WARNING:**

Failure to follow the warnings on the labels and in the instruction manual can result in serious injury or death to your child.

**A. Before You Begin.....Pages 3-6**

- A-1 Thank You...
- A-2 Registration and Safety Notices

**B. Safety Information.....Pages 7-8**

- B-1 Vehicle Seating Position
- B-2 Installation in Vehicle
- B-3 Child Restraint Use

**C. Basic Use .....Pages 9-10**

- C-1 Removing Seat Pad for Cleaning

**D. General Vehicle  
Installation.....Pages 11-16**

- D-1 Understanding Your Vehicle
- D-2 Vehicle Seating Position
- D-3 Knowing Your Vehicle Belts
- D-4 Aircraft Information

**E. Belt-Positioning Booster  
Use ..... Pages 17-20**

- E-1 Preparing Belt-Positioning Booster

- E-2 Installing Booster Using the Lap  
and Shoulder Belt



**General Information.....Pages 21-27**

- Troubleshooting
- Warranty
- Replacement Parts Order Form
- Replacement Parts List

## A-1 Thank You...

Thank you for choosing this car seat, referred to throughout this manual as a child restraint. The DJG family is committed to creating a child restraint with the most comfort and convenience available today.

Remember, parents are a child's first teachers. If you always buckle your seat belt, your child will think it is the natural thing to do. Make it a firm rule that the vehicle does not go until everyone is buckled up. Make no exceptions.

No one can predict if use of a child restraint will prevent injury or death in a particular crash. However, combined with careful driving, proper use of a child restraint can lower a child's risk of injury or death in most crashes.

Your child's safety is worth the time it will take to read and follow these instructions. After reading, if you still have questions or have any problems with this child restraint, please contact our Consumer Care Department at:

### **Dorel Juvenile Group, Inc.**

Website:  
[www.djgusa.com](http://www.djgusa.com)

Mailing Address:  
Dorel Juvenile Group, Inc.  
Attn: Consumer Care  
P.O. Box 2609  
Columbus, IN 47202-2609

Telephone:  
1-800-544-1108  
8 A.M. to 6 P.M. EST M-TH  
8 A.M. to 4:30 P.M. EST FRI

**A. Before You Begin**

On the bottom of the product there is an expiration date for use of this child restraint. Do not use this child restraint after the expiration date.

## A-2 Registration and Safety Notices

Please complete the postage-paid registration card that came with your child restraint, and send it to us. Child restraints could be recalled for safety reasons. You must register this restraint to be reached in a recall. Send your name, address, email address if available, and the restraint's model number and manufacturing date to:

Dorel Juvenile Group, Inc.  
PO Box 2609  
Columbus, IN 47202-2609  
Attn: Consumer Care

or call 1-800-544-1108 or register online at [www.djgusa.com/registration/carseat/us](http://www.djgusa.com/registration/carseat/us).

For recall information, call the U.S. Government's Vehicle Safety Hotline at 1-888-327-4236 (TTY: 1-800-424-9153), or go to <http://www.NHTSA.gov>

Consumer: Just fill in your name, address and email. Please print (use dark ink).  
Your Name  
Your Street Address  
City State Zip Code  
Email Address (optional)  
BC027-ASW SE 1 BOOST AIR PROTECT 08/05/2010  
P522 B 051050

Model  
Number

Manufacture  
Date

A. Before You Begin

If you don't have the card or if your address changes, you will find the model number and manufactured date on the label located on the bottom of the product.



### B-1 Vehicle Seating Position

- ▲ Check the vehicle owner's manual for more information about air bag/child restraint use.
- ▲ For vehicles without a back seat, refer to your vehicle owner's manual.

### B-2 Installation in Vehicle

- ▲ Check the vehicle belt before each use. Use only if the belt can be tightened properly and securely.
- ▲ This child restraint should be securely belted in the vehicle even when not in use. In a crash or sudden stop, an unsecured child restraint could injure occupants.
- ▲ Do not use a child restraint that has been in a crash. You must get a new child restraint.

### B-3 Child Restraint Use


- ▲ Never take your child out of the child restraint while the vehicle is moving. Never leave child unattended.
- ▲ Placing your child in a hot child restraint may result in burns.
- ▲ Do not use a child restraint with damaged or missing parts.
- ▲ Do not substitute parts or try to modify the child restraint in any way.
- ▲ Do not use any child restraint accessory except those approved by Dorel Juvenile Group.
- ▲ Never allow any child to play with this child restraint; it is not a toy.
- ▲ Do not remove or cover up any of the warning labels or other labels on the child restraint.
- ▲ Read all instructions for additional warnings.

## C-1 Removing Seat Pad for Cleaning

**⚠ WARNING:**

**Do not use this child restraint without the seat pad.**

**Failure to do this can result in serious injury.**



*Remove Pad*

### *Cleaning Seat Pad*

If your seat pad has a machine washable tag:

Machine wash separately with cold water on a gentle cycle. Tumble dry separately for 10-12 minutes on low heat. Remove immediately.

If your seat pad does not have a machine washable tag:

Hand wash pad with warm sudsy water, rinse clean and air dry.


**Do not use bleach or use other harsh cleaners. Do not dry clean.**

### *Replacing Pad*

Slip pad over the armrests and around the back of the shell. Pull pad over the front of the seat.

## D-1 Understanding Your Vehicle

Your vehicle's features may be considerably different than those pictured here. Consult your vehicle owner's manual to help identify your vehicle's specific features and locations.



## D-2 Vehicle Seating Position

Some seating positions in your vehicle may not be safe for this child restraint. Some vehicles do not have a seating position that can be used safely with this child restraint. If you are not sure where to place the child restraint in your vehicle, consult your vehicle owner's manual or contact Dorel Juvenile Group Consumer Care Department.





Children are safer when properly restrained

in rear seating positions than in the front seating positions.

According to National Highway Traffic Safety Administration information, children in rear seating positions are statistically safer, whether you have air bags, advanced air bags, or no air bags at all.

To avoid your child being seriously burned, take the following precautions:

1. Park in the shade or where sun does not directly hit the child restraint.
2. Always use the child restraint with the seat pad.

## D-3 Knowing Your Vehicle Belts

Review your vehicle's owner manual for vehicle seat belt use with child restraints. This is your best source for information concerning your vehicle.

There are some vehicle belts that will not work with a child restraint or will require special attention. You must determine if your vehicle's belts are compatible with this child restraint. To help determine this, review below.

### Vehicle Belts

You MUST have a vehicle lap and shoulder belt to install this child restraint.

• **Do Not Use vehicle belts in center of the door or side panel**



You must move the child restraint to another seating location. Consult your vehicle owner's manual.





• ***Do Not Use vehicle belts that are in front of the seat bight***

You may need to move the child restraint to another seating location. Consult your vehicle owner's manual.

## D-4 Aircraft Information



This restraint is not certified for aircraft use because aircraft seats do not have shoulder belts.

### E-1 Preparing Belt Positioning Booster



**Booster Without Backrest**  
40-100 lbs (18.1-45.4 kg) and 43-57 in. (110.1-144.8 cm) and at least 4 Years Old



Lap/Shoulder Belt

Belt-positioning booster using only vehicle lap/shoulder belt.

#### **⚠ WARNING:**

**Use only the vehicle's lap and shoulder belt system when restraining the child in this belt-positioning booster seat.**

**Failure to follow these warnings can result in serious injury or death.**



### E-2 Installing Booster Using the Lap and Shoulder Belts



**1. Place Belt-Positioning Booster Seat Forward-Facing in Vehicle**

Center the booster seat in the chosen seating position. The back of the booster seat should be flat against the vehicle seat back.




**2. Place Child in Seat**

Child should sit with its back flat against the vehicle seat and bottom flat against the seat base.



### 3. Buckle Lap and Shoulder Belt

Route lap portion of the lap/shoulder belt under both armrest. The shoulder belt **MUST** go **OVER** the armrest on the vehicle buckle side.



Lap belt should cross the child's thighs.



- a. The shoulder belt should lay snugly across the center of the child's shoulders and across the chest (not on the face or neck).

Pull up on the shoulder belt to tighten.

Check periodically to ensure you child has not moved out of position and loosened the shoulder belt.

### **⚠ WARNING:**

Use only the vehicle's lap and shoulder belt system when restraining the child in this belt-positioning booster seat.


Do Not Use only the lap belt when using this seat as a belt-positioning booster.



The shoulder belt must always be adjusted snugly across the child's chest.

**NEVER** place the shoulder belt under the child's arms.

Do not use this child restraint if the tops of your child's ears are above the top of the vehicle seat back or headrest.



Failure to follow these warnings can result in serious injury or death to your child.

## Troubleshooting

### **1. If the shoulder belt crosses the child's neck when using the child restraint:**

Try moving the child restraint toward the center of the vehicle or move the vehicle seat forward or back. Check to see if your vehicle has adjustable shoulder belt anchor points. **Do Not** place the shoulder belt behind the child.

## Warranty

Dorel Juvenile Group, Inc. (DJG) warrants this product to the original retail purchaser as follows: This product is warranted against defective materials or workmanship for one year from the date of original purchase. **An original receipt is required to validate your warranty.** DJG will, at its option, provide replacement parts or replace this product. DJG reserves the right to substitute if the part or model has been discontinued.

To make a claim under this warranty you may contact us at [www.djgusa.com](http://www.djgusa.com), write to DJG, Consumer Care Department, P.O. Box 2609, Columbus, IN 47202-2609, or call 1-800-544-1108 from 8:00 a.m. to 6:00 p.m. EST Monday through Thursday and from 8:00 a.m. to 4:30 p.m. on Friday. **Proof of purchase is required and shipping charges are the responsibility of the consumer.**

### **Warranty Limitations:**

This warranty does not include damages which arise from misuse or abuse of this product.

### **Limitation of Damages:**

The warranty and remedies as set forth are exclusive and in lieu of all others, oral or written, expressed or implied. In no event will DJG or the dealer selling this product be liable to you for any damages, including incidental or consequential damages, arising out of the use or inability to use this product.

**Limitation of warranties and other warranty terms and state law rights:**

Any implied warranties, including implied warranties of the merchantability and fitness for a particular purpose, shall be limited to the duration and terms of the express written warranty. Some states do not allow limitations as to how long an implied warranty lasts or the exclusion or limitation of incidental or consequential damages, so the above limitations may not apply to you. This warranty gives you specific legal rights, and you may have other rights, which vary from state to state. Neither DJG nor the dealer selling this product authorized any person to create for it any other warranty, obligation, or liability in connection with this product.

## Replacement Parts Order Form

Complete the form on the next 2 pages. Your model number with color code and manufacturer date code **MUST** be included on the form to ensure proper replacement parts. Your model number with color code and the date code can be found on a sticker on the side of child restraint. Payment in U.S. dollars must accompany your order. Choose parts needed from the list on page 27.

Return the form with payment to:

**Dorel Juvenile Group, Inc.**  
**Consumer Care Department**  
**P.O. Box 2609**  
**Columbus, IN 47202-2609**

Please make money orders payable to Dorel Juvenile Group, Inc. Fill in the area below to charge to Visa or Mastercard. We do not accept personal checks or Discover Card. All outside of U.S. and Canada **MUST** use credit card.

Ship To: (Please Print)

Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State/Province: \_\_\_\_\_

Zip: \_\_\_\_\_

Telephone: \_\_\_\_\_

Email Address: \_\_\_\_\_

**We **MUST** have this information,  
located on the bottom of the product,  
to process your order:**

**Model Number (8 to 9 characters):**

\_\_\_\_\_

**Manufacture Date (mm/dd/yyyy):**

\_\_\_\_\_