



PANEL A (Inside)



PANEL A (Outside)

PANEL B



PANEL C (Inside)



PANEL C (Outside)



PANEL D (Inside)



PANEL D (Outside)


PANEL E




PANEL F (Inside)




PANEL F (Outside)




**PANEL G**  
**(Front -**  
**Double Sided)**



**PANEL G**  
**(Back -**  
**Double Sided)**




**PANEL H**  
**(Front -**  
**Double Sided)**




**PANEL H**  
**(Back -**  
**Double Sided)**





**PANEL I  
(Front -  
Double Sided)**



**PANEL I  
(Back -  
Double Sided)**

PANEL J

PANEL K

PANEL L

## Hybrid Pro Modular Kit: Hybrid Pro Modular Kit 17

### TEMPLATE @ 1/2 SIZE

Dye Sub Graphic Panel A and F (Double Sided)  
Inside Dimension  
Total Graphic Area: 117.3125"w x 22"h  
Finished Graphic Area: 107.3125"w x 12"h  
Outside Dimension  
Total Graphic Area: 119.5"w x 22"h  
Finished Graphic Area: 109.5"w x 12"h

Dye Sub Graphic Panel C and D (Double Sided)  
Inside Dimension  
Total Graphic Area: 120.75"w x 57.25"h  
Finished Graphic Area: 110.75"w x 47.25"h  
Outside Dimension  
Total Graphic Area: 122.5625"w x 57.25"h  
Finished Graphic Area: 112.5625"w x 47.25"h

Dye Sub Fabric Panel B and E  
Total Graphic Area: 39.3125"w x 90.5"h  
Finished Graphic Area: 35.3125"w x 86.5"h

Dye Sub Fabric Panel M and N  
Total Graphic Area: 98.5"w x 98.25"h  
Finished Graphic Area: 94.5"w x 94.25"h

UV Graphic J, K, L  
Total Graphic Area: 38.25"w x 36.1875"h  
Finished Graphic Area: 37.25"w x 35.1875"h

UV Graphic G, H, I  
Total Graphic Area: 19"w x 50"h  
Finished Graphic Area: 18"w x 49"h  
(Graphic must be mirrored if designing  
as double sided - not a standard offering)

Please be sure to include 2" bleed around  
the perimeter of B, E, M and N.

Please be sure to include 5" bleed around  
the perimeter of A, C, D and F.


Please be sure to include .5" bleed around  
the perimeter of G, H, I, J, K and L.

Please consider obstructions and spaces  
created by the extrusions when designing  
your graphics.

Please design the hybrid counter artwork  
on a separate template.

### General Art Guidelines:

- CMYK Color Mode
- All Solid Coated Pantone colors should  
be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 200-240 ppi  
at 1/2 size, 100-120 ppi at full size
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must  
bleed to the edge of artboard
- Do not use spot colors from template  
in your artwork as they will not print



PANEL M

PANEL N

bleed area —  
trim line —  
safe zone —