

FREEDOM 2

PRODUCT SPECIFICATIONS

PRODUCT DESCRIPTION:

This high-quality CNC-machined 6061 aluminum anodized Freedom 2 directional spotlight is weatherproof to withstand the test of time. Each fixture is individually inspected to ensure consistency for each finish variation to provide a superior look every time. This spotlight is suitable for all LED MR16 lamps to provide long lasting energy efficient lighting accents with different kelvin temperatures, wattages and optic beams.

FEATURES & BENEFITS

- Built in the U.S.A.
- Dual O-ring protection to completely seal the fixture and eliminate water entry
- Vacuum testing to ensure sustained protection against water intrusion
- Fully adjustable head allowing for 220 degree rotation
- Field Serviceable


SPECIFICATIONS:

- **Construction:** Aircraft Grade 6061 Aluminum
- **Finish:** Stainless Aluminum or Black (Unweatherable Finish)
- **Lead Wire:** 18 Gauge Tin Coated Corrosion Free Wire- 10ft. Length
- **Lens:** Patented Compression Fit Lens
- **Light Source (sold separately):** LED MR16
- **Operation Voltage:** 12V-15V
- **Powered By:** Americana Lifetime Warranty Low Voltage Transformers

WARRANTY:

Lifetime Warranty on Housing
3 Year Warranty on Components

CERTIFICATIONS:



PRODUCT DIMENSIONS:



LIBERTY

PRODUCT SPECIFICATIONS

PRODUCT DESCRIPTION:

This high-quality CNC-machined 6061 aluminum anodized Liberty Path light is the best solution for more traditional landscape and architectural design plans. Our Unweatherable finish converts 6061 Aluminum into an indestructible shell, providing corrosion resistance and scratch proofing against even the most extreme environments. This path light is suitable for all GY6 Bi-Pin lamps to provide long lasting energy efficient lighting accents with different kelvin temperatures available.

FEATURES & BENEFITS

- Built in the U.S.A.
- Breathable ant guard to eliminate insect infestation.
- Field Serviceable

SPECIFICATIONS:

- **Construction:** Aircraft Grade 6061 Aluminum
- **Finish:** Black (Unweatherable Finish)
- **Lead Wire:** 18 Gauge Tin Coated Corrosion Free Wire-46" Length
- **Light Source (sold separately):** GY6 Bi-Pin
- **Operation Voltage:** 10.5V-18V
- **Powered By:** Americana Lifetime Warranty Low Voltage Transformers


WARRANTY:

Lifetime Warranty on Housing
3 Year Warranty on Components

CERTIFICATIONS:



LIFETIME
WARRANTY



PRODUCT DIMENSIONS:



TRANSFORMERS



300, 600, 900, 1200W | LOW VOLTAGE

FEATURES:

- 4 Standard 3/4" or 1" knockouts for wire access
- 1 standard 3/4" knockout for optional photocell
- Any single tap will support 100% of the rated wattage
- Key Components are field serviceable and easily replaceable
- Magnetic breakers
- Standard NEMA 5-15 receptible for optional Plug-in timer
- 5' grounded power cord
- Surge Protection on Primary

SPECIFICATIONS:

- **Application:** Medium to Large Island Runs
- **Dimensions:** 5.25"x5.25"x17" (300W) 6.50"x5.50"x17" (600, 900 and 1200W)
- **Construction:** 100% Stainless Steel housing. High-Quality magnetic secondary breakers.
- **Input Power:** 110-120 Volts AC 60Hz
- **Output Power:** 12VAC, 13VAC, 14VAC, 15VAC Output on all models

WARRANTY:

Lifetime Warranty

CERTIFICATIONS:



PRODUCT DIMENSIONS:



300W



600W



900W



1200W