

## CONSOLIDATED TEST RESULTS SUMMARY

Please see the following pages for full test results.

<b>BULK SKU</b>	<b>BATCH #</b>	<b>LOQ: Limit Of Quantitation</b>	
<b>PRODUCT NAME</b>	<b>SERVING SIZE</b>	<b>LOD: Limit Of Detection</b>	
<b>LABORATORY :</b>	<b>OREGON ACCREDITATION: OR100028</b>	1 g = 10 <sup>-3</sup> kg = 10 <sup>3</sup> mg = 10 <sup>6</sup> µg 1 mg/kg = 1 ppm = 1000 ppb	
POTENCY	PER SERVING	PER GRAM	Percent
Cannabidiol (CBD)	mg/serving	mg/g	%
Total THC (d9-THC, THCA)	mg/serving	mg/g	%
Cannabigerol (CBG)	mg/serving	mg/g	%
Cannabinol (CBN)	mg/serving	mg/g	%
Cannabichromene (CBC)	mg/serving	mg/g	%
Tetrahydrocannabinolic Acid (THCA)	mg/serving	mg/g	%
Delta-9-THC (d9-THC)	mg/serving	mg/g	%
Delta-8-THC (d8-THC)	mg/serving	mg/g	%
HEAVY METALS	PER SERVING	PER GRAM	REGULATORY ACTION LEVEL
Arsenic	µg/serving	µg/g	1.5 ppm
Cadmium	µg/serving	µg/g	0.5 ppm
Lead	µg/serving	µg/g	0.5 ppm
Mercury	µg/serving	µg/g	3.0 ppm
PESTICIDES	REGULATORY ACTION LEVEL		
None of the other 59 pesticides tested found above limit of detection in the sample.			10 ppb <sup>[1]</sup>
RESIDUAL SOLVENTS	Results	REGULATORY ACTION LEVEL	
Ethanol*	µg/g	5,000 ppm	
Heptane	µg/g	5,000 ppm	
None of the 34 residual solvents tested found above limit of quantitation in the sample.			
MICROBIAL	PASS/FAIL		
Yeast & Mold	Pass		
Coliform	Pass		



1. American Herbal Pharmacopoeia. (2014). Cannabis Inflorescence: Standards of Identity, Analysis, and Quality Control. Washington DC: AHP.

\*Ethanol is a food additive used in some of our ingredients. The FDA has labeled ethanol as Generally Recognized as Safe (GRAS). Many foods contain trace amounts of ethanol, including soy sauce, pasta sauces, fruits and juices, etc. Our products contain safe levels of ethanol and always below pertinent regulatory action levels.



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794



**Report Number:** 23-013197/D014.R000  
**Report Date:** 11/15/2023  
**ORELAP#:** OR100028  
**Purchase Order:** 2715879  
**Received:** 11/07/23 16:04

**Customer:** Etz Hayim Holdings  
**Product identity:** CYCL-SLZ.D9.BC5.6PK-FH52(A)-3Z  
**Client/Metric ID:** .  
**Laboratory ID:** 23-013197-0018

### Summary

**Potency:**

Analyte per 1g	Result	Limits	Units	Status	
CBD per 1g	0.0188		mg/1g		CBD-Total per Serving Size 0.0188 mg/1g
Δ9-THC per 1g	0.0109		mg/1g		THC-Total per Serving Size 0.0109 mg/1g
					(Reported in milligrams per serving)

**Residual Solvents:**

Analyte	Result (µg/g)	Limits (µg/g)	Status
Ethanol	338		

**Pesticides:**

*All analytes passing and less than LOQ.*

**Metals:**

*Less than LOQ for all analytes.*

**Microbiology:**

*Less than LOQ for all analytes.*



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794



**Report Number:** 23-013197/D014.R000  
**Report Date:** 11/15/2023  
**ORELAP#:** OR100028  
**Purchase Order:** 2715879  
**Received:** 11/07/23 16:04

**Customer:** Etz Hayim Holdings  
 16427 NE Airport Way  
 PORTLAND 97230  
 United States of America (USA)

**Product identity:** CYCL-SLZ.D9.BC5.6PK-FH52(A)-3Z

**Client/Metric ID:** .

**Sample Date:**

**Laboratory ID:** 23-013197-0018

**Evidence of Cooling:** No

**Temp:** 18.5 °C

**Relinquished by:** client

**Serving Size #1:** 1 g

### Sample Results

Potency per 1g	Method: J AOAC 2015 V98-6 (mod) <sup>b</sup>	Units mg/se	Batch: 2312678	Analyze: 11/10/23 12:38:00 A	
Analyte	Result	Limits	Units	LOQ	Notes
CBC per 1g	< LOQ		mg/1g	0.000990	
CBC-A per 1g	< LOQ		mg/1g	0.000990	
CBC-Total per 1g	< LOQ		mg/1g	0.00186	
CBD per 1g	0.0188		mg/1g	0.000990	
CBD-A per 1g	< LOQ		mg/1g	0.000990	
CBD-Total per 1g	0.0188		mg/1g	0.00186	
CBDV per 1g	< LOQ		mg/1g	0.000990	
CBDV-A per 1g	< LOQ		mg/1g	0.000990	
CBDV-Total per 1g	< LOQ		mg/1g	0.00185	
CBE per 1g	< LOQ		mg/1g	0.000990	
CBG per 1g	< LOQ		mg/1g	0.000990	
CBG-A per 1g	< LOQ		mg/1g	0.000990	
CBG-Total per 1g	< LOQ		mg/1g	0.00185	
CBL per 1g	< LOQ		mg/1g	0.000990	
CBL-A per 1g	< LOQ		mg/1g	0.000990	
CBL-Total per 1g	< LOQ		mg/1g	0.00186	
CBN per 1g	< LOQ		mg/1g	0.000990	
CBT per 1g	< LOQ		mg/1g	0.000990	
Δ8-THCV per 1g	< LOQ		mg/1g	0.000990	
Δ10-THC-9R per 1g	< LOQ		mg/1g	0.000990	
Δ10-THC-9S per 1g	< LOQ		mg/1g	0.000990	
Δ10-THC-Total per 1g	< LOQ		mg/1g	0.00198	
Δ8-THC per 1g	< LOQ		mg/1g	0.000990	
Δ9-THC per 1g	0.0109		mg/1g	0.000990	
delta-9-THCP per 1g	< LOQ		mg/1g	0.000990	
exo-THC per 1g	< LOQ		mg/1g	0.000990	
THC-A per 1g	< LOQ		mg/1g	0.000990	
THC-Total per 1g	0.0109		mg/1g	0.00186	
THCV per 1g	< LOQ		mg/1g	0.000990	
THCV-A per 1g	< LOQ		mg/1g	0.000990	

[www.columbialaboratories.com](http://www.columbialaboratories.com)  
 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

Testing in accordance with: OAR 333-007-0430



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Report Number:** 23-013197/D014.R000  
**Report Date:** 11/15/2023  
**ORELAP#:** OR100028  
**Purchase Order:** 2715879  
**Received:** 11/07/23 16:04

Potency per 1g	Method: J AOAC 2015 V98-6 (mod) <sup>P</sup>	Units mg/se	Batch: 2312678	Analyze: 11/10/23 12:38:00 A	
Analyte	Result	Limits	Units	LOQ	Notes
THCV-Total per 1g	< LOQ		mg/1g	0.00186	
Total Cannabinoids per 1g	0.0297		mg/1g		

### Microbiology

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
E.coli	< LOQ		cfu/g	10	2312635	11/11/23 AOAC 991.14 (Petrifilm) <sup>P</sup>		
Total Coliforms	< LOQ		cfu/g	10	2312635	11/11/23 AOAC 991.14 (Petrifilm) <sup>P</sup>		
Mold (RAPID Petrifilm)	< LOQ		cfu/g	10	2312636	11/12/23 AOAC 2014.05 (RAPID) <sup>P</sup>		
Yeast (RAPID Petrifilm)	< LOQ		cfu/g	10	2312636	11/12/23 AOAC 2014.05 (RAPID) <sup>P</sup>		

### Solvents

Method: Residual Solvents by GC/MS <sup>P</sup>						Units µg/g	Batch 2312771	Analyze 11/14/23 11:57 AM			
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
1,4-Dioxane	< LOQ	380	100	pass		2-Butanol	< LOQ	5000	200	pass	
2-Ethoxyethanol	< LOQ	160	30.0	pass		2-Methylbutane (Isopentane)	< LOQ		200		
2-Methylpentane	< LOQ		30.0			2-Propanol (IPA)	< LOQ	5000	200	pass	
2,2-Dimethylbutane	< LOQ		30.0			2,2-Dimethylpropane (neo-pentane)	< LOQ		200		
2,3-Dimethylbutane	< LOQ		30.0			3-Methylpentane	< LOQ		30.0		
Acetone	< LOQ	5000	200	pass		Acetonitrile	< LOQ	410	100	pass	
Benzene	< LOQ	2.00	1.00	pass		Butanes (sum)	< LOQ	5000	400	pass	
Cyclohexane	< LOQ	3880	200	pass		Ethanol	338		200		
Ethyl acetate	< LOQ	5000	200	pass		Ethyl benzene	< LOQ		200		
Ethyl ether	< LOQ	5000	200	pass		Ethylene glycol	< LOQ	620	200	pass	
Ethylene oxide	< LOQ	50.0	20.0	pass		Hexanes (sum)	< LOQ	290	150	pass	
Isopropyl acetate	< LOQ	5000	200	pass		Isopropylbenzene (Cumene)	< LOQ	70.0	30.0	pass	
m,p-Xylene	< LOQ		200			Methanol	< LOQ	3000	200	pass	
Methylene chloride	< LOQ	600	60.0	pass		Methylpropane (Isobutane)	< LOQ		200		
n-Butane	< LOQ		200			n-Heptane	< LOQ	5000	200	pass	
n-Hexane	< LOQ		30.0			n-Pentane	< LOQ		200		
o-Xylene	< LOQ		200			Pentanes (sum)	< LOQ	5000	600	pass	
Propane	< LOQ	5000	200	pass		Tetrahydrofuran	< LOQ	720	100	pass	
Toluene	< LOQ	890	100	pass		Total Xylenes	< LOQ		400		
Total Xylenes and Ethyl benzene	< LOQ	2170	600	pass							



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Report Number:** 23-013197/D014.R000  
**Report Date:** 11/15/2023  
**ORELAP#:** OR100028  
**Purchase Order:** 2715879  
**Received:** 11/07/23 16:04

Pesticides											
Method: AOAC 2007.01 & EN 15662 (mod) <sup>b</sup>						Units mg/kg		Batch 2312740		Analyze 11/13/23 04:13 PM	
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
Abamectin <sup>‡</sup>	< LOQ	0.50	0.250	pass		Acephate <sup>‡</sup>	< LOQ	0.40	0.200	pass	
Acequinocyl <sup>‡</sup>	< LOQ	2.0	1.00	pass		Acetamiprid <sup>‡</sup>	< LOQ	0.20	0.100	pass	
Aldicarb <sup>‡</sup>	< LOQ	0.40	0.200	pass		Azoxystrobin <sup>‡</sup>	< LOQ	0.20	0.100	pass	
Bifentazate <sup>‡</sup>	< LOQ	0.20	0.100	pass		Bifenthrin <sup>‡</sup>	< LOQ	0.20	0.100	pass	
Boscalid <sup>‡</sup>	< LOQ	0.40	0.200	pass		Carbaryl <sup>‡</sup>	< LOQ	0.20	0.100	pass	
Carbofuran <sup>‡</sup>	< LOQ	0.20	0.100	pass		Chlorantraniliprole <sup>‡</sup>	< LOQ	0.20	0.100	pass	
Chlorfenapyr <sup>‡</sup>	< LOQ	1.0	0.500	pass		Chlorpyrifos <sup>‡</sup>	< LOQ	0.20	0.100	pass	
Clofentezine <sup>‡</sup>	< LOQ	0.20	0.100	pass		Cyfluthrin <sup>‡</sup>	< LOQ	1.0	0.500	pass	
Cypermethrin <sup>‡</sup>	< LOQ	1.0	0.500	pass		Daminozide <sup>‡</sup>	< LOQ	1.0	0.500	pass	
Diazinon <sup>‡</sup>	< LOQ	0.20	0.100	pass		Dichlorvos <sup>‡</sup>	< LOQ	1.0	0.500	pass	
Dimethoate <sup>‡</sup>	< LOQ	0.20	0.100	pass		Ethoprophos <sup>‡</sup>	< LOQ	0.20	0.100	pass	
Etofenprox <sup>‡</sup>	< LOQ	0.40	0.200	pass		Etoxazole <sup>‡</sup>	< LOQ	0.20	0.100	pass	
Fenoxycarb <sup>‡</sup>	< LOQ	0.20	0.100	pass		Fenpyroximate <sup>‡</sup>	< LOQ	0.40	0.200	pass	
Fipronil <sup>‡</sup>	< LOQ	0.40	0.200	pass		Flonicamid <sup>‡</sup>	< LOQ	1.0	0.400	pass	
Fludioxonil <sup>‡</sup>	< LOQ	0.40	0.200	pass		Hexythiazox <sup>‡</sup>	< LOQ	1.0	0.400	pass	
Imazalil <sup>‡</sup>	< LOQ	0.20	0.100	pass		Imidacloprid <sup>‡</sup>	< LOQ	0.40	0.200	pass	
Kresoxim-methyl <sup>‡</sup>	< LOQ	0.40	0.200	pass		Malathion <sup>‡</sup>	< LOQ	0.20	0.100	pass	
Metalaxyl <sup>‡</sup>	< LOQ	0.20	0.100	pass		Methiocarb <sup>‡</sup>	< LOQ	0.20	0.100	pass	
Methomyl <sup>‡</sup>	< LOQ	0.40	0.200	pass		MGK-264 <sup>‡</sup>	< LOQ	0.20	0.100	pass	
Myclobutanil <sup>‡</sup>	< LOQ	0.20	0.100	pass		Naled <sup>‡</sup>	< LOQ	0.50	0.250	pass	
Oxamyl <sup>‡</sup>	< LOQ	1.0	0.500	pass		Pacllobutrazole <sup>‡</sup>	< LOQ	0.40	0.200	pass	
Parathion-Methyl <sup>‡</sup>	< LOQ	0.20	0.100	pass		Permethrin <sup>‡</sup>	< LOQ	0.20	0.100	pass	
Phosmet <sup>‡</sup>	< LOQ	0.20	0.100	pass		Piperonyl butoxide <sup>‡</sup>	< LOQ	2.0	1.00	pass	
Prallethrin <sup>‡</sup>	< LOQ	0.20	0.100	pass		Propiconazole <sup>‡</sup>	< LOQ	0.40	0.200	pass	
Propoxur <sup>‡</sup>	< LOQ	0.20	0.100	pass		Pyrethrin I (total) <sup>‡</sup>	< LOQ	1.0	0.500	pass	
Pyridaben <sup>‡</sup>	< LOQ	0.20	0.100	pass		Spinosad <sup>‡</sup>	< LOQ	0.20	0.100	pass	
Spiromesifen <sup>‡</sup>	< LOQ	0.20	0.100	pass		Spirotetramat <sup>‡</sup>	< LOQ	0.20	0.100	pass	
Spiroxamine <sup>‡</sup>	< LOQ	0.40	0.200	pass		Tebuconazole <sup>‡</sup>	< LOQ	0.40	0.200	pass	
Thiacloprid <sup>‡</sup>	< LOQ	0.20	0.100	pass		Thiamethoxam <sup>‡</sup>	< LOQ	0.20	0.100	pass	
Trifloxystrobin <sup>‡</sup>	< LOQ	0.20	0.100	pass							

Metals										
Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes		
Arsenic <sup>‡</sup>	< LOQ	0.200	mg/kg	0.00397	2312692	11/10/23 AOAC 2013.06 (mod.) <sup>b</sup>	pass			
Cadmium <sup>‡</sup>	< LOQ	0.200	mg/kg	0.00397	2312692	11/10/23 AOAC 2013.06 (mod.) <sup>b</sup>	pass			
Lead <sup>‡</sup>	< LOQ	0.500	mg/kg	0.00397	2312692	11/10/23 AOAC 2013.06 (mod.) <sup>b</sup>	pass			
Mercury <sup>‡</sup>	< LOQ	0.100	mg/kg	0.00198	2312692	11/10/23 AOAC 2013.06 (mod.) <sup>b</sup>	pass			



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Report Number:** 23-013197/D014.R000  
**Report Date:** 11/15/2023  
**ORELAP#:** OR100028  
**Purchase Order:** 2715879  
**Received:** 11/07/23 16:04

**Abbreviations**

**Limits:** Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

**Limit(s) of Quantitation (LOQ):** The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

Ⓟ = ISO/IEC 17025:2017 accredited method.

Ⓜ = TNI accredited analyte.

**Units of Measure**

cfu/g = Colony forming units per gram

g = g

µg/g = Microgram per gram

mg/kg = Milligram per kilogram = parts per million (ppm)

mg/1g = Milligram per 1g

% = Percentage of sample

% wt = µg/g divided by 10,000

Approved Signatory

Derrick Tanner  
General Manager



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Report Number:** 23-013197/D014.R000  
**Report Date:** 11/15/2023  
**ORELAP#:** OR100028  
**Purchase Order:** 2715879  
**Received:** 11/07/23 16:04

That is absolutely correct, thank you! It's what happens when my desk is covered in samples.

Regarding SLZ.D9.LM2.V2-FK04: this is under order **Lazarus-Naturals-1699400402**. So only expedited potency for this sample please.

Thank you again,

**Josh Bjurman**

Testing Coordinator & Document Specialist

On Wed, Nov 8, 2023 at 11:12 AM Raisa Stewart <[Raisa.Stewart@tentamus.com](mailto:Raisa.Stewart@tentamus.com)> wrote:

Good Morning!

Thanks for your submission yesterday for those cannabis samples! I just wanted to check in with you about sample #12 on eCOC #1699400690. On the eCOC, sample 12 is named "CYCL-SLZ.D9.CH5.6PK-FJ07-1Z", but the physical sample is labeled "FI09(A)-1C", and it is also black currant, not the cherry flavor. I went ahead and changed the name to match the physical sample, as it just looks like a copy/paste miss, so let me know if there is anything else you would like me to do for this sample/ if there is a different name you would like it to go by.

**Previously: CYCL-SLZ.D9.CH5.6PK-FJ07-1Z**

**Now: CYCL-SLZ.D9.BC5.6PK-FI09(A)-1C**

All other samples were great and accounted for!

I also wanted to confirm if sample **CYCL-SLZ.D9.LM2.V2-FK04** is going to be a potency first and safety testing later project since we received 3 different vials of sample? It was not specified on the coc so I just wanted to check.



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Report Number:** 23-013197/D014.R000  
**Report Date:** 11/15/2023  
**ORELAP#:** OR100028  
**Purchase Order:** 2715879  
**Received:** 11/07/23 16:04

*Please note Columbia Laboratories will be closed in observance of Thanksgiving on November 23rd and 24th.*

Best Regards,

**Raisa Stewart**

Project Manager

Columbia Laboratories Inc.



12423 NE Whitaker Way, Portland OR 97230

Main line: 503-254-1794, Ext 306

Direct Line: 971-270-4146



*Confidentiality Note: This communication (including any attachments) may contain privileged or confidential information intended for a specific individual and purpose, and is protected by law. If you are not the intended recipient, you should delete this communication and any attachments and are hereby notified that any disclosure, copying, or distribution of this communication, or the taking of any action based on it, is strictly prohibited. Thank you.*





12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Report Number:** 23-013197/D014.R000  
**Report Date:** 11/15/2023  
**ORELAP#:** OR100028  
**Purchase Order:** 2715879  
**Received:** 11/07/23 16:04

Revision: 4 Document ID: 7148  
Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6 Batch ID: 2312678

Laboratory Control Sample									
Analyte	LCS	Result	Spike	Units	% Rec	Limits		Evaluation	Notes
CBDVA	2	0.0009	0.0010	%	95.4	80.0	- 120	Acceptable	
CBDV	2	0.00101	0.00101	%	99.6	80.0	- 120	Acceptable	
CBE	2	0.00109	0.00107	%	102	80.0	- 120	Acceptable	
CBDA	1	0.0009	0.0009	%	99.6	90.0	- 110	Acceptable	
CBGA	1	0.0009	0.0009	%	98.9	80.0	- 120	Acceptable	
CBG	1	0.00101	0.0010	%	101	80.0	- 120	Acceptable	
CBD	1	0.0010	0.0010	%	100	90.0	- 110	Acceptable	
THCV	2	0.00108	0.00103	%	104	80.0	- 120	Acceptable	
d8THCV	2	0.0009	0.0008	%	102	80.0	- 120	Acceptable	
THCVA	2	0.0009	0.0009	%	94.3	80.0	- 120	Acceptable	
CBN	1	0.00102	0.0010	%	103	80.0	- 120	Acceptable	
exo-THC	2	0.0010	0.0009	%	102	80.0	- 120	Acceptable	
d9THC	1	0.00103	0.0010	%	107	90.0	- 110	Acceptable	
d8THC	1	0.0009	0.0008	%	103	90.0	- 110	Acceptable	
9S-d10THC	1	0.00101	0.0010	%	103	80.0	- 120	Acceptable	
CBL	2	0.00104	0.0010	%	104	80.0	- 120	Acceptable	
9R-d10THC	1	0.0010	0.0009	%	103	80.0	- 120	Acceptable	
CBC	2	0.00105	0.00103	%	103	80.0	- 120	Acceptable	
THCA	1	0.0009	0.0009	%	97.1	90.0	- 110	Acceptable	
CBCA	2	0.0009	0.00101	%	90.8	80.0	- 120	Acceptable	
CBLA	2	0.0010	0.00103	%	95.7	80.0	- 120	Acceptable	
d9THCP	2	0.00104	0.00100	%	104	80.0	- 120	Acceptable	
CBT	2	0.00103	0.00103	%	100	80.0	- 120	Acceptable	

Method Blank						
Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<LOQ	0.0001	%	< 0.0001	Acceptable	
CBDV	<LOQ	0.0001	%	< 0.0001	Acceptable	
CBE	<LOQ	0.0001	%	< 0.0001	Acceptable	
CBDA	<LOQ	0.0001	%	< 0.0001	Acceptable	
CBGA	<LOQ	0.0001	%	< 0.0001	Acceptable	
CBG	<LOQ	0.0001	%	< 0.0001	Acceptable	
CBD	<LOQ	0.0001	%	< 0.0001	Acceptable	
THCV	<LOQ	0.0001	%	< 0.0001	Acceptable	
d8THCV	<LOQ	0.0001	%	< 0.0001	Acceptable	
THCVA	<LOQ	0.0001	%	< 0.0001	Acceptable	
CBN	<LOQ	0.0001	%	< 0.0001	Acceptable	
exo-THC	<LOQ	0.0001	%	< 0.0001	Acceptable	
d9THC	<LOQ	0.0001	%	< 0.0001	Acceptable	
d8THC	<LOQ	0.0001	%	< 0.0001	Acceptable	
9S-d10THC	<LOQ	0.0001	%	< 0.0001	Acceptable	
CBL	<LOQ	0.0001	%	< 0.0001	Acceptable	
9R-d10THC	<LOQ	0.0001	%	< 0.0001	Acceptable	
CBC	<LOQ	0.0001	%	< 0.0001	Acceptable	
THCA	<LOQ	0.0001	%	< 0.0001	Acceptable	
CBCA	<LOQ	0.0001	%	< 0.0001	Acceptable	
CBLA	<LOQ	0.0001	%	< 0.0001	Acceptable	
d9THCP	<LOQ	0.0001	%	< 0.0001	Acceptable	
CBT	<LOQ	0.0001	%	< 0.0001	Acceptable	

**Abbreviations**  
ND - None Detected at or above MRL  
RPD - Relative Percent Difference  
LOQ - Limit of Quantitation

**Units of Measure:**  
% - Percent



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794



**Report Number:** 23-013197/D014.R000  
**Report Date:** 11/15/2023  
**ORELAP#:** OR100028  
**Purchase Order:** 2715879  
**Received:** 11/07/23 16:04

Revision: 4 Document ID: 7148  
 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6		Batch ID: 2312678						
Sample Duplicate		Sample ID: 23-013196-0001						
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CBDV	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CBE	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CBD	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CBDA	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CBGA	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CBG	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CBD	0.00584	0.00583	0.0001	%	0.105	< 20	Acceptable	
THCV	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
d8THCV	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
THCVA	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CBN	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
exo-THC	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
d9THC	0.00292	0.00292	0.0001	%	0.118	< 20	Acceptable	
d8THC	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
9S-d10THC	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CBL	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
9R-d10THC	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CBC	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
THCA	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CBCA	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CBLA	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
d9THCP	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CBT	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL  
 RPD - Relative Percent Difference  
 LOQ - Limit of Quantitation

Units of Measure:

% - Percent



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794



**Report Number:** 23-013197/D014.R000  
**Report Date:** 11/15/2023  
**ORELAP#:** OR100028  
**Purchase Order:** 2715879  
**Received:** 11/07/23 16:04

Revision: 3 Document ID: 3120  
 Legacy ID: CFL-C21 Worksheet Validated 10/30/2020

**Laboratory Pesticide Quality Control Results**

AOAC 2007.1 & EN 15662		Units: mg/Kg			Batch ID: 2312740			
Method Blank		Laboratory Control Sample						
Analyte	Blank Result	Blank Limits	Notes	LCS Result	LCS Spike	LCS % Rec	Limits	Notes
Abamectin	0.000	< 0.250		0.881	1.000	88.1	50.0	150
Acephate	0.000	< 0.200		0.756	0.800	94.4	60.0	120
Acetaminocyl	0.000	< 1.000		3.450	4.000	86.2	40.0	160
Acetamiprid	0.000	< 0.100		0.389	0.400	97.2	60.0	120
Aldicarb	0.000	< 0.200		0.777	0.800	97.1	60.0	120
Azoxystrobin	0.000	< 0.100		0.387	0.400	96.8	60.0	120
Bifenazate	0.000	< 0.100		0.393	0.400	98.2	60.0	120
Bifenthrin	0.002	< 0.100		0.388	0.400	97.1	50.0	150
Boscalid	0.000	< 0.200		0.807	0.800	100.9	60.0	120
Carbaryl	0.000	< 0.100		0.406	0.400	101.5	60.0	120
Carbofuran	0.000	< 0.100		0.387	0.400	96.6	60.0	120
Chlorantraniliprole	0.000	< 0.100		0.472	0.400	118.0	60.0	120
Chlorfenapyr	0.000	< 0.500		1.880	2.000	94.0	60.0	120
Chlorpyrifos	0.000	< 0.100		0.387	0.400	96.8	60.0	120
Clofentazine	0.000	< 0.100		0.313	0.400	78.2	60.0	120
Cyfluthrin	0.000	< 0.500		1.882	2.000	94.1	50.0	150
Cypermethrin	0.000	< 0.500		1.940	2.000	97.0	50.0	150
Daminozide	0.000	< 0.500		0.720	2.000	36.0	60.0	120
Diazinon	0.000	< 0.100		0.362	0.400	90.5	60.0	120
Dichlorvos	0.000	< 0.500		2.046	2.000	102.3	60.0	120
Dimethoate	0.000	< 0.100		0.391	0.400	97.7	60.0	120
Ethoprophos	0.000	< 0.100		0.387	0.400	96.8	60.0	120
Etofenprox	0.000	< 0.200		0.760	0.800	95.0	50.0	150
Etoxazole	0.000	< 0.100		0.397	0.400	99.4	60.0	120
Fenoxycarb	0.000	< 0.100		0.402	0.400	100.6	60.0	120
Fenpyroximate	0.000	< 0.200		0.807	0.800	100.9	60.0	120
Fipronil	0.000	< 0.200		0.806	0.800	100.7	60.0	120
Fonicamid	0.000	< 0.250		1.008	1.000	100.8	60.0	120
Fludioxonil	0.000	< 0.200		0.790	0.800	98.8	50.0	150
Hexythiazox	0.000	< 0.250		0.996	1.000	99.6	60.0	120
Imazalil	0.000	< 0.100		0.398	0.400	99.6	60.0	120
Imidacloprid	0.000	< 0.200		0.809	0.800	101.2	60.0	120
Kresoxim-methyl	0.000	< 0.200		0.773	0.800	96.6	60.0	120
Malathion	0.000	< 0.100		0.378	0.400	94.5	60.0	120
Metlaxyl	0.000	< 0.100		0.393	0.400	98.4	60.0	120
Methiocarb	0.000	< 0.100		0.382	0.400	95.4	60.0	120
Methomyl	0.000	< 0.200		0.810	0.800	101.3	60.0	120
MGK-264	0.000	< 0.100		0.431	0.400	107.8	50.0	150
Myclobutanil	0.000	< 0.100		0.409	0.400	102.2	60.0	120
Naled	0.000	< 0.250		0.963	1.000	96.3	50.0	150
Oxamyl	0.000	< 0.500		1.927	2.000	96.4	60.0	120
Pacllobutrazole	0.000	< 0.200		0.790	0.800	98.8	60.0	120
Parathion-Methyl	0.000	< 0.100		0.421	0.400	105.2	50.0	150
Permethrin	0.027	< 0.100		0.360	0.400	90.0	50.0	150
Phosmet	0.000	< 0.100		0.389	0.400	97.2	50.0	150
Piperonyl butoxide	0.000	< 0.500		1.971	2.000	98.6	60.0	120
Prallethrin	0.008	< 0.100		0.352	0.400	88.0	60.0	120
Propiconazole	0.000	< 0.200		0.767	0.800	95.9	60.0	120
Propoxur	0.000	< 0.100		0.377	0.400	94.1	60.0	120
Pyrethrin (Summe)	0.003	< 0.100		0.484	0.488	99.1	60.0	120
Pyridaben	0.001	< 0.100		0.388	0.400	97.0	50.0	150
Spirosad	0.000	< 0.100		0.387	0.388	99.6	50.0	150
Spiromesifen	0.000	< 0.100		0.401	0.400	100.1	60.0	120
Spirotetramat	0.000	< 0.100		0.398	0.400	99.6	60.0	120
Spiroxamine	0.000	< 0.200		0.795	0.800	99.4	60.0	120
Tebuconazole	0.001	< 0.200		0.802	0.800	100.2	60.0	120
Thiacloprid	0.000	< 0.100		0.387	0.400	96.9	60.0	120
Thiamethoxam	0.000	< 0.100		0.428	0.400	107.0	60.0	120
Trifloxystrobin	0.000	< 0.100		0.383	0.400	95.8	60.0	120

Q7



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Report Number:** 23-013197/D014.R000  
**Report Date:** 11/15/2023  
**ORELAP#:** OR100028  
**Purchase Order:** 2715879  
**Received:** 11/07/23 16:04

Revision: 3 Document ID: 3120  
Legacy ID: CFL-C21 Worksheet Validated 10/30/2020

**Laboratory Pesticide Quality Control Results**

AOAC 2007.1 & EN 15662		Units: mg/Kg					Batch ID: 2312740				
Matrix Spike/Matrix Spike Duplicate Recoveries		Sample ID: 23-013197-0018									
Analyte	Result	MS Res	MSD Res	Spike	RPD%	Limit	MS % Rec	MSD % Rec	Limits	Notes	
Abamectin	0.000	0.864	0.920	1.000	6.3%	< 30	86.4%	92.0%	50 - 150		
Acephate	0.000	0.759	0.792	0.800	4.3%	< 30	94.9%	99.0%	50 - 150		
Acequinocyl	0.000	3.639	4.047	4.000	10.6%	< 30	91.0%	101.2%	50 - 150		
Acetamiprid	0.000	0.400	0.415	0.400	3.7%	< 30	100.1%	103.8%	50 - 150		
Aldicarb	0.000	0.754	0.755	0.800	0.1%	< 30	94.3%	94.4%	50 - 150		
Azoxystrobin	0.000	0.381	0.394	0.400	3.1%	< 30	95.4%	98.4%	50 - 150		
Bifenazate	0.000	0.408	0.379	0.400	7.3%	< 30	102.0%	94.8%	50 - 150		
Bifenthrin	0.001	0.377	0.390	0.400	3.2%	< 30	94.2%	97.3%	50 - 150		
Boscalid	0.000	0.697	0.799	0.800	13.6%	< 30	87.1%	99.8%	50 - 150		
Carbaryl	0.000	0.394	0.411	0.400	4.1%	< 30	98.6%	102.7%	50 - 150		
Carbofuran	0.000	0.387	0.402	0.400	3.7%	< 30	96.8%	100.5%	50 - 150		
Chlorantraniliprole	0.000	0.398	0.368	0.400	7.8%	< 30	99.4%	91.9%	50 - 150		
Chlorfenapyr	0.000	1.849	1.897	2.000	2.6%	< 30	92.4%	94.8%	50 - 150		
Chlorpyrifos	0.000	0.388	0.390	0.400	0.4%	< 30	97.0%	97.4%	50 - 150		
Clofentezine	0.000	0.287	0.297	0.400	3.6%	< 30	71.7%	74.3%	50 - 150		
Cyfluthrin	0.000	1.646	1.930	2.000	15.9%	< 30	82.3%	96.5%	30 - 150		
Cypermethrin	0.000	1.878	1.959	2.000	4.2%	< 30	93.9%	97.9%	50 - 150		
Daminozide	0.000	0.705	0.727	2.000	3.1%	< 30	35.3%	36.4%	30 - 150		
Diazinon	0.000	0.357	0.370	0.400	3.7%	< 30	89.1%	92.5%	50 - 150		
Dichlorvos	0.000	2.051	1.998	2.000	2.6%	< 30	102.6%	99.9%	50 - 150		
Dimethoate	0.000	0.381	0.394	0.400	3.3%	< 30	95.2%	98.4%	50 - 150		
Ethoprophos	0.000	0.377	0.385	0.400	2.1%	< 30	94.2%	96.2%	50 - 150		
Etofenprox	0.000	0.767	0.775	0.800	1.0%	< 30	95.9%	96.9%	50 - 150		
Etoxazole	0.000	0.384	0.388	0.400	1.0%	< 30	96.1%	97.1%	50 - 150		
Fenoxycarb	0.000	0.387	0.398	0.400	3.0%	< 30	96.7%	99.6%	50 - 150		
Fenpyroximate	0.000	0.769	0.809	0.800	5.1%	< 30	96.1%	101.2%	50 - 150		
Fipronil	0.000	0.727	0.718	0.800	1.2%	< 30	90.9%	89.8%	50 - 150		
Flonicamid	0.000	0.943	0.962	1.000	2.0%	< 30	94.3%	96.2%	50 - 150		
Fludioxonil	0.000	0.742	0.793	0.800	6.6%	< 30	92.7%	99.1%	50 - 150		
Hexythiazox	0.000	1.150	1.219	1.000	5.8%	< 30	115.0%	121.9%	50 - 150		
Imazalil	0.000	0.386	0.387	0.400	0.1%	< 30	96.6%	96.8%	50 - 150		
Imidacloprid	0.000	0.766	0.786	0.800	2.5%	< 30	95.8%	98.2%	50 - 150		
Kresoxim-methyl	0.000	0.751	0.785	0.800	4.5%	< 30	93.8%	98.1%	50 - 150		
Malathion	0.000	0.386	0.396	0.400	2.4%	< 30	96.5%	98.9%	50 - 150		
Metaxalyl	0.000	0.387	0.393	0.400	1.5%	< 30	96.7%	98.3%	50 - 150		
Methiocarb	0.000	0.358	0.395	0.400	9.9%	< 30	89.5%	98.8%	50 - 150		
Methomyl	0.000	0.765	0.667	0.800	13.7%	< 30	95.7%	83.4%	50 - 150		
MGK-264	0.000	0.403	0.410	0.400	1.8%	< 30	100.8%	102.6%	50 - 150		
Myclobutanil	0.000	0.398	0.400	0.400	0.4%	< 30	99.6%	99.9%	50 - 150		
Naled	0.000	0.922	0.965	1.000	4.5%	< 30	92.2%	96.5%	50 - 150		
Oxamyl	0.000	1.910	2.137	2.000	11.2%	< 30	95.5%	106.8%	50 - 150		
Pacllobutrazole	0.000	0.759	0.767	0.800	1.0%	< 30	94.9%	95.8%	50 - 150		
Parathion-Methyl	0.000	0.395	0.419	0.400	5.9%	< 30	98.8%	104.7%	30 - 150		
Permethrin	0.000	0.478	0.355	0.400	29.5%	< 30	119.6%	88.8%	50 - 150		
Phosmet	0.000	0.384	0.396	0.400	3.1%	< 30	95.9%	98.9%	50 - 150		
Piperonyl butoxide	0.000	1.897	1.911	2.000	0.7%	< 30	94.9%	95.5%	50 - 150		
Prallethrin	0.000	0.388	0.398	0.400	2.6%	< 30	97.0%	99.6%	50 - 150		
Propiconazole	0.000	0.769	0.755	0.800	1.8%	< 30	96.1%	94.4%	50 - 150		
Propoxur	0.000	0.390	0.396	0.400	1.5%	< 30	97.5%	99.0%	50 - 150		
Pyrethrin (Summe)	0.001	0.467	0.469	0.488	0.6%	< 30	95.6%	96.1%	50 - 150		
Pyridaben	0.000	0.422	0.434	0.400	2.8%	< 30	105.5%	108.5%	50 - 150		
Spinosad	0.000	0.377	0.390	0.388	3.2%	< 30	97.3%	100.5%	50 - 150		
Spiromesifen	0.000	0.388	0.390	0.400	0.6%	< 30	97.0%	97.6%	50 - 150		
Spirotetramat	0.000	0.392	0.397	0.400	1.2%	< 30	98.1%	99.2%	50 - 150		
Spiroxamine	0.000	0.769	0.775	0.800	0.8%	< 30	96.1%	96.9%	50 - 150		
Tebuconazole	0.000	0.755	0.769	0.800	1.8%	< 30	94.4%	96.2%	50 - 150		
Thiacloprid	0.000	0.380	0.392	0.400	3.2%	< 30	94.9%	98.0%	50 - 150		
Thiamethoxam	0.000	0.407	0.385	0.400	5.4%	< 30	101.7%	96.4%	50 - 150		
Trifloxystrobin	0.000	0.381	0.377	0.400	1.1%	< 30	95.3%	94.3%	50 - 150		



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794

Report Number: 23-013197/D014.R000  
 Report Date: 11/15/2023  
 ORELAP#: OR100028  
 Purchase Order: 2715879  
 Received: 11/07/23 16:04



Revision: 2 Document ID: 7087  
 Legacy ID: CFL-E33Effective:

Laboratory Quality Control Results

Residual Solvents				Batch ID: 2312771					
Method Blank				Laboratory Control Sample					
Analyte	Result	LOQ	Notes	Result	Spike	Units	% Rec	Limits	Notes
Propane	ND	< 200		498	584	µg/g	85.3	60 - 120	
Isobutane	ND	< 200		598	767	µg/g	78.0	60 - 120	
Butane	ND	< 200		565	782	µg/g	72.3	60 - 120	
2,2-Dimethylpropane	ND	< 200		811	939	µg/g	86.4	60 - 120	
Methanol	ND	< 200		1640	1600	µg/g	102.5	60 - 120	
Ethylene Oxide	ND	< 30		46	57.1	µg/g	80.6	60 - 120	
2-Methylbutane	ND	< 200		1660	1600	µg/g	103.8	60 - 120	
Pentane	ND	< 200		1630	1600	µg/g	101.9	60 - 120	
Ethanol	ND	< 200		1530	1600	µg/g	95.6	70 - 130	
Ethyl Ether	ND	< 200		1590	1600	µg/g	99.4	60 - 120	
2,2-Dimethylbutane	ND	< 30		161	161	µg/g	100.0	60 - 120	
Acetone	ND	< 200		1610	1600	µg/g	100.6	60 - 120	
2-Propanol	ND	< 200		1500	1600	µg/g	93.8	60 - 120	
Ethyl Formate	ND	< 500		2790	1600	µg/g	174.4	70 - 130	Q6
Acetonitrile	ND	< 100		484	488	µg/g	99.2	60 - 120	
Methyl Acetate	ND	< 500		1430	1610	µg/g	88.8	70 - 130	
2,3-Dimethylbutane	ND	< 30		164	163	µg/g	100.6	60 - 120	
Dichloromethane	ND	< 60		453	488	µg/g	92.8	60 - 120	
2-Methylpentane	ND	< 30		158	161	µg/g	98.1	60 - 120	
MTBE	ND	< 500		1590	1650	µg/g	96.4	70 - 130	
3-Methylpentane	ND	< 30		151	162	µg/g	93.2	60 - 120	
Hexane	ND	< 30		150	161	µg/g	93.2	60 - 120	
1-Propanol	ND	< 500		1540	1620	µg/g	95.1	70 - 130	
Methylethylketone	ND	< 500		1400	1610	µg/g	87.0	70 - 130	
Ethyl acetate	ND	< 200		1520	1610	µg/g	94.4	60 - 120	
2-Butanol	ND	< 200		1350	1610	µg/g	83.9	60 - 120	
Tetrahydrofuran	ND	< 100		446	483	µg/g	92.3	60 - 120	
Cyclohexane	ND	< 200		1490	1600	µg/g	93.1	60 - 120	
2-methyl-1-propanol	ND	< 500		1490	1600	µg/g	93.1	70 - 130	
Benzene	ND	< 1		4.57	4.99	µg/g	91.6	60 - 120	
Isopropyl Acetate	ND	< 200		1500	1600	µg/g	93.8	60 - 120	
Heptane	ND	< 200		1510	1600	µg/g	94.4	60 - 120	
1-Butanol	ND	< 500		1450	1610	µg/g	90.1	70 - 130	
Propyl Acetate	ND	< 500		1360	1610	µg/g	84.5	70 - 130	
1,4-Dioxane	ND	< 100		396	480	µg/g	82.5	60 - 120	
2-Ethoxyethanol	ND	< 30		111	161	µg/g	68.9	60 - 120	
Methylisobutylketone	ND	< 500		1350	1610	µg/g	83.9	70 - 130	
3-Methyl-1-butanol	ND	< 500		1360	1610	µg/g	84.5	70 - 130	
Ethylene Glycol	ND	< 200		92.8	481	µg/g	19.3	60 - 120	Q6
Toluene	ND	< 100		389	483	µg/g	80.5	60 - 120	
Isobutyl Acetate	ND	< 500		1340	1610	µg/g	83.2	70 - 130	
1-Pentanol	ND	< 500		1340	1610	µg/g	83.2	70 - 130	
Butyl Acetate	ND	< 500		1280	1600	µg/g	80.0	70 - 130	
Ethylbenzene	ND	< 200		701	962	µg/g	72.9	60 - 120	
m,p-Xylene	ND	< 200		703	994	µg/g	70.7	60 - 120	
o-Xylene	ND	< 200		678	965	µg/g	70.3	60 - 120	
Cumene	ND	< 30		116	169	µg/g	68.6	60 - 120	
Anisole	ND	< 500		1110	1600	µg/g	69.4	70 - 130	Q6
DMSO	ND	< 500		823	1600	µg/g	51.4	70 - 130	Q6
1,2-dimethoxyethane	ND	< 50		137	163	µg/g	84.0	70 - 130	
Triethylamine	ND	< 500		869	1600	µg/g	54.3	70 - 130	Q6
N,N-dimethylformamide	ND	< 150		367	482	µg/g	76.1	70 - 130	
N,N-dimethylacetamide	ND	< 150		350	483	µg/g	72.5	70 - 130	
Pyridine	ND	< 50		119	161	µg/g	73.9	70 - 130	
Sulfolane	ND	< 50		102	163	µg/g	62.6	70 - 130	Q6
1,2-Dichloroethane	ND	< 1		0.835	1	µg/g	83.5	70 - 130	
Chloroform	ND	< 1		0.842	1	µg/g	84.2	70 - 130	
Trichloroethylene	ND	< 1		0.758	1	µg/g	75.8	70 - 130	
1,1-Dichloroethane	ND	< 1		0.82	1	µg/g	82.0	70 - 130	



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794

**Report Number:** 23-013197/D014.R000  
**Report Date:** 11/15/2023  
**ORELAP#:** OR100028  
**Purchase Order:** 2715879  
**Received:** 11/07/23 16:04



Revision: 2 Document ID: 7087  
 Legacy ID: CFL-E33Effective:

QC - Sample Duplicate		Sample ID: 23-013106-0001						
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Accept/Fail	Notes
Propane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Isobutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Butane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylpropane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Methanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethylene Oxide	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2-Methylbutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Pentane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethyl Ether	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Acetone	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Propanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethyl Formate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Acetonitrile	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Methyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
2,3-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Dichloromethane	ND	ND	60	µg/g	0.0	< 20	Acceptable	
2-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
MTBE	ND	ND	500	µg/g	0.0	< 20	Acceptable	
3-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Hexane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
1-Propanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Methyl ethyl ketone	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Ethyl acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Butanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Tetrahydrofuran	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Cyclohexane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-methyl-1-propanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Benzene	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Isopropyl Acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Heptane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
1-Butanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Propyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
1,4-Dioxane	ND	ND	100	µg/g	0.0	< 20	Acceptable	
2-Ethoxyethanol	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Methylisobutylketone	ND	ND	500	µg/g	0.0	< 20	Acceptable	
3-Methyl-1-butanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Ethylene Glycol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Toluene	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Isobutyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
1-Pentanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Butyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Ethylbenzene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
m,p-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
o-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Cumene	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Anisole	ND	ND	500	µg/g	0.0	< 20	Acceptable	
DMSO	ND	ND	500	µg/g	0.0	< 20	Acceptable	
1,2-dimethoxyethane	ND	ND	50	µg/g	0.0	< 20	Acceptable	
Triethylamine	ND	ND	500	µg/g	0.0	< 20	Acceptable	
N,N-dimethylformamide	ND	ND	150	µg/g	0.0	< 20	Acceptable	
N,N-dimethylacetamide	ND	ND	150	µg/g	0.0	< 20	Acceptable	
Pyridine	ND	ND	50	µg/g	0.0	< 20	Acceptable	
Sulfolane	ND	ND	50	µg/g	0.0	< 20	Acceptable	
1,2-Dichloroethane	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Chloroform	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Trichloroethylene	ND	ND	1	µg/g	0.0	< 20	Acceptable	
1,1-Dichloroethane	ND	ND	1	µg/g	0.0	< 20	Acceptable	

**Abbreviations**

ND - None Detected at or above MRL  
 RPD - Relative Percent Difference  
 LOQ - Limit of Quantitation

**Units of Measure:**

µg/g- Microgram per gram or ppm



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Report Number:** 23-013197/D014.R000  
**Report Date:** 11/15/2023  
**ORELAP#:** OR100028  
**Purchase Order:** 2715879  
**Received:** 11/07/23 16:04





Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitation level raised due to matrix interference.
B	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.