


VTOMAN

TOOLS & BATTERIES

User Manual

Jump Starter




V8 Pro

Model No.: Epower-130

WELCOME

Thank you for choosing VTOMAN V8 Pro Jump Starter. Please read the user manual carefully before use and keep it for further reference.


PRODUCT PARTS AND FUNCTIONS DESCRIPTION



1. LED Flashlight (SOS)
2. Red Emergency Light
3. 12V Jump Cable Socket

4. ON/OFF Switch
5. Power Button
6. 5V/9V Quickcharge Output

7. 5V/2.1A Output
8. 12V/10A Output
9. 15V/1A Input
10. LCD Screen
11. Compass



LCD Screen Display

Keep the "ON/OFF" switch "ON" and press the power button, the LCD screen will show the remain power of the device.



Fully Charged



Charging



5V 2.1A available



12V 10A available




5V/9V available

OPERATING INSTRUCTIONS

(Keep the "ON/OFF" switch "ON" before you use the device.)

How to charge VTOMAN V8 Pro With Wall Charger


1. Plug the wall charger into the 15V/1A input port of the device.
2. Plug the wall charger into the universal input socket (100-240V).




JUMP STARTING A VEHICLE

50%

1. Make sure the unit is over 50% charged (check the battery indicator > 2 bars). If the device has not been used for over two months please charge it first.




2. Attach the intelligent jumper cable to this device.



3. Connect the jump clamps to the car battery: attach the red clamp to the positive terminal (+) and the black clamp to the negative terminal (-).




4. Start your vehicle. If your vehicle doesn't start, or if you observe a red light or hear buzzing, please consult the troubleshooting section on the next page.




5. After the car is starting, remove the jumper cable from the battery.


Check the indicators on the jumper cable, and operate in accordance with the instructions below:




GREEN LIGHT ON: The Connection is correct, ready to start your car.



RED LIGHT WITH BUZZING: This indicates that the terminals have been connected to the wrong polarity of the battery. Please follow step 3 to reconnect them until the green light is on before attempting to start the engine.



GREEN LIGHT BLINKING: Indicating that the voltage of the storage battery is too low. Press the BOOST button until the green light is on, and start within 30 seconds.




NO LIGHT AND NO BUZZING: Indicating that the storage battery may have been damaged. Please ensure that terminals have been connected to the correct polar, then press the "BOOST" button, and finish the starting operation within 30 seconds when the green light is on.

CHARGING THE DEVICES

How To Use VTOMAN V8 Pro To Charger The Cell Phone And Tablet:

1. Keep the "ON/OFF" switch "ON" and check the remain power of the device with LCD screen.
2. Connect the cell phone and device with USB cable.
3. Press the power button to charge your cell phone.



How To Use VTOMAN V8 Pro To Power Other 12V Car Equipments:

- 1.Plug the cigarette adapter into the 12V output port.
 - 2.Connect the other 12V Vehicle Electronics with the cigarette adapter.
 3. Press the power button to power the 12V Vehicle Electronics.
- *Note: Cigarette adapter is not included.

How To Turn On The LED Flash Light:

Press the power button for a few moments to turn the LED flashlight on.

Press one more to change the modes of the LED flashlight. (Normal, Strobe, SOS, OFF)

Press the power button twice to turn the red emergency light ON.
Press one more to turn it OFF.

PACKAGE & CONTENTS




V8 Pro Jump Starter x1



Intelligent Jumper Cable x1



EVA box x1



USB Charging Cable x1



Wall Charger x1



User Manual x1

SPECIFICATIONS

Size: 185*87*40mm

Weight: 550g

Battery Capacity: 55.5Wh

Output: 5V/9V; 5V2.1A; 12V 10A; 12V Jumping Socket

Input: 15V 1A Full charging time: 4.5h

Starting current: 500A(3s), 300A (5s)

Peak current: 3000A

operating temperature: -4°F ~ 140°F (-20°C ~ 60°C)

FAQ

1. How to turn off the device?

After using, push the "ON/OFF" Switch to OFF, The product has intelligent detection function, once there is no load, or electronic products charging is end, it will automatically shut down to save power.

2. How long will it take to full charge the device?

About 4.5 hours with the 15V/1A input.

3. How many times can this device charge the cell phone?

Take iPhone 6 as an example, this device can charge it about 7 times from 0% to 100%.

4. How many times can this device start the car when it is fully charged?

It can start car up to 30 times but we only suggest to start car up to 4 times for once use.

5. What's the lifetime of V8 Pro?

Usually 3-5years in normal condition.

6. How long does VTOMAN V8 Pro can hold charge and still can start the car?

The design of VTOMAN V8 Pro is very scientific, it can hold a charge up to 12 months. But we suggest to charge it every three months to extend battery service life.

WARNING

1. Read the instruction carefully before using the device.
2. Leave the device far from children.
3. Do not place the product in an environment where the temperature exceeds 60°C.
4. Do not shower dip the product in water.
5. Do not place the product in an extremely hot environment or fire.
6. Do not operate the product in an explosive environment, such as in the flammable liquids, gases or dust environment.
7. Do not use the device as a toy.
8. Do not use this device for charging a car.
9. Do not drop the product. If the product is impacted or damaged, it must be repaired by a qualified technician.

10. Do not use damaged or modified battery packs. Damage or modification of batteries may have unpredictable consequences, increasing the risk of fire, explosion, and injury.
11. To reduce the risk, keep away from children when using the device.
12. Make sure someone is nearby nearby when you are using the device.
13. Please remove metal accessories such as rings, bracelets and necklaces before using the product to prevent the metal from falling into the hole and cause short circuit.
14. Please make sure that the power is above 75% when you use it to start your car.
15. The product is only suitable for starting 12V gasoline and diesel vehicles. It may be dangerous if used for other purposes. Do not use it on equipment such as airplanes and ships.
16. This device can not power all 12V automotive products. Currently, it can only power some small automotive electronics, such as portable tire air pumps.
17. Please ensure that the blue end of the smart jump clamps is fully inserted into the product 12V car start port when you use it to start your car, otherwise the blue end may melt.
18. Please use the jump clamps which comes with the device only. When the battery dip or wire is damaged, please stop using it to avoid personal injury such as fire and electric shock.

19. Do not use the clamps to power other equipment. Before starting, make sure there is no rust and foreign matter at the interface, and tightly connect the device with the jump clamps.
20. Non-tight connection will affect the starting performance of the device.
21. Do not use the device to start the car while it is being charging.
22. Do not use the device to continuously start the car more than 3 times. It may cause the product to overheat and damage the product. Each starting should be separated by two minutes.
23. After successfully starting, please remove the product from the car battery within 30s, otherwise it may cause damage.
24. Do not charge the device immediately after use it to start the car successfully.
25. Please charge it in the environment temperature between 0C~45C.
26. Please use the comes with wall charger or the same specification charger to charge the device.
27. In extreme cases, the battery may leak. Do not touch the liquid directly with your hands or skin. If you accidentally touch it, rinse it off immediately with soap and water. If you accidentally get into your eyes, rinse your eyes with cold water for at least 10 minutes and seek medical attention immediately.
28. If the product battery leaks, please recycle it with the appropriate equipment immediately.

29. Lithium battery based products should be disposed according to local regulations at the end of the product's life.

COMPOSITIONS AND AMOUNT OF TOXIC AND HARMFUL SUBSTANCES VTOMAN V8 Pro:

TOXIC AND HARMFUL SUBSTANCES					
Pb	Hg	Cd	Cr (Vi)	PBB	PBDE
0	0	0	0	0	0
All toxic and hazardous substances content is below the MCV limit specified in the Standard 2002/95/EC(RoHs).					

Customer Service



18 Months Limited Warranty Service



Lifetime Technical Service



Feel Free to Contact Us
Support@vtoman.com



For FAQ and More Information
Support@vtoman.com

Made in China

